



2026 ACCESSORY



Drilling
(Wood/Metal) 9

Drilling
(Masonry) 35

Fastening 54

Drill and
Screw Bit Sets 66

Cutting 68

Jigsaw /
Reciprosawing 84

Brushing 96

Bonded
Abrasive 101

Coated
Abrasive 111

Multi Tool 122

Diamond 135

Planing /
Routing 150

Miscellaneous 157

Safety



Wear eye protection



Wear ear protection



Wear a mask



Wear protective gloves



Wear protective shoes



Read the instruction manuals



Remove plug from socket

Materials

Masonry



Reinforced concrete



Concrete



Concrete block



Brick



Plaster mortar



Mortar



Stone



Limestone



Marble



Granite

Wood



Wood



Wood with nails



Plywood



MDF

Metal



Metal, mild steel



Sheet metal



Metal stud



Non-ferrous metal



Aluminum



Stainless steel

Other Materials



Fiberglass



Glass



Plastic



Tile



Soft Tile



Fiber cement board



Removing paint



Removing paint from metal or polishing.



Plaster board



Epoxy



Asphalt



Insulation




































































Carpet



Silicon

Index

<p>p.9 Drilling (Wood/Metal)</p>	<p>Drill bit </p>	<p>Drill bit with 1/4"Hex shank </p>	<p>Step drill bit & Countersink bit </p>	<p>Hole saw </p>	<p>Drilling (Wood/Metal)</p>				
<p>p.35 Drilling (Masonry)</p>	<p>Masonry Bit with 1/4"Hex shank </p> <p>Tungsten carbide-tipped bit </p>	<p>Bull point </p>	<p>Cold chisel </p>	<p>Scaling chisel </p>	<p>Clay spade </p>	<p>Scraper assembly 100 (SDS-PLUS only) </p>	<p>Drilling (Masonry)</p>		
<p>p.54 Fastening</p>	<p>Screw bit </p> <p>Socket bit </p>	<p>Socket </p>	<p>Extension bar </p>	<p>Bit adapter assembly </p>	<p>Fastening</p>				
<p>p.66 Drill and Screw Bit Sets</p>	<p>MAKPAC </p>	<p>Circle </p>	<p>Square </p>	<p>Accessory set </p>	<p>Hand tool </p>	<p>Battery type case series </p>	<p>Clear case </p>	<p>Drill and Screw Bit Sets</p>	
<p>p.68 Cutting</p>	<p>Saw blade </p>	<p>Carbide-tipped saw blade for Metal </p>	<p>Grooving TCT Saw Blade </p>	<p>Tungsten carbide grit blade </p>	<p>Cutting</p>				
<p>p.84 Jigsaw / Reciprosawing</p>	<p>Jig saw blade </p>	<p>Reciprosaw blade </p>	<p>Board cutter blade </p>	<p></p>	<p>Band saw blade </p>	<p>Jigsaw / Reciprosawing</p>			
<p>p.96 Brushing</p>	<p>Nylon brush & Wire brush </p>	<p>Wire brush </p>	<p>Sponge pad </p>	<p>Wool bonnet </p>	<p>Wool pad </p>	<p>100mm Diamond polishing pad </p>	<p>Wheel </p>	<p>Brushing</p>	
<p>p.101 Bonded Abrasive</p>	<p>Cut-off wheel </p>	<p>Grinding wheel </p>	<p>Flexible grinding wheel </p>	<p>Cut-off wheel </p>	<p>Thin Cut-off wheel </p>	<p>Wheel point </p>	<p>Tungsten carbide burs </p>	<p>Grinding wheel </p>	<p>Bonded Abrasive</p>
<p>p.111 Coated Abrasive</p>	<p>Flap Disc </p>	<p>Fiber sanding disc </p>	<p>Abrasive belt </p>	<p>Abrasive paper </p>	<p>Abrasive disc </p>	<p>Coated Abrasive</p>			
<p>p.122 Multi Tool</p>	<p>Multi Tool Accessories </p>	<p>Multi Tool</p>							
<p>p.135 Diamond</p>	<p>Diamond wheel </p>	<p>Offset diamond wheel </p>	<p>Diamond core bit (Dry type) (For Model 8406, 8406C) </p>	<p>Diamond core bit (Dry type) </p>	<p>Diamond</p>				
<p>p.150 Planing / Routering</p>	<p>Planer blade </p>	<p>Mini planer blade </p>	<p>Router bit </p>	<p>Planing / Routering</p>					
<p>p.157 Miscellaneous</p>	<p>Hand Tool </p> <p>Pouches & Holders </p> <p>Belts & Braces </p> <p>Bags & Cases </p> <p>Gear & Equipment </p> <p>Mixing blade </p>	<p>Miscellaneous</p>							

Ideal for Cordless Tool Accessories

What is Ideal for DC tool Accessories ?

Provides the greatest performance on DC tools!

Higher speed, more work amount on a single full battery charge and a nice sense of use.* Here are the parties which give you the greatest performance on your MAKITA DC tools. You can find recommended accessories for DC tools with DC tool icons with an emphasized battery symbol. Try and see MAKITA's leading-edge technology.

*Features may vary by item.



Impact PREMIER




Ideal for



1 EXACT FIT



In a screw Near




In a screw Away




Impact
PREMIER

STANDARD

2 HIGH DURABILITY TORSION ZONE




3 UNIQUE STEEL BLEND



NEW INNOVATION



TCT saw blade EFFICUT series



EFFICUT

Efficient Sharp Tip's Top Angle



Efficient Slimmed Bottom



Efficient Curved Tip's Body



The amount of cutting per 1 charge




100

140%
UP



240



EFFICUT Composite decking

Efficient Curved Tip's Body



Efficient Slimmed Bottom



The amount of cutting per 1 charge



100

30%
UP



130



EFFICUT Metal


Strong and least chipping



Release swarf smoothly



Superior in straight cutting



The amount of cutting per 1 charge




100

60%
UP



160



EFFICUT Aluminum


Strong and least chipping



Reduce cutting resistance



Superior in straight cutting



Release swarf smoothly



The amount of cutting per 1 charge



100

40%
UP



140

Grinding wheel Diamond wheel



Ideal for




Thin cut-off wheel

0.8mm thickness for fast cutting

Thinner thickness


0.8mm thinner thickness brings ... fast cutting / reduction of cutting resistance / less burr of materials / less dust of materials

The amount of cutting per 1 charge



100

40%
UP



140



2in1 grinding wheel

Cutting and deburring are possible in one disc

Specialized cutting work

Thanks to "SA"grid and 2.2mm thinner thickness, it enables you to cut fast and deburring safely.

The amount of cutting per 1 charge



100

15%
UP



115



Flexible grinding wheel

Low vibration and no need back-up pad

Shock absorbed structure

Added shock absorbing material. You can feel overwhelmingly low vibration. Grinding speed is also faster because of its flexibility. It can touch materials more efficiency.

The amount of cutting per 1 charge




100

70%
UP



170



for Tile

Thin diamond wheel


Smooth & light cutting

Thinner thickness & enough strength

1.4mm thickness able to get smooth and light cutting.

Corrugated Rim increases wheel tension and reduces vibration during the cut.

The amount of cutting per 1 charge




100

60%
UP



160




for Concrete / Stone

Specialized cutting work

This blade is designed as 1.6mm. So smooth and light cutting is available.

It was lightened by punching the body. It is also reduce the load on the battery and increased the cutting distance per 1 battery charge.

The amount of cutting per 1 charge



100

50%
UP



150

Diamond wheel Cut-off wheel



Ideal for



Diamond wheel for concrete

Specialized for 9inch DC Power Cutter

To reduce the cutting load, diamond grain size is designed small.

The narrower slits reduce dragging work pieces.

The amount of cutting per 1 charge




100

65% UP



165



Cut-off wheel for Power cutter/ Metal / Ideal for Cordless Power cutter

Specialized for 14inch DC Power Cutter


Ideal blend of abrasive grain and bond for Cordless power cutter.

The amount of cutting per 1 charge



100

10% UP



110

Abrasive Cut-off wheel



Cordless



Abrasive Cut-off wheel for metal stud

Specialized for 14inch DC Portable Cut-off

Thinner blade & the optimum bonding


2.5mm thickness blade for smooth and fast cutting.
The optimum bonding for fast cutting and longer life.

The amount of cutting per 1 charge





100

30% UP



130

Drilling (Wood/Metal)



No.	1	2	3	4	5	6	7
Range	★	★★	★★★	★★★★	★★★★★	★★★★★	Specialized
Series							
Description	HSS-R	HSS-TiN	HSS-G	HSS-GS	HSS-TiN impact drill	M-force	HSS-Co5%
Made of							
Process of manufacturing *	Roll forged	Ground					
Tip geometry **	Chisel edge 118° 	Split point 135° 	Chisel edge 118° 	Split point 135° 		M-shape 	Split point 135°
Surface	Black oxide finish Anti-rust	TiN coating Long life	Bright finish 		TiN coating Long life	Amber finish Anti-rust	Amber finish Anti-rust
Shank	Straight (Cylindrical) 				1/4"Hex (E-form) 	Straight (Three flat) Better grip than Cylindrical shank	Straight (Cylindrical)

AA : Recommended A : Acceptable





No.	1	2	3	4	5	6	7
Material	Wood	A	A	A	A	A	A
	Plastic	AA	AA	AA	AA	AA	AA
	Non-ferrous metal***		AA	AA	AA	AA	AA
	Sheet steel	A	AA	AA	AA	AA	AA
	Cast iron	A	A	AA	AA	AA	AA
	Alloy steel		A	AA	AA	AA	AA
	Stainless steel		A	A	A	A	A

* Roll forged: Made by die-casted rolling machine. It is economical price.
Ground: Drill bits ground from the block with excellent surface quality.

** 135°split point: Ensure no walking and start fast, on contact.
M-shape: Designed to focus on drilling smoothly and speedily.

*** Non-ferrous metal (Such as Copper, Nickel and Zinc)

HSS metal drill bit line up

Series	Shank	Single pkg.	Set	Assortment					
		1pc. / 2pcs.	5pcs. / 10pcs.						
 HSS-R	Straight (Cylindrical)	 1pc. / 2pcs.	 5pcs. / 10pcs. set	 13pcs. set	 19pcs. set	 25pcs. set			
 HSS-TiN	Straight (Cylindrical)	 1pc. / 2pcs.	 5pcs. / 10pcs. set	 6pcs. set	 10pcs. set	 13pcs. set	 19pcs. set	 25pcs. set	 19pcs. set
 HSS-G	Straight (Cylindrical)	 1pc.	 5pcs. / 10pcs. set	 6pcs. set	 19pcs. set	 25pcs. set	 13pcs. set	 19pcs. set	 25pcs. set
 HSS-GS	Straight (Cylindrical)	 1pc.	 5pcs. / 10pcs. set	 6pcs. set	 19pcs. set	 25pcs. set			
 HSS-TiN	1/4" Hex (E-form)	 1pc.			 5pcs. set				
 M-force	Straight (Three flat)	 1pc.		 19pcs. set	 25pcs. set				
 HSS-Co	Straight (Cylindrical)	 1pc.	 5pcs. set	 6pcs. set	 19pcs. set	 25pcs. set			



Metal drill bit HSS M-Force



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	2	49	24	1	D-29614
	2.5	57	30	1	D-29620
	3	61	33	1	D-29636
	3.2	65	36	1	D-37633
	3.3			1	D-46626
	3.5	70	39	1	D-29642
	4	75	43	1	D-29658
	4.2			1	D-37649
	4.5			1	D-29664
	5	86	52	1	D-29670
	5.2			1	D-37655
	5.5	93	57	1	D-29686
	6			1	D-29692
	6.5	101	63	1	D-29701
	7	109	69	1	D-29717
	7.5			1	D-29723
	8			1	D-29739
	8.5	117	75	1	D-29745
	9			1	D-29751
	9.5	125	81	1	D-29767
10	133	87	1	D-29773	
10.5			1	D-29789	
11	142	94	1	D-29795	
11.5			1	D-29804	
12			1	D-29810	
12.5	151	101	1	D-29826	
13			1	D-29832	

Metal drill bit HSS M-Force assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	1 to 10	19	D-67583
	1 to 13	25	D-67599

Metal drill bit HSS-TiN



Range	Bit dia. mm	Length mm	Working length mm	Shank dia. mm	Sales pkg q'ty	Part No.
★★★★☆	1	34	12	1	2	D-64004
					10	D-64250
	1.5	40	18	1.5	2	D-64010
					10	D-64266
	2	49	24	2	2	D-64026
					10	D-64272
	2.5	57	30	2.5	2	D-64032
					10	D-64288
	3	61	33	3	2	D-64048
					10	D-64294
	3.5	70	39	3.5	2	D-64054
					10	D-64303
	4	75	43	4	2	D-64060
					10	D-64319
					1	D-64076
	4.5	80	47	4.5	1	D-64076
					10	D-64325

Range	Bit dia. mm	Length mm	Working length mm	Shank dia. mm	Sales pkg q'ty	Part No.
	5	86	52	5	1	D-64082
					10	D-64331
	5.5	93	57	5.5	1	D-64098
					10	D-64347
	6	101	63	6	1	D-64107
10	D-64353					
	6.5	101	63	6.5	1	D-64113
					10	D-64369
	7	109	69	7	1	D-64129
					10	D-64375
	7.5	117	75	7.5	1	D-64135
					10	D-64381
	8	117	75	8	1	D-64141
					10	D-64397
	8.5	125	81	8.5	1	D-64157
					5	D-64406
	9	125	81	9	1	D-64163
					5	D-64412
	9.5	133	87	9.5	1	D-64179
					5	D-64428
★★★★☆	10	142	94	10	1	D-64185
					5	D-64434
	10.5	151	101	10.5	1	D-64191
					5	D-64440
	11	160	108	11	1	D-64200
					5	D-64456
	11.5	169	114	11.5	1	D-64216
					5	D-64462
	12	178	120	12	1	D-64222
					5	D-64478
	12.5	184	125	12.5	1	D-64238
					5	D-64484
	13	191	130	13	1	D-64244
					5	D-64490
	14	198	135	14	1	D-65741
					5	D-64490
	15	205	140	15	1	D-65741
					1	D-65757
	16			16	1	D-65763
					1	D-65779
	17			17	1	D-65779
					1	D-65785
	18			18	1	D-65785
					1	D-65791
	19			19	1	D-65791
					1	D-65800

Metal drill bit HSS-TiN assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	1 to 10	19	B-67795
	1.5 to 6.5	13	D-72855
	2 to 8	6	D-72833
★★☆☆☆	1 to 10	10	D-72849
		19	D-67527
	1 to 13	19x10sets	D-72229-10
		25x6sets	D-72235-6

Metal drill bit HSS-TiN coated flute assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	2 to 8	6	D-77241

Metal drill bit HSS-TiN with 1/4inch Hex shank



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	2.5	78	30	1/4inch Hex MZ	1	D-46517
	3	81	33		1	D-14928
	3.2	85	36		1	D-14934
	3.3				1	D-16081
	4	95	43		1	D-14940
	4.2				1	D-14956
	5	106	52		1	D-14962
	5.2	102			1	D-46523
	6	113	57		1	D-14978
	6.5	121	63		1	D-17778
	8	117	75		1	D-15827
	10	133	87		1	D-15833
	12	151	101		1	D-15849
13	1			D-15855		
★★★★☆	2.5	78	30	1/4inch Hex NZ	1	D-46539
	3	91	33		1	D-31114
	3.2	95	36		1	D-31120
	3.3				1	D-31136
	4	105	43		1	D-31142
	4.1				1	D-31158
	4.2				1	D-31164
	5	116	52		1	D-31170
	5.2	102			1	D-46545
	6	123	57		1	D-31186
	6.5	131	63		1	D-31192
	8	117	75		1	D-31201
	10	133	87		1	D-31217
12	151	101	1	D-31223		
13			1	D-31239		

Metal impact drill bit HSS-TiN with 1/4inch Hex shank



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	3	64	26	1/4inch Hex MZ	1	B-50887
	3.2	67	29		1	B-50893
	3.3	70			1	B-50902
	3.5	71	30		1	B-50918
	4				1	B-50924
	5	78	33		1	B-50952
	5.5	80	37		1	B-50968
	6				1	B-50974
	7	89	45		1	B-50996
	7.5	95	50		1	B-51007
	8	102			1	B-51013
	8.5	102	50		1	B-51029
	9				1	B-51035
10	1			B-51041		
11	1			B-51057		
12	1			B-51063		
13	1			B-51079		
★★★★☆	3			64	26	1/4inch Hex NZ
	3.2	67	29	1	B-51091	
	3.3	70		1	B-51100	
	3.5	71	30	1	B-51116	
	4			1	B-51122	
	4.2	75	31	1	B-51138	
	4.5	78	33	1	B-51144	
	5			1	B-51150	
	5.5	80	35	1	B-51166	
	6	80	37	1	B-51172	
	6.5	81	38	1	B-51188	
	7	89	45	1	B-51194	

Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	7.5	95	50	1/4inch Hex NZ	1	B-51203
	8	102			1	B-51219
	8.5				1	B-51225
	9				1	B-51231
	10				1	B-51247
	11				1	B-51253
	12				1	B-51269
	13				1	B-51275

Metal impact drill bit HSS-TiN with 1/4inch Hex shank assortment



Range	Bit dia. mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	3, 4, 5, 6, 8	1/4inch Hex MZ	5	B-57308

Metal drill bit HSS-TiN for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	3	90	33	SDS-PLUS	1	B-57401
	3.5	100	39		1	B-57417
	4	105	43		1	B-57423
	4.5	110	47		1	B-57439
	5	116	52		1	B-57445
	5.5	123	57		1	B-57451
	6				1	B-57467
	6.5	131	63		1	B-57473

Metal drill bit HSS-TiN for SDS-PLUS Hammers assortment in plastic case



Range	Bit dia. mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	3, 3.5, 4, 5, 6	SDS-PLUS	12	E-15132-12
★★★☆☆	Metal 3, 4, Wood 4, 5, 6	SDS-PLUS	5	B-57532

Metal drill bit HSS-GS



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
1	34	12	2	2	D-77687
			10	10	D-77992
1.5	40	18	2	2	D-77693
			10	10	D-78003
2	49	24	2	2	D-77702
			10	10	D-78019
2.5	57	30	2	2	D-77718
			10	10	D-78025
3	61	33	2	2	D-77724
			10	10	D-78031
3.2	65	36	2	2	D-77730
			10	10	D-78047
3.3			2	2	D-77746
3.5	70	39	2	2	D-77752
			10	10	D-78053
4	75	43	2	2	D-77768
			10	10	D-78069
4.2	75	43	1	1	D-77774
			10	10	D-78075
4.5	80	47	1	1	D-77780
			10	10	D-78081
5	86	52	1	1	D-77796
			10	10	D-78097
5.5	93	57	1	1	D-77805
			10	10	D-78106
6	93	57	1	1	D-77811
			10	10	D-78112
6.5	101	63	1	1	D-77827
			10	10	D-78128
7	109	69	1	1	D-77833
			10	10	D-78134
7.5	109	69	1	1	D-77849
			10	10	D-78140
8	117	75	1	1	D-77855
			10	10	D-78156
8.5	117	75	1	1	D-77861
			5	5	D-78162
9	125	81	1	1	D-77877
			5	5	D-78178
9.5	125	81	1	1	D-77883
			5	5	D-78184
10	133	87	1	1	D-77899
			5	5	D-78190
10.5	133	87	1	1	D-77908
			5	5	D-78209
11	142	94	1	1	D-77914
			5	5	D-78215
11.5	142	94	1	1	D-77920
			5	5	D-78221
12	151	101	1	1	D-77936
			5	5	D-78237
12.5	151	101	1	1	D-77942
			5	5	D-78243
13	151	101	1	1	D-77958
			5	5	D-78259
14	160	108	1	1	D-77964
15	169	114	1	1	D-77970
16	178	120	1	1	D-77986

★★★★☆

Metal drill bit HSS-G



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
1.5	40	18	1	1	D-09656
			10	10	D-06236
1.75	46	22	10	10	D-06242
			1	1	D-09662
2	49	24	10	10	D-06258
			1	1	D-09678
2.5	57	30	10	10	D-06270
			1	1	D-46816
2.9	61	33	1	1	D-09684
			10	10	D-06292
3.2	65	36	1	1	D-46589
			10	10	D-34942
3.3	65	36	1	1	D-46595
			10	10	D-46567
3.5	70	39	1	1	D-09690
			10	10	D-06317
4	75	43	1	1	D-09709
			10	10	D-06339
4.2	75	43	1	1	D-46604
			10	10	D-17762
4.25	75	43	10	10	D-06345
			1	1	D-09715
4.5	80	47	10	10	D-06351
			1	1	D-09721
5	86	52	10	10	D-06373
			1	1	D-46610
5.25	86	52	10	10	D-06389
			1	1	D-09737
5.5	93	57	10	10	D-06395
			10	10	D-06404
5.75	93	57	1	1	D-09743
			10	10	D-06410
6	101	63	10	10	D-06426
			1	1	D-09759
6.25	101	63	10	10	D-06432
			10	10	D-06448
6.5	109	69	1	1	D-46838
			10	10	D-06454
6.75	109	69	1	1	D-09765
			10	10	D-06482
6.8	109	69	1	1	D-09771
			10	10	D-06476
7	117	75	10	10	D-06482
			1	1	D-09787
7.5	117	75	10	10	D-06498
			5	5	D-06507
7.75	125	81	1	1	D-09793
			5	5	D-06513
8	125	81	5	5	D-06529
			1	1	D-09802
8.25	125	81	5	5	D-06535
			1	1	D-06541
8.5	133	87	1	1	D-09818
			5	5	D-06557
8.75	133	87	5	5	D-06563
			1	1	D-09824
9	142	94	5	5	D-06579
			1	1	D-09830
9.25	142	94	5	5	D-06591
			1	1	D-09846
9.5	142	94	5	5	D-06600
			1	1	D-09852
9.75	151	101	5	5	D-06616
			1	1	D-09868
10	151	101	5	5	D-06622
			1	1	D-09874
10.5	151	101	5	5	D-06638
			1	1	D-09880
11	160	108	5	5	D-06644
			1	1	D-74893
11.5	169	114	1	1	D-74902
			1	1	D-74918
12	178	120	1	1	D-74918
			1	1	D-74918

★★★★☆

Metal drill bit HSS-GS assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	2 to 8	6	D-78346
	1 to 10	19	D-78352
	1 to 13	25	D-78368

Metal drill bit HSS-G assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	2 to 8	6	D-75742
	1 to 10	19	D-67549
	1 to 13	25	D-67555

Metal drill bit HSS-R assortment in metal case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	1.5 to 6.5	13	D-54075
	1 to 10	19	D-54081
	1 to 13	25	D-54097

Metal drill bit HSS-G assortment in metal case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	1 to 10	19	D-54025

Metal drill bit HSS-Co cobalt 5%



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	1.5	40	18	1	D-17289
				1	D-17295
				5	D-16623
	2.5	57	30	1	D-17304
				5	D-16639
	3	61	33	1	D-17310
				5	D-16645
	3.2	65	36	1	D-17326
				5	D-16651
	3.3	65	36	1	D-46660
				1	D-17332
	3.5	70	39	1	D-17332
				5	D-16667
	4	75	43	1	D-17348
				5	D-16673
4.2	75	43	1	D-46676	
			1	D-17354	
4.5	80	47	5	D-16689	
			1	D-17360	
5	86	52	5	D-16695	
			1	D-46682	
5.2	86	52	1	D-46682	
			1	D-17376	
5.5	86	52	1	D-17382	
			1	D-17382	
6	93	57	5	D-16710	
			1	D-17398	
6.5	101	63	1	D-17398	
			1	D-17407	
7	109	69	1	D-17413	
			5	D-16748	
7.5	109	69	1	D-17429	
			5	D-16754	
8	117	75	1	D-17435	
			5	D-16760	
8.5	117	75	1	D-17441	
			1	D-17441	
9	125	81	5	D-16776	
			1	D-17457	
9.5	125	81	1	D-17463	
			5	D-16798	
10	133	87	1	D-17479	
			1	D-17479	
10.5	133	87	1	D-17485	
			1	D-17491	
11	142	94	1	D-17491	
			1	D-17500	
11.5	142	94	5	D-16835	
			1	D-17516	
12	151	101	1	D-17522	
			5	D-16857	

Metal drill bit HSS-R



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	1	34	12	2	D-38283
				2	D-38299
1.5	40	40	18	10	D-38548
				2	D-38308
				10	D-38554
2	49	49	24	2	D-38314
				10	D-38560
2.5	57	57	30	2	D-38314
				10	D-38560
3	61	61	33	2	D-38336
				10	D-38576
3.2	65	65	36	2	D-38342
				2	D-46713
3.3	65	65	36	10	D-46698
				2	D-38358
3.5	70	70	39	2	D-38358
				2	D-38364
4	75	75	43	10	D-38607
				1	D-38370
4.2	75	75	43	10	D-38613
				1	D-38386
4.5	80	80	47	1	D-38386
				1	D-38401
5	86	86	52	10	D-38641
				1	D-46729
5.2	86	86	52	1	D-46947
				1	D-38417
5.5	86	86	52	1	D-38417
				1	D-38423
6	93	93	57	10	D-38663
				1	D-38439
6.5	101	101	63	1	D-38439
				1	D-46953
6.8	101	101	63	1	D-38445
				1	D-38451
7	109	109	69	1	D-38451
				1	D-38467
7.5	109	109	69	1	D-38467
				10	D-38700
8	117	117	75	1	D-38473
				1	D-46969
8.5	117	117	75	1	D-46969
				1	D-38489
8.8	125	125	81	1	D-38489
				1	D-38495
9	125	125	81	1	D-38495
				10	D-38744
10	133	133	87	1	D-46975
				1	D-38504
10.3	133	133	87	1	D-38510
				1	D-38510
11	142	142	94	1	D-38510
				1	D-38526
12	151	151	101	1	D-38510
				1	D-38526
13	151	151	101	1	D-38526
				1	D-38526

Metal drill bit HSS-Co cobalt 5% assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
Specialized	2 to 8	6	D-75758
	1 to 10	19	D-67561
	1 to 13	25	D-67577

Metal rivet drill bit with 1/4inch Hex shank





Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	3.3	50	20	1/4inch Hex MZ	10	B-56437

Metal double ended drill bit



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	2	38	7.5	10	B-26652
	2.5	43	10	10	B-33772
	3	46	10.6	10	B-26668
	3.1	49	11	10	B-26674
	3.2			10	B-26680
	3.3			10	B-26696
	3.5			10	B-26705
	3.8	55	14	10	B-26711
	4			10	B-26727
	4.1			10	B-26733
	4.2			10	B-26749
	4.3	58	16	10	B-26755
	4.5			10	B-26761
	4.8			10	B-26777
	4.9			10	B-26783
	5	62	17	10	B-26799
	5.1			10	B-26808
	5.2			10	B-26814
	6.5			10	B-33788

Step drill bit



Material chart

AA : Recommended A : Acceptable

Description	Flute	Surface	Shank	Material				
				Plastic	Non-ferrous metal*	Sheet steel	Alloy steel	Cast iron
1		Bright finish	Straight shank (Three flat)	AA	AA	AA	A	A
2		Titanium coating		AA	AA	AA	A	A
3		Bright finish	1/4"Hex (E-form)	AA	AA	AA	A	A
4		Titanium coating		AA	AA	AA	A	A

*Non-ferrous metal (Such as Copper, Nickel and Zinc)

Countersink bit



Material chart

AA : Recommended A : Acceptable

Description	Made of	Type	Shank	Material					
				Wood	Plastic	Non-ferrous metal*	Cast iron	Alloy steel	Stainless steel
7cutting edge	Alloy steel		1/4"Hex (E-form)	AA	AA	AA	AA		
5cutting edge	High speed steel	Shallow sinking Suitable for flat countersinking.	Straight shank (Three flat)	AA	AA	AA	AA	AA	
3cutting edge			1/4"Hex (C-form)	AA	AA	AA	AA	AA	
3cutting edge	High speed steel (Cobalt content 5%)	Deep sinking Suitable for deep countersinking.	Straight shank (Three flat)	AA	AA	AA	AA	AA	
Slanting hole It's for higher heat and abrasion resistance. Suitable for drilling tough metal.			Shallow sinking Suitable for flat countersinking. Especially in thin metal sheets.	Straight shank (Three flat)		AA	AA	AA	AA

*Non-ferrous metal (Such as Copper, Nickel and Zinc)

Metal cone drill bit



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	3 to 14	58	Straight	1	D-40048
	4 to 20	71		1	D-40054
	16 to 30.5	76		1	D-40060
	24 to 40	89		1	D-40076

Metal step drill bit straight flute



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 32	102	Straight	1	D-40107

Metal step drill bit straight flute titanium coating



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 32	102	Straight	1	D-40135

Metal step drill bit with 1/4inch Hex shank straight flute



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 12	65	1/4inch	1	D-40082
	4 to 20	75	Hex MZ	1	D-40098
	4 to 12	65	1/4inch	1	D-46414
	4 to 20	75	Hex NZ	1	D-46420

Metal step drill bit with 1/4inch Hex shank straight flute titanium coating



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 12	65	1/4inch	1	D-40113
	4 to 20	75	Hex MZ	1	D-40129
	4 to 12	65	1/4inch	1	D-46436
	4 to 20	75	Hex NZ	1	D-46442

Metal step drill bit straight flute titanium coating assortment in plastic case



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 12, 4 to 20, 4 to 32	65 to 102	1/4inch Hex MZ, Straight	3	D-46573

Metal step drill bit spiral flute



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 32	102	Straight	1	D-40163

Metal step drill bit spiral flute titanium coating



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 32	102	Straight	1	D-40191

Metal step drill bit with 1/4inch Hex shank spiral flute



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 12	65	1/4inch	1	D-40141
	4 to 20	75	Hex MZ	1	D-40157
	4 to 12	65	1/4inch	1	D-46458
	4 to 20	75	Hex NZ	1	D-46464

Metal step drill bit with 1/4inch Hex shank spiral flute titanium coating



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 12	65	1/4inch	1	D-40179
	4 to 20	75	Hex MZ	1	D-40185
	4 to 12	65	1/4inch	1	D-46470
	4 to 20	75	Hex NZ	1	D-46486

Metal step drill bit spiral flute titanium coating assortment in plastic case



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4 to 12, 4 to 20, 4 to 32	65 to 102	1/4inch Hex MZ, Straight	3	D-41872

Metal countersink bit slanting hole



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	2 to 5	45	Straight	1	D-37502
	5 to 10	48		1	D-37518
	10 to 15	65		1	D-37524
	15 to 20	85		1	D-37530

Countersink bit three cutting edges 90deg



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★☆☆	6.3	45	Straight	1	D-37437
	8.3	50		1	D-37443
	10.4	50		1	D-37459
	12.4	56		1	D-37465
	16.5	60		1	D-37471
	20.5	63		1	D-37487
	25	67		1	D-37493

Countersink bit three cutting edges 90deg assortment in metal case



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	6.3, 8.3, 10.4, 12.4, 16.5, 20.5	45, 50, 50, 56, 60, 63	Straight	6	D-42204

Countersink bit with 1/4inch Hex shank three cutting edges 90deg



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	6.3	31	1/4inch Hex C-form	1	D-37312
	8.3	31		1	D-37328
	10.4	34		1	D-37334
	12.4	35		1	D-37340
	16.5	40		1	D-37356
	20.5	41		1	D-37362

Countersink bit five cutting edges 90deg



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	6	48	Straight	1	D-37378
	8	48		1	D-37384
	10	40		1	D-37390
	12	40		1	D-37409
	16	43		1	D-37415
	20	45		1	D-37421

Countersink bit seven cutting edges 90deg



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★☆☆	13	50	Straight	1	D-37306

Wood countersink drill bit with 1/4inch Hex shank assortment


































Range	Bit dia. (inch)	Length (inch)	Shank type	Sales pkg q'ty	Part No.
★★★★☆	(3/32, 7/64, 1/8, 9/64)	(2-1/4, 2-13/32, 2-9/16, 2-3/4)	1/4inch Hex MZ	4	D-73455

Wood drill bit series

AA : Recommended

A : Acceptable







Category	Flat bit		Brad point drill bit			Wood drill bit 4flute	Single spur auger bit			
										
Description	Suitable for drilling holes with medium to large diameters in soft wood or soft plastic.It's simple made and reasonable price.It's popular especially in America.		Fast drilling bit with making-off blades and rake blades			This is the most popular drill in wood drill and suitable for drilling holes with small to medium diameter.Able to drill soft plastics other than general wood.Highly effective for drilling cleaner and more precise holes than flat bit.			Thanks to 4 flutes & 4 cutters, it can make clean holes and achieves long life.	
	Suitable for drilling of deep holes with medium to large diameters holes in soft and hard wood.Threaded screw point pull the bit into the work piece providing a fast, easy to use self feeding action. Highly effective for drilling cleaner and more precise holes than flat bit or wood drill bit.		Features of this item are fast drilling speed and good work amount per 1 charge.							
Information	Shank	Straight (Hex) 	1/4"Hex (E-form) 	Straight (Cylindrical) 	1/4"Hex (E-form) 	SDS-PLUS 	1/4"Hex (E-form) 	Straight (Hex) 	1/4"Hex (E-form) 	Straight (Hex) 
	Diameter	6 - 36mm		3 - 20mm	2 - 15mm	4 - 10mm	12 - 38mm	6 - 30mm	6 - 21mm	6 - 30mm
Point	Brad point		Brad point			Auger thread	Auger thread			
										
Material	Wood 	AA		AA			AA	AA		
	Wood with nail 	-		-			-	AA		
Processing	Thickness of work material 									
	Blind hole 			A						

Wood drill bit series

AA : Recommended A : Acceptable



Category	Ship auger bit		Self feeding bit		Forstner drill bit	T.C.T. Hinge cutting bit	
			 Bi-Metal Long life!!		 2 internal cutter blades & 2flute		
Description	Suitable for knotty nail embedded wood which unable to drill with single spur auger bit. Suitable for plumbing and electrical installation, etc.	This drill bit features a cutting edge made of HSS, which is typically used for metal drill bits for its superior wear resistance and durability, delivering exceptional longevity.	Suitable for drilling large diameter holes for pipe and conduit in wood. Threaded screw point pull the bit into the work piece providing a fast, easy to use self feeding action. Suitable for plumbing and electrical installation, etc	This item have 2 internal cutter blades & 2flute. Furthermore, outer cutter blades is designed to be thin. These delivers faster drilling speed compared to current one.	Suitable for drilling of blind holes or penetrating holes of medium to large diameter with highly. Can drill cleaner and more precise holes than T.C.T. Hinge drill bit. Suitable for precise working like a making furniture.	Suitable for drilling of blind holes or penetrating holes of medium or large diameter. Suitable for drilling holes in fancy plywood because making-off blade and rake blade are made T.C.T. tip.	
Information	Shank	 5/16" & 7/16"Hex	 7/16"Hex	 7/16"Hex	 7/16"Hex	 Straight (Cylindrical)	 Straight (Cylindrical)
	Diameter	10 - 38mm	10 - 32mm	25 - 117mm	25 - 65mm	10 - 50mm	15 - 35mm
	Point	Auger thread 		Auger thread 		Brad point (Short) 	Brad point (Short) 
Material	Wood 	A		AA		AA	
	Wood with nail 	AA		—		—	
Processing	Thickness of work material 						
	Blind hole 	—		—		AA	

Wood flat bit



Range	Bit dia. mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	6	150	1	D-07674
	8		1	D-07680
	10		1	D-07696
	12		1	D-07705
	13		1	D-67614
	14		1	D-07711
	15		1	D-07727
	16		1	D-07733
	18		1	D-07749
	20		1	D-07755
	22	1	D-07761	
	24	1	D-07777	
	25	1	D-07783	
	26	160	1	D-07799
	28		1	D-07808
	30		1	D-07814
	32		1	D-07820
	34		1	D-07836
	35		1	D-07842
	36		1	D-07858

Wood flat bit with 1/4inch Hex shank



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	6	150	1/4inch Hex MZ	1	E-17164
		400		1	E-17376
	8	150		1	E-17170
		400		1	E-17382
	10	150		1	E-17186
		400		1	E-17398
	12	150		1	E-17192
		400		1	E-17407
	13	150		1	E-17201
		400		1	E-17413
	14	150		1	E-17217
		400		1	E-17429
	16	150		1	E-17223
		400		1	E-17435
	18	150		1	E-17239
		400		1	E-17441
	19	150		1	E-17245
		400		1	E-17457
	20	150		1	E-17251
		400		1	E-17463
	22	150		1	E-17267
		400		1	E-17479
	24	150		1	E-17273
		400		1	E-17485
	25	150		1	E-17289
		400		1	E-17491
	26	150		1	E-17295
		400		1	E-17500
	28	150		1	E-17304
		400		1	E-17516
	30	150		1	E-17310
		400		1	E-17522
	32	150		1	E-17326
		400		1	E-17538
	35	150		1	E-17332
		400		1	E-17544
	36	150		1	E-17348
	38			1	E-17354
	40			1	E-17360

Wood flat bit with 1/4inch Hex shank assortment in clear case series

Clear case



Range	Bit dia. mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	12 to 32	1/4inch Hex MZ	8	E-08698
		1/4inch Hex NZ	8x10sets	E-08698-10
			8	E-08707

Wood flat bit with 1/4inch Hex shank extension bar



Range	Length mm (inch)	Shank type	Sales pkg q'ty	Part No.
★★★★☆	300 (12)	Straight	1	D-77213

Wood brad point drill bit



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	3	61	33	1	D-07026
	4	75	43	1	D-07032
	5	86	52	1	D-07048
		93	57	1	D-07054
	6	315	150	1	D-07157
		109	69	1	D-07060
	8	117	75	1	D-07076
		315	150	1	D-07163
	9	125	80	1	D-07082
		133	87	1	D-07098
	10	315	150	1	D-07179
		151	96	1	D-07107
	12	315	150	1	D-07185
		13	151	96	1
	14	160	100	1	D-07113
		315	150	1	D-07191
	15	160	100	1	D-53469
		16	160	100	1
	16	315	150	1	D-07200
		18	180	120	1
335	150		1	D-07216	
20	200	130	1	D-07141	
	335	150	1	D-07222	

Wood brad point drill bit assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	4 to 10	5	D-72861
★★★★☆	3 to 10	8	D-77257

Wood brad point drill bit with 1/4inch Hex shank



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	2	69	24	1/4inch Hex MZ	1	D-62387
	3	78	33		1	D-15861
	4	92	50		1	D-15877
	5	103	57		1	D-15883
	6	110	65		1	D-15899
	8	117	75		1	D-15908
	10	133	87		1	D-15914
	12	151	96		1	D-15920
	15	162	100		1	D-15936
	3	80	33		1	D-31245
	4	95	43		1	D-31251
	5	105	52		1	D-31267
	6	115	57		1	D-31273
	8	117	75		1	D-31289
	10	133	87		1	D-31295
12	151	96	1	D-31304		
15	162	100	1	D-31310		

Wood brad point drill bit with 1/4inch Hex shank assortment



Range	Bit dia. mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	2, 3, 3, 4, 5, 6, 8	1/4inch Hex MZ	7	D-62371

Wood brad point drill bit for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4	105	43	SDS-PLUS	1	B-57489
	5	116	52		1	B-57495
	6	123	57		1	B-57504
	8	147	75		1	B-57510
	10	163	87		1	B-57526

Wood brad point drill bit for SDS-PLUS Hammers assortment in plastic case





Range	Bit dia. mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	4, 5, 6, 8, 10	SDS-PLUS	12	E-15148-12

Wood drill bit with 1/4inch Hex shank 4flute



4 flutes & 4 cutters



Lead screw engages with the workpiece.

Marking-off blades trace a circular line on the wood surface.

Cutting edges remove material from the workpiece.

Front

Cleanhole!!

Back



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	12	165	49	1/4inch Hex MZ	1	E-26646
	16				1	E-26652
	18				1	E-26668
	22				1	E-26674
	24				1	E-26680
	28				1	E-26696
	32				1	E-26705
	35				1	E-26711
	38				1	E-26727


Wood single spur auger bit with Hex shank



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
6	6	200	130	1	D-07238
		250	180	1	D-07331
8	8	200	130	1	D-07244
		250	180	1	D-07347
		400	330	1	D-07434
		450	380	1	D-07559
10	10	200	130	1	D-07250
		250	180	1	D-07353
		400	330	1	D-07440
		450	380	1	D-07565
12	12	200	130	1	D-07266
		250	180	1	D-07369
		400	330	1	D-07456
13	13	250	180	1	D-53475
		450	380	1	D-53497
14	14	200	130	1	D-07272
		250	180	1	D-07375
		400	330	1	D-07462
		450	380	1	D-07587
15	15	250	180	1	D-53481
		450	380	1	D-53506
16	16	200	130	1	D-07288
		250	180	1	D-07381
		400	330	1	D-07478
		450	380	1	D-07593
18	18	200	130	1	D-07294
		250	180	1	D-07397
		400	330	1	D-07484
20	20	450	380	1	D-07602
		200	130	1	D-07303
		250	180	1	D-07406
22	22	400	330	1	D-07490
		450	380	1	D-07618
		200	130	1	D-07319
		250	180	1	D-07412
24	24	400	330	1	D-07509
		450	380	1	D-07624
		200	130	1	D-07325
26	26	250	180	1	D-07428
		400	330	1	D-07515
		450	380	1	D-07630
28	28	400	330	1	D-07521
		450	380	1	D-07646
30	30	400	330	1	D-07537
		450	380	1	D-07652
		400	330	1	D-07543
		450	380	1	D-07668

★★★★☆

Wood single spur auger bit with Hex shank 3D long



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
9	9	400	325	1	E-07777
		500	425	1	E-07799
10.5	10.5	400	325	1	E-07923
		500	425	1	E-07808
11	11	400	325	1	E-07939
		500	425	1	E-07836
12	12	400	325	1	E-07945
		500	425	1	E-07951
13.5	13.5	400	325	1	E-07967
		500	425	1	E-07973
15	15	400	325	1	E-07989
		500	425	1	E-07995
18	18	400	325	1	E-08006
		500	425	1	
21	21	400	325	1	
		500	425	1	
24	24	400	325	1	
		500	425	1	
27	27	400	325	1	
		500	425	1	
30	30	400	325	1	
		500	425	1	

★★★★☆

Wood single spur auger bit with 1/4inch Hex shank



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	1/4"	200	130	1/4inch Hex MZ	1	D-15992
					1	D-16003
					1	D-16019
					1	D-16025
					1	D-16031
					1	D-16047
					1	D-16053
					1	D-16069
					1	D-16075
					1	D-31326
					1	D-31360
	1/4inch Hex NZ				1	D-31382
					1	D-31407
					1	

Wood single spur auger bit with 1/4inch Hex shank assortment



Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	6, 8, 13, 16, 19	200	130	1/4inch Hex MZ	5	D-75677

Wood ship auger bit with 7/16inch Hex shank




Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
	10	165	100	5/16inch Hex	1	D-36055
		470	395	7/16inch Hex	1	D-36192
	12	165	100	5/16inch Hex	1	D-36061
		470	395		1	D-36201
	14	165	100		1	D-36077
		470	395		1	D-36217
	16	60	100		1	D-36083
		470	395		1	D-36223
	18	165	100		1	D-36099
		470	395		1	D-36239
	20	165	100		1	D-36108
		470	395		1	D-36245
	22	165	100		1	D-36114
		470	395		1	D-36251
★★★★☆	24	165	100		1	D-36120
		470	395	7/16inch Hex	1	D-36267
	26	165	100		1	D-36136
		470	395		1	D-36273
	28	165	100		1	D-36142
		470	395		1	D-36289
	30	165	100		1	D-36158
		470	395		1	D-36295
	32	165	100		1	D-36164
		470	395		1	D-36304
	35	165	100		1	D-36170
		470	395		1	D-36310
	38	165	100		1	D-36186
		470	395		1	D-36326

Wood ship auger bit BiM with 7/16inch Hex shank



Bi-Metal structure Long life

The body is made of HCS material same as current ship auger bits, but the top is made of the highly durable HSS material used in metal drill bits. resulting in a long life current one.



<Life>

Current
Wood ship auger bit



100

New
Wood ship auger bit BiM



1,000


Range	Bit dia. mm	Length mm	Working length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	10	460	353	7/16inch Hex	1	E-27632
	12				1	E-27648
	14				1	E-27654
	16				1	E-27660
	18				1	E-27676
	20				1	E-27682
	22				1	E-27698
	24				1	E-27707
	26				1	E-27713
	28				1	E-27729
	30				1	E-27735
	32				1	E-27741

Wood self feeding bit with 7/16inch Hex shank 2flute




2 internal cutter blades & 2flute Fast drilling

The two internal cutters increase the cutting amount. Furthermore, the two flute design enhances chip evacuation efficiency. Thanks to these structures, it delivers faster drilling speed compared to current one.



Thinner outer cutter blades Fast drilling

By reducing thickness of outer cutter blades by approx 25% compared to current one. cutting resistance is effectively lowered, resulting in faster drilling performance.



<Drilling speed>

Current
Wood self feeding bit



100

50% UP

New
Wood self feeding bit 2flute



150

Range	Bit dia. mm	Length mm (inch)	Shank type	Sales pkg q'ty	Part No.
★★★★☆	25mm	127 (5)	7/16inch Hex	1	E-27539
	51mm			1	E-27595
	28mm			1	E-27545
	32mm			1	E-27551
	35mm			1	E-27567
	38mm			1	E-27573
	45mm			1	E-27589
	54mm			1	E-27604
	57mm			1	E-27610
	65mm			1	E-27626

Wood self feeding bit with 7/16inch Hex shank



Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	25	127	7/16inch Hex	1	D-74304
	28			1	D-74310
	32			1	D-74326
	35			1	D-74332
	38			1	D-74348
	45			1	D-74354
	51			1	D-74360
	54			1	D-74376
	57			1	D-74382
	65			1	D-74398
	76			1	D-74407
	92			1	D-74413
	117			1	D-74429

Wood self feeding bit with 7/16inch Hex shank assortment in plastic case



Range	Bit dia. (inch)	Shank type	Sales pkg q'ty	Part No.
★★★★☆	(1 to 3)	7/16inch Hex	7	D-36005

Wood self feeding bit with 7/16inch Hex shank extension bar



Range	Length mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	140	7/16inch Hex	1	D-74457
	305		1	D-74463
	457		1	D-74479

Wood self feeding bit with 7/16inch Hex shank spare part



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	For 25 to 65	1	D-74435
	For 76 to 117	1	D-74441

Wood forstner bit



Range	Bit dia. mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	10	90	1	D-41844
	15		1	D-41925
	20		1	D-42232
	25		1	D-42248
	26		1	D-42254
	30		1	D-42260
	32		1	D-42276
	35		1	D-42282
	40		1	D-42298
	50		1	D-42307

Wood forstner bit assortment in MDF case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	15, 20, 25, 30, 35	5	D-47363

Wood TCT hinge cutting bit



Range	Bit dia. mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	15	77	1	D-71093
	16		1	D-74681
	18		1	D-74697
	19		1	D-71102
	20		1	D-71118
	22		1	D-74706
	23		1	D-74712
	25		1	D-71124
	26		1	D-71130
	30		1	D-71146
	32		1	D-71152
	35		1	D-71168

Wood shiitake drill bit



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	12	76	45	1	B-49753

Drill bit assortment in plastic case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Metal 5, 6, 8, Wood 6, 8	5	D-30106
	Masonry 5.5, 7, 8, Metal 5.5, 7, 8, Wood 5.5, 7, 8	9	D-71978
	Masonry 5, 6, 8, Metal 5, 6, 8, Wood 5, 6, 8	9	D-71962
	Masonry 4 to 10, Metal 4 to 10, Wood 4 to 10	18	B-49432
	Masonry 3 to 8, Metal 3 to 8, Wood 3 to 8	21	B-44884

Drill bit assortment in metal case



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Masonry 3 to 10, Metal 3 to 10,	18	D-46202
	Wood 3 to 10	18	D-47173

Drill bit with 1/4inch Hex shank assortment in plastic case



Range	Bit dia. mm	Shank type	Sales pkg q'ty	Part No.
★★★★☆	Metal 5, 6, 8, Wood 5, 6	1/4inch Hex MZ	5	D-20769
	Masonry 6, Metal 5, 6, Wood 5, 6		5	D-23759

Adjustable circle cutter



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	30 to 120	1	D-57093
	30 to 200	1	D-57102

Adjustable circle cutter spare part



Range	Sales pkg q'ty	Part No.
★★★★☆	2	D-57118

Glass bit




Range:★★ Range:★★★



Range	Bit dia. mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	3	51	1	D-78405
	4		1	D-78411
	5		1	D-78427
	6	58	1	D-78433
	7		1	D-78449
	8		1	D-78455
	10		1	D-78461
	12	96	1	D-78477
	14		1	D-78483
	★★★★☆	16	100	1
3		65	1	D-25111
4			1	D-25127
5			1	D-25133
6		70	1	D-25149
8			1	D-25155
10		80	1	D-25161
12			1	D-25177

Glass bit assortment



Range	Bit dia. mm	Sales pkg q'ty	Part No.
★★★★☆	4, 5, 6, 6, 8.	5x20sets	E-25351

Glass bit with 1/4inch Hex shank









Range	Bit dia. mm	Length mm	Shank type	Sales pkg q'ty	Part No.	
★★★★☆	4	65	1/4inch Hex MZ	1	D-15942	
	5			1	D-15958	
	6			1	D-15964	
	8	70		1	D-15970	
	10			1	D-15986	
	★★★★☆	4		65	1/4inch Hex NZ	1
5		1	D-31429			
6		1	D-31435			
8		70	1			D-31441
10		80	1			D-31457

Earth auger drill bit series





Earth auger drill bit

Work example	Bit diameter										
	20mm 13/16"	25mm 1"	30mm 1-3/16"	35mm 1-3/8"	40mm 1-9/16"	50mm 2"	60mm 2-3/8"	80mm 3-5/32"	100mm 4"	150mm 6"	200mm 8"
Holes for greenhouse pipes	←————→										
Holes for general pipes						←————→					
Holes for planting thin trunk trees							←————→				
Holes for general wooden stakes								←————→			
Holes for planting thick trunk trees									←————→		

for Model	Shank type	Sub Category	Image	Bit dia. (mm)	Length (mm)	Working length (mm)	Note	Part No.	
Earth auger 	Adapter D	Earth auger drill bit (With adapter D)		50	800	550	Use with adapter D (Part No. 327687-6)	E-25482	
				60				E-25498	
				80				E-25507	
				100				E-25513	
				150				E-25529	
				200				E-25535	
		Extension bar		-	540	-		E-25557	
		Spare part		-	-	-		Spare blade for Earth auger bit 50x800mm	E-25563
				-	-	-		Spare blade for Earth auger bit 60x800mm	E-25579
				-	-	-		Spare blade for Earth auger bit 80x800mm	E-25585
				-	-	-		Spare blade for Earth auger bit 100x800mm	E-25591
-	-			-	Spare blade for Earth auger bit 150x800mm	E-25600			
-	-	-	Spare blade for Earth auger bit 200x800mm	E-25616					
Earth auger & Driver drill with side grip 	10.4 mm Hex shank	Earth auger drill bit with Hex shank		20	600	470	-	E-17005	
				25			E-17011		
				30			E-17027		
				35			E-17033		
				40			E-17049		

For garden



for Model	Shank type	Sub Category	Image	Bit dia. (mm)	Length (mm)	Working length (mm)	Part No.
Driver drill with side grip 	Hex shank	Earth auger drill bit		30	600	200	D-82105
				45	600	200	D-82111
				70	600	200	D-82127
				100	600	240	D-82133
				130	600	280	D-82149

Holesaw

Ezychange holesaw



Ezychange
Bi-Metal HSS 8%Co
Ezychange
TCT

One click
easy to change the holesaw




Bi-Metal
TCT
for 11mm / 13mm drill

Easy to remove the dust
with pilot drill bit.



Added extension bar
(150/300mm)
for 13mm drill

Ezychange ***Bi-Metal HSS 8%Co***




Variable pitch for faster cutting.

Thanks to 44mm capacity, users can drill into 38mm 2x4 material certainly.

It can make holes in 3mm thick stainless steel by HSS BiM with 8% Co.

Ezychange **TCT**




TCT for high durability.


Designed 60mm work length to be able to make a hole in composite material with plywood and 2x4 or 2x6 by 1 shot.

It can make holes in 3mm thick stainless steel and more material than BiM by TCT.

BiM holesaw



BiM holesaw for sheet metal




Multi purpose TCT holesaw



TC grit holesaw




Vacuum brazed diamond holesaw



Diamond wet holesaw

























Carbon steel holesaw



Material chart

AA : Recommended A : Acceptable

Application		Steel	Inox Stainless	Aluminum	Non ferrous Metal	Wood	MDF	Plaster board	PVC	FRP	Soft tile	Brick	Lime stone	Marble
														
BiM	<i>Ezychange</i> Bi-Metal HSS 8%Co 	AA	A	AA	AA	AA			AA					
	<i>Ezychange</i> Bi-Metal HSS 8%Co For sheet metal 	AA	A	A	A									
	BiM 	AA		A	A	AA			AA					
	BiM for sheet metal 	AA	A	A	A									
Tungsten carbide	<i>Ezychange</i> TCT 	AA	AA	AA	AA	AA			AA		A	A	A	
	TC grit 										AA	AA		
Diamond	Vacuum brazed diamond 										AA	AA	AA	AA
	Diamond wet holesaw 										AA			AA
Carbon Steel	Carbon steel 					A		A	A					

Ezychange BiM holesaw



Range	Size mm	Note	Sales pkg q'ty	Part No.
	16		1	E-03632
	17		1	E-03648
	19		1	E-03654
	20		1	E-03660
	22		1	E-03676
	24		1	E-03682
	25		1	E-03698
	27		1	E-03707
	29		1	E-03713
	30		1	E-03729
	32		1	E-03735
	35		1	E-03741
	37		1	E-03757
	38		1	E-03763
	40		1	E-03779
	41		1	E-03785
	44		1	E-03791
	46		1	E-03800
	48		1	E-03816
	51		1	E-03822
	52		1	E-03838
	54		1	E-03844
★★★★☆	56	Cutting depth 44mm	1	E-03850
	57		1	E-03866
	60		1	E-03872
	64		1	E-03888
	65		1	E-03894
	67		1	E-14152
	68		1	E-03903
	70		1	E-03919
	73		1	E-03925
	76		1	E-03931
	79		1	E-03947
	83		1	E-03953
	86		1	E-03969
	89		1	E-14168
	92		1	E-03975
	95		1	E-03981
	102		1	E-03997
	105		1	E-04008
	111		1	E-04014
	114		1	E-04020
	121		1	E-04036
	127		1	E-04042
	133		1	E-14174
	140		1	E-04058
	152		1	E-04064

Ezychange BiM holesaw assortment



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★★★☆	8.7	7	E-12304
		7	E-12310
		7	E-12326
		7	E-15805
		8	E-15780
		8	E-15796
		9	E-12295

Ezychange BiM holesaw for sheet metal



Range	Size mm	Sales pkg q'ty	Part No.
	16	1	E-20286
	20	1	E-20292
	22	1	E-20301
	25	1	E-20317
	29	1	E-20323
	30	1	E-20339
	32	1	E-20345
	35	1	E-20351
	38	1	E-20367
	41	1	E-20373
★★★★☆	44	1	E-20389
	51	1	E-20395
	60	1	E-20404
	64	1	E-20410
	67	1	E-20426
	68	1	E-20432
	70	1	E-20448
	76	1	E-20454
	89	1	E-20460
	102	1	E-20476
	127	1	E-20482

Ezychange BiM holesaw adapter



Range	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	8.7	With HSS-G pilot drill bit	1	E-04070

Ezychange BiM holesaw for sheet metal adapter



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★★★☆	8.7	1	E-20498

Ezychange BiM holesaw pilot drill



Range	Note	Sales pkg q'ty	Part No.
★★★★☆	For metal, etc(HSS-G)	1	E-04086
	For stainless (HSS-Co)	1	E-04092

Ezychange BiM holesaw for sheet metal pilot drill



Range	Sales pkg q'ty	Part No.
★★★★☆	1	E-20507

Ezychange TCT holesaw

Ezychange
for TCT



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★★★☆	20	Cutting depth 60mm	1	E-06644
	22		1	E-06650
	25		1	E-06666
	32		1	E-06672
	35		1	E-06688
	38		1	E-06694
	40		1	E-06703
	44		1	E-06719
	51		1	E-06725
	54		1	E-06731
	60		1	E-06747
	64		1	E-06753
	67		1	E-06769
	68		1	E-06775
	70		1	E-06781
	73		1	E-06797
	76		1	E-06806
	83		1	E-06812
	102		1	E-06828
	127		1	E-06834

Ezychange TCT holesaw adapter

Ezychange
for TCT



Range	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	8.7	With TCT pilot drill bit	1	E-06959

Ezychange TCT holesaw pilot drill

Ezychange
for TCT



Range	Note	Sales pkg q'ty	Part No.
★★★★☆	For masonry (TCT)	1	E-06862
	For metal, etc(HSS-G)	1	E-06840
	For stainless (HSS-Co)	1	E-06856

Ezychange TCT holesaw assortment

Ezychange
for TCT



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★★★☆	8.7	8	E-14261

Ezychange holesaw adapter

Ezychange
for TCT



Ezychange
Bi-Metal HSS 8%Co

Range	Size mm	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	150	11	For Ezychange BiM/TCT Holesaw	1	E-06878
	300			1	E-06884
	-	8.7		-	1

BiM holesaw



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★★★☆	14	Cutting depth 38mm	1	D-35368
	16		1	D-16994
	17		1	D-35374
	19		1	D-17005
	20		1	D-17251
	21		1	D-35380
	22		1	D-17011
	24		1	D-17027
	25		1	D-17033
	27		1	D-35396
	29		1	D-17267
	30		1	D-35405
	32		1	D-17049
	33		1	D-35411
	35		1	D-17055
	37		1	D-35427
	38		1	D-17061
	40		1	D-17273
	41		1	D-35433
	43		1	D-35449
	44		1	D-17077
	46		1	D-35455
	48		1	D-35461
	51		1	D-17083
	52		1	D-35477
	54		1	D-24876
	56		1	D-35483
	57		1	D-17099
	59		1	D-35499
	60		1	D-25688
	64		1	D-30140
	65		1	D-24882
	67		1	D-35508
	68		1	D-17108
	70		1	D-25694
	73		1	D-35514
	76		1	D-17114
	79		1	D-35520
	80		1	D-33869
	83		1	D-17120
	86		1	D-35536
	89		1	D-35542
	92		1	D-17136
	95		1	D-35558
	98		1	D-35564
	102		1	D-35570
	105		1	D-17142
	108		1	D-35586
	111		1	D-35592
	114		1	D-35601
	121		1	D-35617
	127		1	D-17158
	140		1	D-35623
	152		1	D-17164

BiM holesaw adapter



Range	Type	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★☆☆☆	Adapter	9.5	For 14-30mm, With pilot drill bit	1	D-17170
		11	For 32-152mm, With pilot drill bit	1	D-17186
	SDS-PLUS adapter	-	For 32-76mm, With pilot drill bit	1	D-17619

BiM holesaw pilot drill




Range	Sales pkg q'ty	Part No.
★★☆☆☆	1	D-17192

BiM holesaw assortment



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★☆☆☆	9.5, 11	5	D-34855
		9	D-47117
		9	D-47123
		9	D-47139
		9	D-63965
		12	D-47282
		13	D-75764
		14	D-47298
		14	D-63971
		16	D-47307
		16	D-63993

BiM holesaw for sheet metal



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★☆☆☆	16	Cutting depth 20mm	1	B-29670
	19		1	B-29692
	20		1	B-29701
	21		1	B-29717
	22		1	B-29723
	25		1	B-29739
	29		1	B-29751
	32		1	B-29773
	35		1	B-29795
	38		1	B-29804
	40		1	B-29810
	44		1	B-29832
	48		1	B-29848
	51		1	B-29854
	54		1	B-29860
	60		1	B-29882
	64		1	B-29898
	65		1	B-35994
	68		1	B-36011
	70		1	B-36027
	76		1	B-36049
	79		1	B-36055
	83		1	B-36061
	89		1	B-36083
	102		1	B-36099
	127		1	B-36108

BiM holesaw for sheet metal adapter



Range	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★☆☆☆	9.5	For 16-35mm, 9.5mm Adapter with HSS6542 Pilot Drill	1	B-36120
	11	For 38-152mm, 11mm Adapter Zinc with HSS6542 Pilot Drill	1	B-36136

BiM holesaw for sheet metal pilot drill



Range	Note	Sales pkg q'ty	Part No.
★★☆☆☆	HSS 6542 Pilot Drill	1	B-36142

BiM holesaw for sheet metal assortment



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★☆☆☆	9.5, 11	15	B-38663
		15	B-38679

Multi purpose TCT holesaw



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★☆☆☆	22	Cutting depth 60mm	1	D-42684
	25		1	D-42690
	29		1	D-42709
	30		1	D-42715
	32		1	D-42721
	38		1	D-42743
	64		1	D-42846

Multi purpose TCT holesaw adapter



Range	Type	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★☆☆☆	Adapter	11	For 22-105mm, With HSS pilot drill bit	1	D-50376
			For 22-105mm, With TCT pilot drill bit	1	D-50332
	SDS-PLUS adapter	-	For 22-32mm, With HSS pilot drill bit	1	D-50382
			For 22-32mm, With TCT pilot drill bit	1	D-50348

Multi purpose TCT holesaw assortment



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★★★☆	11	9	D-51297
		10	D-51281

Tungsten carbide grit holesaw



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★★★☆	33	Cutting depth 64mm	1	D-51188
	43		1	D-51194
	53		1	D-51203
	63		1	D-51219
	67		1	D-51225
	73		1	D-51231
	83		1	D-51247

Tungsten carbide grit holesaw adapter



Range	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	11	with 90mm(9/16") TCT pilot drill bit	1	D-51253

Tungsten carbide grit holesaw pilot drill



Range	Note	Sales pkg q'ty	Part No.
★★★★☆	TCT	1	D-51269

Vacuum brazed diamond holesaw



Range	Size mm	Shank dia. mm	Note	Sales pkg q'ty	Part No.		
★★★★☆	16	12.7	Cutting depth 40mm, With shank and pilot drill bit	1	B-45870		
	19			1	B-45886		
	25			1	B-45892		
	30			1	B-45901		
	32			1	B-45917		
	35			1	B-45923		
	38			1	B-45939		
	45			1	B-45945		
	50			1	B-45951		
	53			1	B-45967		
	57			1	B-45973		
	64			1	B-45989		
	16			-	Cutting depth 40mm	1	B-45995
	19					1	B-46006
	25					1	B-46012
	30					1	B-46028
	32					1	B-46034
35	1	B-46040					
38	1	B-46056					
45	1	B-46062					
50	1	B-46078					
53	1	B-46084					
57	1	B-46090					
64	1	B-46109					

Vacuum brazed diamond holesaw adapter



Range	Type	Shank dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	Adapter	12.7	-	1	B-46137
			With TCT pilot drill bit	1	B-46115
	SDS-PLUS adapter	-	-	1	B-52700
			With pilot drill bit	1	B-52691

Vacuum brazed diamond holesaw pilot drill



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★★★☆	59	TCT	1	B-46121

Carbon steel holesaw assortment



Range	Shank dia. mm	Sales pkg q'ty	Part No.
★★★★☆	10	6	D-70203

Drilling (Masonry)




TCT drill bit with straight shank



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	3	60	30	1	E-06351
	4	70	35	1	E-06367
	5	85	45	1	E-06373
		150	90	1	E-06389
	5.5	100	60	1	E-06395
		150	90	1	E-06404
	6	100	60	1	E-06410
		150	90	1	E-06426
		250	175	1	E-06432
	6.5	100	60	1	E-06448
		150	90	1	E-06454
	7	100	55	1	E-06460
		150	90	1	E-06476
	8	110	60	1	E-06482
		150	90	1	E-06498
	9	150	90	1	E-06513
		250	175	1	E-06529
	10	150	90	1	E-06535
		250	175	1	E-06541
	12	150	90	1	E-06557
250		175	1	E-06563	
14	150	85	1	E-06579	
	250	175	1	E-06585	
16	150	85	1	E-06591	
	200	135	1	E-06600	
★★☆☆☆	3	60	30	1	D-05228
	4	70	35	1	D-05234
	5	85	45	1	D-05240
	5.5	100	60	1	D-36728
		150	90	1	D-36734
	6	100	60	1	D-05256
		150	90	1	D-05262
	6.5	100	55	1	D-36740
		150	90	1	D-36756
	7	100	55	1	D-05278
		150	90	1	D-05284
	8	110	60	1	D-05290
		150	90	1	D-05309
	9	150	90	1	D-05321
		400	315	1	D-05315
	10	150	90	1	D-05321
		400	315	1	D-18960
	11	150	90	1	D-05337
		400	315	1	D-05343
	12	150	85	1	D-17697
600		505	1	D-17728	
13	150	85	1	D-05359	
	400	315	1	D-05365	
14	150	85	1	D-18976	
	400	315	1	D-05371	
15	150	85	1	D-05387	
	400	315	1	D-17706	
16	150	85	1	D-17706	
	400	315	1	D-18982	
18	150	85	1	D-17706	
	400	315	1	D-17712	
20	400	315	1	D-17712	

TCT drill bit with straight shank assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	4x70, 5x85, 6x100, 8x110, 10x150	5	E-11536
	3x60, 4x70, 5x85, 6x100, 6x150, 8x110, 8x150, 10x150	8	E-15861
★★☆☆☆	4x70, 5x85, 6x100, 8x110, 10x110	5	D-05175
	5x85, 5.5x100, 6.5x100, 8x150, 10x150	5	D-36762
★★☆☆☆	5x110, 6x110, 7x110, 8x110, 10x110	5	D-20719
	4x70, 5x85, 5.5x85, 5.5x85, 6x100, 6x100, 6.5x100, 6.5x100, 7x100, 7x100, 8x110, 8x110	12	D-73483
★★☆☆☆	4x70, 5x85, 5x85, 6x100, 6x100, 0, 6x100, 8x110, 8x110, 8x110, 10x150, 10x150, 12x150	12	D-77126

TCT drill bit with 1/4inch Hex shank



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	3	80	35	1	D-23771
				1	D-31463
	3.2	80	35	1	D-63694
				1	D-23787
	4	80	35	1	D-31479
				1	D-23793
	5	90	45	1	D-31485
				1	D-23802
	6	100	55	1	D-31491
				1	D-55061
	6.5	100	55	1	D-23818
				1	D-31500
8	100	55	1	D-31500	
			1	D-31500	

TCT drill bit with straight shank brick



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★☆☆☆	3.5	75	40	1	D-40733
	5	85	55	1	D-40761
	5.5	150	100	1	D-40777
					D-40799
	6	100	60	1	D-40808
		150	100	1	D-40814
		200	130	1	D-40820
		400	350	1	D-40836
	6.5	150	100	1	D-40858
		400	350	1	D-40864
	7	150	100	1	D-40886
		400	350	1	D-40892
8	120	80	1	D-40901	
	150	100	1	D-40917	
	200	130	1	D-40923	
	400	350	1	D-40939	
10	120	80	1	D-40951	
	150	100	1	D-40967	
	200	130	1	D-40973	
	400	350	1	D-40989	
11	150	100	1	D-40995	
				D-41006	
12	200	130	1	D-41012	
				400	350

TCT drill bit with straight shank brick assortment



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	5x85, 6x100, 8x120	3	D-41034

TCT drill bit with straight shank brick assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	4x75, 5x85, 6x100, 8x120, 10x120	5	D-72877

TCT drill bit with straight shank multi material

Range: ★★★
Work material: Brick, Wood, Tile, Aluminum, Plastic, Metal

Range: ★★★
Work material: Brick, Wood, Tile, Plastic




Possible to drill holes in various work materials without changing drill bits. Available for Hammer drill and Driver drill. Without impact, it is suitable for wood, iron, aluminum and tile. With impact, it is suitable for concrete blocks and bricks.



4-side grifing and sharp cutting edge

It makes possible to drill holes in various work materials and also improves drilling speed.



Outstanding durability

High quality tangsten carbide tip is used.

*Range (★★) can't use Metal drilling.

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★☆☆☆	3	70	38	1	E-10958
	4	75	40	1	E-10964
	5	85	43	1	E-10970
	5.5	100	50	1	E-10986
					E-10992
	6	150	90	1	E-11003
					E-11019
	6.5	100	50	1	E-11025
					E-11031
	7	100	50	1	E-11047
					E-11053
	8	120	60	1	E-11069
					E-11075
10	150	90	1	E-11081	
				E-11081	
★★☆☆☆	3	60	28	1	D-30287
	4	70	35	1	D-30293
	5	85	43	1	D-30302
	5.5	100	58	1	D-31027
					D-31033
					D-31049
	6	150	108	1	D-30318
					D-30324
					D-72774
					D-72780
					D-72796
					D-72796
	6.5	85	43	1	D-31055
D-31061					
D-31077					
D-72805					
D-72811					
D-72827					

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	7	100	53	1	D-30330
		150	103	1	D-30346
	8	110	57	1	D-30352
					1
	9	150	97	1	D-30374
				1	D-30380
	10	400	300	1	D-30396
				1	D-30405
	11	150	93	1	D-30411
				1	D-30427
	12	400	300	1	D-30449
				1	D-30455
	13	150	85	1	D-30449
				1	D-30455
14	400	300	1	D-30461	
			1	D-30461	

TCT drill bit with 1/4inch Hex shank multi material assortment in plastic case



Range	Shank type	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	1/4inch Hex MZ	4,5,6,8,10	90,100,120,150	45,50,60,90	5	E-16732
	1/4inch Hex NZ		90,100,120,150	45,50,60,90	5	E-17974

TCT drill bit with straight shank multi material assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	4x75, 5x85, 6x100, 8x120, 10x150	5	E-14255
	3x70, 4x75, 5x85, 6x100, 6x150, 8x120, 8x150, 10x150	8	E-15855
★★★★☆	4x70, 5x85, 6x100, 8x150, 10x150	5	D-36712
	5x85, 6x100, 8x110, 10x150, 12x150	5	D-30477

















TCT drill bit with 1/4inch Hex shank multi material



Range	Shank type	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	1/4inch Hex MZ	3	90	45	1	E-14934
		4			1	E-14940
		5			1	E-14956
		5.5	100	50	1	E-14962
					1	E-14978
		6	100	50	1	E-14984
					1	E-14990
		6.5	100	50	1	E-15001
					1	E-15017
		7	100	50	1	E-15023
					1	E-15039
		8	120	60	1	E-15045
	1				E-15051	
	10	150	90	1	E-15067	
				1	E-15073	
	12	150	90	1	E-15089	
				1	E-15089	
	1/4inch Hex NZ	3	90	45	1	E-16651
					1	E-16667
					1	E-16673
		5	100	50	1	E-16689
					1	E-16695
		6	100	50	1	E-16689
					1	E-16695
8		120	60	1	E-16704	
				1	E-16710	
10		150	90	1	E-16710	
				1	E-16726	

T.C.T drill bit for SDS-PLUS Hammers
















Product	Standard type	Centering Tip	Centering Tip V-PLUS	4 cutter	NEMESIS II
Range	★★	★★★	★★★★	★★★	★★★★★
Carbide					
Tip	2 Cutter	Centering tip 2 Cutter	Centering tip 2 Cutter	Centering tip 4 Cutter	*Full carbide tip 4 Cutter 
Flute	Standard 2 flute	Standard 4 flute	High Durability 2 flute	Standard 2 flute	High Durability 4 flute
Size	3.5 - 30mm 5/32" - 1"	4 - 32mm 5/32" - 1"	3.5 - 26mm	5 - 25mm	5 - 32mm 5/32" - 1-1/4"
Chart					
Work material					

*Full carbide spec is only for dia. 5 to 20mm

T.C.T drill bit for SDS-MAX Hammers



Product	Standard type	4 cutter	NEMESIS	Mining
Range	★★	★★★	★★★★	Specialized
Carbide				
Tip	2 Cutter	Centering tip 4 cutter	Centering tip 4 Cutter 	4 Cutter 
Flute	Standard 2 flute	Standard 2 flute	High Durability 4 flute	High Durability 2 flute
Size	12 - 40mm 1/2" - 1-1/2"	12 - 30mm	12 - 40mm 1/2" - 1-1/2"	28 - 32mm
Chart				Specialized
Work material				

TCT drill bit for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
3.5	90	30	1	D-16950	
		50	1	D-15665	
4	110	100	1	D-00016	
		100	1	D-66612	
5	110	50	1	D-00022	
		100	1	D-00038	
		150	1	D-66628	
5.5	110	50	1	D-00044	
		100	1	D-16106	
5.8	110	50	1	D-03268	
			1	D-00050	
6	160	100	1	D-00066	
		150	1	D-00072	
		200	1	D-25666	
		110	50	1	D-00088
6.5	160	100	1	D-00094	
		150	1	D-45082	
		200	1	D-66634	
7	110	50	1	D-00103	
		100	1	D-00119	
		150	1	D-25600	
8	110	50	1	D-00125	
		100	1	D-00131	
		150	1	D-00147	
		200	1	D-00153	
		250	1	D-66640	
9	110	50	1	D-08040	
		100	1	D-08056	
		150	1	D-00169	
9.5	160	100	1	D-34344	
		150	1	D-03274	
10	110	50	1	D-09117	
		100	1	D-00175	
		150	1	D-00181	
		200	1	D-00197	
		250	1	D-00206	
		290	1	D-66656	
		400	1	D-17538	
11	160	100	1	D-00212	
		150	1	D-66662	
		200	1	D-66678	
12	160	100	1	D-00228	
		150	1	D-00234	
		200	1	D-00240	
		250	1	D-66684	
		290	1	D-16112	
		400	1	D-16271	
12.5	160	100	1	D-14102	
12.7	160	100	1	D-03280	
		290	1	D-03296	
13	160	100	1	D-00256	
		150	1	D-66690	
		200	1	D-25622	
		290	1	D-16128	
14	160	100	1	D-00262	
		150	1	D-21331	
		200	1	D-00278	
		250	1	D-66709	
		290	1	D-16134	
14.3	160	100	1	D-17544	
			1	D-03997	
15	160	100	1	D-00284	
		200	1	D-25638	
		290	1	D-16140	
16	160	100	1	D-17550	
		100	1	D-03981	
		150	1	D-00290	
		200	1	D-16156	
		250	1	D-00309	
		290	1	D-16162	
		400	1	D-16287	

★★★★★

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
17	17.5	160	100	1	D-16178
		210	150	1	D-00315
		260	200	1	D-16184
		350	290	1	D-16190
18	17.5	160	100	1	D-03305
			1	D-16209	
		210	150	1	D-00321
		260	200	1	D-16215
		300	240	1	D-00337
		350	290	1	D-16221
19	17.5	460	400	1	D-17566
		210	150	1	D-00343
		350	290	1	D-16243
		460	400	1	D-16293
20	17.5	210	150	1	D-00359
		260	200	1	D-16259
		310	250	1	D-00365
		350	290	1	D-16265
		460	400	1	D-15235
22	17.5	260	200	1	D-00371
		310	250	1	D-08062
		460	400	1	D-15241
24	17.5	260	200	1	D-25644
		460	400	1	D-16302
25	17.5	260	200	1	D-00387
		310	250	1	D-08517
		350	290	1	D-03311
		460	400	1	D-15257
26	17.5	260	200	1	D-00393
		310	250	1	D-08078
			1	D-15263	
28	17.5	460	400	1	D-16318
			1	D-17572	
30	17.5	460	400	1	D-17572

★★★★★

TCT drill bit for SDS-PLUS Hammers multiple



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
5	5	110	50	25	D-01155-25
		160	100	50	D-61955
6	5	110	50	25	D-01161-25
			50	D-61628	
		160	100	25	D-01177-25
6.5	5	160	100	50	D-61977
		210	150	10	D-45098
8	5	110	50	50	D-61640
			25	D-01183-25	
		160	100	50	D-62038
10	5		50	D-62050	
			50	D-62072	
12	5	260	200	15	D-65159
		160	100	15	D-65171

★★★★★

TCT drill bit for SDS-PLUS Hammers assortment in cardboard box



Range	Size mm	Sales pkg q'ty	Part No.
★★★★★	5.5x110, 6x160, 7x110, 7x160, 8x160	5	D-03888
	5.8x110, 6.5x110, 6.5x160, 9.5x160, 12.7x160	5	D-44987
★★★★★	5x110, 6x110, 7x110, 8x110, 6x160, 7x160, 8x160, 10x160, 12x160, 14x160, 10x210, 12x210, 14x210, 16x210	14	D-71956

TCT drill bit for SDS-PLUS Hammers assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	5x110, 6x160, 8x160, 10x160	4	D-74136
	6x160, 8x160, 10x160, 12x160	4	D-74756
	6.5x160, 8x160, 10x160, 12x160	4	D-74728
	5x110, 6x110, 6x160, 8x110, 8x160	5	D-00795
	5x160, 6x160, 7x160, 8x160, 10x160	5	D-20703
	5x160, 6x160, 6x160, 8x160, 8x160	5	D-58914
	6x110, 6.5x110, 8x160, 10x160, 12x160	5	D-17784
	6x110, 6x160, 8x110, 8x160, 10x160	5	D-61678
	6x160, 6x160, 8x160, 10x160, 12x160	5	D-36049
	6x160, 8x160, 10x160, 12x160	12	D-62723
	5x110, 6x110, 6x160, 7x110, 7x160	25	D-33853

TCT drill bit for SDS-PLUS Hammers assortment in aluminum case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	5x110, 6x110, 6x160, 7x110, 7x160, 8x110, 8x160, 10x160, 10x210, 12x160, 12x210, 14x160, 14x210, 16x210	14	D-21325

TCT drill bit for SDS-PLUS Hammers centering tip



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★☆☆☆	4	110	50	1	E-23575
		160	100	1	E-23581
	5	110	50	1	E-23597
		160	100	1	E-23606
	6	210	150	1	E-23612
		110	50	1	E-23640
		160	100	1	E-23656
		210	150	1	E-23662
	8	260	200	1	E-23678
		110	50	1	E-23709
		160	100	1	E-23715
		210	150	1	E-23721
9	260	200	1	E-23737	
	460	400	1	E-23743	
	160	100	1	E-23759	

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
	10	110	50	1	E-23765
		160	100	1	E-23771
		210	150	1	E-23787
		260	200	1	E-23793
		310	250	1	E-23802
	11	460	400	1	E-23818
		160	100	1	E-23824
	12	160	100	1	E-23830
		210	150	1	E-23846
		260	200	1	E-23852
		350	290	1	E-23868
	13	460	400	1	E-23874
		160	100	1	E-23880
	14	160	100	1	E-23896
		210	150	1	E-23905
		260	200	1	E-23911
	15	350	290	1	E-23927
		160	100	1	E-23933
★★★★☆	16	160	100	1	E-23949
		210	150	1	E-23955
		310	250	1	E-23961
	18	350	290	1	E-23977
		210	150	1	E-23983
		310	250	1	E-23999
	20	350	290	1	E-24000
		460	400	1	E-24016
		210	150	1	E-24022
	22	310	250	1	E-24038
		460	400	1	E-24044
	24	260	200	1	E-24050
		350	290	1	E-24066
		460	400	1	E-24072
	25	260	200	1	E-24088
		460	400	1	E-24094
		260	200	1	E-24103
		460	400	1	E-24119

TCT drill bit for SDS-PLUS Hammers centering tip assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	5x110, 6x110, 6x160, 8x110, 8x160	5	B-54710
	5.0x160, 5.5x160, 6.0x160, 6.5x160, 8.0x160	5	B-57021
	5.5x160, 6.0x160, 6.5x160, 8.0x160, 10x160	5	B-57037
	6x110, 8x160, 8x160, 10x160, 10x160	5	B-54704
	6x110, 6x110, 8x160, 8x160, 10x160	5	B-55784
	5x110, 6x160, 8x160, 10x160	4x12set	E-13596-12
	6x160, 8x160, 10x160, 12x160	4x12set	E-13605-12
	B-54710x5sets, B-55784x5sets	5x10sets	B-56421
	4x110, 5x110, 6x160, 8x160, 10x160	5x12set	E-15718-12
	5x110, 6x110, 6x160, 8x160, 10x160	5x12set	E-15702-12
	5x110, 6x160, 8x160, 10x160, 12x160	5x12set	E-15724-12
	5x110, 6x110, 8x110, 6x160, 8x160, 10x160	6x12set	E-15730-12
Drill 6 to 12, Bull point 140, Cold chisel 20x140	6x12set	E-15746-12	

TCT drill bit for SDS-PLUS Hammers V-PLUS

V-PLUS



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	3.5	110	50	1	E-10665
	4			1	B-47232
	4	160	100	1	B-47248
		5	110	50	1
	160		100	1	B-46501
	210		150	1	B-47260
	260		200	1	B-47276
	310		250	1	B-47282
	5.5	110	50	1	B-47298
		160	100	1	B-47307
210		150	1	B-47313	
260		200	1	B-47329	
310		250	1	B-47335	
410		350	1	E-22626	
6	460	400	1	E-22632	
	110	50	1	B-46517	
	160	100	1	B-46523	
	210	150	1	B-47341	
	260	200	1	B-47357	
6.5	310	250	1	B-47363	
	460	400	1	B-47379	
	110	50	1	B-47385	
	160	100	1	B-47391	
7	210	150	1	B-47400	
	260	200	1	B-47416	
	310	250	1	B-47422	
	110	50	1	B-47438	
★★★★☆	7	160	100	1	B-47444
		210	150	1	B-47450
	8	250	190	1	B-47466
		110	50	1	B-46539
		160	100	1	B-46545
		210	150	1	B-47472
		260	200	1	B-47488
		310	250	1	B-47494
		400	340	1	B-47503
		460	400	1	B-47519
600	540	1	B-47525		
9	160	100	1	B-47531	
	210	150	1	B-47547	
9.5	160	100	1	B-47553	
	310	250	1	B-51409	
10	110	50	1	B-46551	
	160	100	1	B-46567	
	210	150	1	B-47569	
	260	200	1	B-47575	
	310	250	1	B-47581	
	350	290	1	B-47597	
	450	390	1	B-47606	
	600	540	1	B-47612	
	1000	940	1	B-47634	
	11	210	160	1	B-47656
260		210	1	B-47662	
12	160	110	1	B-46573	
	210	160	1	B-47684	
	260	210	1	B-47690	
	310	260	1	B-47709	
	450	400	1	B-47721	
	600	550	1	B-47737	
	800	750	1	B-47743	
1000	950	1	B-47759		
13	160	110	1	B-47765	
	260	210	1	B-47787	
14	160	110	1	B-46589	
	210	160	1	B-47802	
	260	210	1	B-47818	
	310	260	1	B-47824	
	450	400	1	B-47830	
	600	550	1	B-47846	
	1000	950	1	B-47852	

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	15	160	110	1	B-47868
		210	160	1	B-47874
		260	210	1	B-47880
	16	160	110	1	B-47905
		210	160	1	B-47911
		260	210	1	B-47927
		310	260	1	B-47933
		450	400	1	B-47949
		600	550	1	B-47955
		800	750	1	B-47961
18	1000	950	1	B-47977	
	200	150	1	B-48000	
	300	250	1	B-48016	
	450	400	1	B-48022	
	600	550	1	B-48038	
	1000	950	1	B-48044	
	200	150	1	B-48072	
20	300	250	1	B-48088	
	450	400	1	B-48094	
	600	550	1	B-48103	
	800	750	1	B-48119	
	1000	950	1	B-48125	
22	250	200	1	B-48131	
	450	400	1	B-48147	
	600	550	1	B-48153	
24	1000	950	1	B-48169	
	250	200	1	B-48197	
	450	400	1	B-48206	
25	600	550	1	B-48212	
	250	200	1	B-48228	
	450	400	1	B-48234	
	600	550	1	B-48240	
26	1000	950	1	B-48256	
	250	200	1	B-48262	
	450	400	1	B-48278	

TCT drill bit for SDS-PLUS Hammers V-PLUS multiple

V-PLUS



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	6	160	100	5	B-46523-5
				10	B-46523-10
	10	210	160	5	B-46567-5
				10	B-47684-10

TCT drill bit for SDS-PLUS Hammers V-PLUS assortment in plastic case

V-PLUS



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	5x110, 6x110, 8x110, 6x160, 8x160	5	B-49052
	5x110, 6x160, 8x160, 10x160, 12x160	5	B-49074
	5x110, 6x110, 6x160, 8x160, 10x160	5	B-49133
★★★★☆	5x110, 6x110, 6x160, 8x110, 8x160, 10x160, 12x160	7	B-49046
	5x110, 6x110, 6x160, 8x160, 10x160, 10x210, 12x210	10	B-49127
	5x110, 6x160, 8x160, 10x160, 12x160	12	B-49096
	5x110, 6x160, 8x160	12	B-49111
	6x110, 6x160, 8x160, 8x160, 10x160, 12x160, 14x160, 16x160	12	B-49080

TCT drill bit for SDS-PLUS Hammers 4cutter



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
5	5	110	50	1	B-68127
		160	100	1	B-68133
		210	150	1	B-68149
		260	200	1	B-68155
6	6	110	50	1	B-62496
		160	100	1	B-62505
		210	150	1	B-62511
		260	200	1	B-62527
6.5	6.5	310	250	1	B-68161
		110	50	1	B-62533
		160	100	1	B-62549
7	7	210	150	1	B-62555
		260	200	1	B-62561
		110	50	1	B-62577
8	8	160	100	1	B-62583
		210	150	1	B-62599
		110	50	1	B-62608
10	10	160	100	1	B-62614
		210	150	1	B-62620
		260	200	1	B-62636
		310	250	1	B-62642
		460	400	1	B-62658
12	12	110	50	1	B-62664
		160	100	1	B-62670
		210	150	1	B-62686
		260	200	1	B-62692
		310	250	1	B-62701
14	14	350	290	1	B-62717
		460	400	1	B-62723
		160	100	1	B-62739
		210	150	1	B-62745
		260	200	1	B-62751
16	16	310	250	1	B-62767
		350	290	1	B-62773
		460	400	1	B-62789
		160	100	1	B-62795
		210	150	1	B-62804
18	18	260	200	1	B-62810
		310	250	1	B-62826
		350	290	1	B-62832
		460	400	1	B-62848
		160	100	1	B-62854
20	20	210	150	1	B-62860
		260	200	1	B-62876
		310	250	1	B-62882
		350	290	1	B-62898
		460	400	1	B-62907
22	22	260	200	1	B-68177
		460	400	1	B-68236
25	25	260	200	1	B-68183
		460	400	1	B-68242
25	25	260	200	1	B-68199
		460	400	1	B-68258
25	25	260	200	1	B-68208
		460	400	1	B-68264

★★★★☆



	Hole	Tungsten carbide tip

Centering tip
Stable and secure drilling

Wearing mark
Indicator for evaluating the dimensional stability of the anchor holes

Innovated flute geometry
Faster drilling

Solid TCT (5-20mm)
Three piece TCT (22-32mm)

The drilling hole is closer to a circle than 2cutter.
Lifetime is longer than 2cutter because of big TCT.

Rebar chamfer
Reduce shock in reinforcement strikes

TCT drill bit for SDS-PLUS Hammers Nemesis II



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
5	5	115	50	1	B-57897
		165	100	1	B-57906
		215	150	1	B-57912
		265	200	1	B-57928
		315	250	1	B-57934
5.5	5.5	115	50	1	B-57940
		165	100	1	B-57956
6	6	115	50	1	B-57962
		165	100	1	B-57978
		215	150	1	B-57984
		265	200	1	B-57990
		315	250	1	B-58001
6.5	6.5	165	100	1	B-58023
		215	150	1	B-58039
		265	200	1	B-58045
		315	250	1	B-58051

TCT drill bit for SDS-PLUS Hammers 4cutter assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	5x110, 6x160, 8x160, 10x160	4	E-14249

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.		
7	7	115	50	1	B-58067		
		165	100	1	B-58073		
		215	150	1	B-58089		
8	8	115	50	1	B-58095		
		165	100	1	B-58104		
		215	150	1	B-58110		
		265	200	1	B-58126		
		315	250	1	B-58132		
		465	400	1	B-58154		
9	9	165	100	1	B-58176		
		265	200	1	B-58182		
10	10	115	50	1	B-58198		
		165	100	1	B-58207		
		215	150	1	B-58213		
		265	200	1	B-58229		
		315	250	1	B-58235		
		455	390	1	B-58257		
		600	540	1	B-58263		
		1000	940	1	B-58279		
11	11	165	100	1	E-14495		
		215	150	1	E-14504		
		265	200	1	E-14510		
		315	250	1	E-14526		
12	12	165	100	1	E-14532		
		215	150	1	E-14548		
		265	200	1	E-14554		
		315	250	1	E-14560		
		455	390	1	E-14576		
13	13	600	550	1	E-14582		
		1,000	950	1	E-19598		
		165	100	1	E-14598		
		215	150	1	E-14607		
		265	200	1	E-14613		
		315	250	1	E-14629		
		14	14	165	100	1	E-14635
				215	150	1	E-14641
				265	200	1	E-14657
				315	250	1	E-14663
455	390			1	E-14679		
600	550			1	E-14685		
1,000	950			1	E-19607		
15	15	165	100	1	E-14691		
		215	150	1	E-14700		
		265	200	1	E-14716		
		455	390	1	E-14722		
16	16	165	100	1	E-14738		
		215	150	1	E-14744		
		265	200	1	E-14750		
		315	250	1	E-14766		
		455	390	1	E-14772		
		600	550	1	E-14788		
18	18	1,000	950	1	E-19613		
		250	200	1	E-24860		
20	20	450	400	1	E-24876		
		250	200	1	E-24882		
22	22	450	400	1	E-24898		
		250	200	1	B-58665		
24	24	450	400	1	B-58687		
		250	200	1	B-58693		
25	25	450	400	1	B-58702		
		250	200	1	B-58718		
28	28	450	400	1	B-58724		
		250	200	1	B-58746		
30	30	450	400	1	B-58752		
		250	200	1	B-58768		
32	32	450	400	1	B-58774		
		450	400	1	B-58780		

★★★★★

TCT drill bit for SDS-PLUS Hammers Nemesis II multiple

NEMESIS II



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
5	5	115	50	5	B-58796
		165	100	10	B-63220
6	6	115	50	5	B-58811
		165	100	10	B-63258
			100	5	B-58827
			100	10	B-63264
8	8	215	150	10	B-63270
		115	50	10	B-63367
		165	100	5	B-58899
		100	10	B-63373	
		150	10	B-63389	
10	10	265	200	10	B-63395
		165	100	5	B-58914
		100	10	B-63410	
12	12	215	150	10	B-63426
		165	100	5	E-14794
14	14	100	10	E-14825	
		150	5	E-14803	
		100	10	E-14831	
		200	5	E-14819	
		250	10	E-14847	
14	14	310	250	10	E-14853
		165	100	10	E-14869
		215	150	10	E-14875
		265	200	10	E-14881
		315	250	10	E-14897

★★★★★

TCT drill bit for SDS-PLUS Hammers Nemesis II assortment in plastic case

NEMESIS II



Range	Size mm	Sales pkg q'ty	Part No.
5	5x115, 6x115, 8x115	3	B-58986
	6.5x165, 8x165, 10x165	3	B-59097
5	5x115, 6x115, 6x165, 8x165, 8x165	5	B-58992
	5.5x115, 7x115, 6x165, 7x165, 8x165	5	B-59003
7	5x115, 6x115, 6.5x165, 8x115, 8x165, 10x165, 12x165	7	E-14928
	5x165, 6x215, 6.5x215, 6.5x265, 8x265, 10x265, 12x265	7	E-14906
12	5x165, 6x165, 6x165, 6x165, 8x165, 8x165, 8x165, 10x165, 10x165, 10x165, 12x165, 12x165	12	E-14912

★★★★★

TCT drill bit for SDS-PLUS Hammers dustless



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	16	360	240	1	B-64406
	18			1	B-64412

TCT drill bit for SDS-PLUS Hammers concrete screw



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★☆☆☆	5.8	160	100	1	D-61117

TCT drill bit for SDS-MAX Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★☆☆☆	12	340	200	1	D-33875
		540	400	1	D-33881
	12.7	340	200	1	D-54994
		540	400	1	D-33897
	14	340	200	1	D-33906
		540	400	1	D-33912
	15	340	200	1	D-33928
		540	400	1	D-33928
	16	340	200	1	D-33934
		540	400	1	D-33940
	18	340	200	1	D-33956
		540	400	1	D-33962
	19	340	200	1	D-55033
		540	400	1	D-33978
	20	340	200	1	D-33984
		540	400	1	D-33990
	22	340	200	1	D-34001
		540	400	1	D-34017
	24	340	200	1	D-34023
		540	400	1	D-34039
	25	340	200	1	D-34045
		540	400	1	D-34051
	28	370	250	1	D-34067
		570	450	1	D-34073
	30	370	250	1	D-34089
		570	450	1	D-34095
	32	370	250	1	D-34104
		570	450	1	D-34110
	35	370	250	1	D-34126
		570	450	1	D-34132
38	370	250	1	D-34148	
	570	450	1	D-34154	
40	370	250	1	D-34160	
	570	450	1	D-34160	

TCT drill bit for SDS-MAX Hammers assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	16x340, 18x340, 20x340	3	D-40587

TCT drill bit for SDS-MAX Hammers 4cutter



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	12	340	200	1	E-11324
		540	400	1	E-11330
	14	340	200	1	E-11346
		540	400	1	E-11352
	16	340	200	1	E-11368
		540	400	1	E-11374
	18	340	200	1	E-11380
		540	400	1	E-11396
	20	340	220	1	E-11405
		540	420	1	E-11411
	22	340	220	1	E-11427
		540	420	1	E-11433
	24	340	220	1	E-11449
		540	420	1	E-11455
	25	340	220	1	E-11461
		540	420	1	E-11477
	28	370	250	1	E-11483
		570	450	1	E-11499
	30	370	250	1	E-11508
		570	450	1	E-11514


TCT drill bit for SDS-MAX Hammers Nemesis



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	12	340	200	1	B-19897
		540	400	1	B-19906
		740	600	1	B-19912
	14	340	200	1	B-19928
		540	400	1	B-19934
	15	340	200	1	B-19940
		540	400	1	B-19956
	16	340	200	1	B-19962
		540	400	1	B-19978
	18	940	800	1	B-19984
		340	200	1	B-19990
	20	540	400	1	B-20002
		940	800	1	B-20018
	22	320	200	1	B-20024
		520	400	1	B-20030
	24	920	800	1	B-20046
		320	200	1	B-20052
	25	520	400	1	B-20068
		920	800	1	B-20074
	26	320	200	1	B-20080
		520	400	1	B-20096
	28	320	200	1	B-20105
		520	400	1	B-20111
	30	920	800	1	B-20127
		520	400	1	B-20133
	32	370	250	1	B-20149
		570	450	1	B-20155
	35	670	550	1	B-20161
		920	800	1	B-20177
	38	370	250	1	B-20183
		570	450	1	B-20199
	40	370	250	1	B-20208
		570	450	1	B-20214
	42	920	800	1	B-20220
		370	250	1	B-20236
	44	570	450	1	B-20242
		670	550	1	B-20258
	46	920	800	1	B-20264
		370	250	1	B-20270
	48	570	450	1	B-20286
670		550	1	B-20286	

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	40	370	250	1	B-20292
		570	450	1	B-20301
		920	800	1	B-20317
	45	570	450	1	B-20323
	50			1	B-42896
52	1			B-20339	

TCT drill bit for SDS-MAX Hammers mining




Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	28	670	550	1	B-15039
		920	800	1	B-18035
	32	540	400	1	E-18007
		570	450	1	B-14613
		690	550	1	E-23254
		920	780	1	E-18013
			800	1	B-15045

TCT drill bit for SDS-MAX Hammers mining 2



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	28	670	550	1	B-39431
		30	720	600	1
	32	570	450	1	B-39453
		920	800	1	B-39469

TCT drill bit for SDS-MAX Hammers dustless



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	16	600	400	1	B-64428
	25			1	B-64478
	30			1	B-64509

Concrete core cutter for SDS-MAX Hammers



Range	Bit dia. mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	40	550	1	E-20080
		1	E-20096	
	45	990	1	E-20105
		550	1	E-20111
	55	990	1	E-20127
		550	1	E-20133
	65	990	1	E-20149
		550	1	E-20155
	80	990	1	E-20161

TCT drill bit for 17mm Hex shank Hammers




Range	Bit dia. mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	16	280	1	D-20127
		505	1	D-20133
	18	280	1	D-20149
		505	1	D-20155
	19	280	1	D-20161
		505	1	D-20177
	20	280	1	D-20183
		505	1	D-20199
	22	280	1	D-20208
		505	1	D-20214
	25.5	280	1	D-20220
		505	1	D-20236
	28	280	1	D-20242
		505	1	D-20258
	32	280	1	D-20264
		505	1	D-20270
	35	280	1	D-20286
		505	1	D-20292

Core bit for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Note	Sales pkg q'ty	Part No.
★★★★☆	30	72	50	Core only	1	D-73891
	35				1	D-73900
	40				1	D-73916
	50				1	D-73922
	50				1	D-73938
	68	175	Core,Adapter, Pilot drill set	1	D-74011	
	82	72	Core only	1	D-73944	
	82	175	Core,Adapter, Pilot drill set	1	D-74027	
	90	72	Core only	1	D-73950	
	100		1	D-73966		

Core bit for SDS-PLUS Hammers adapter



Range	Length mm	Note	Sales pkg q'ty	Part No.
★★★★☆	110	SDS-PLUS shank adapter	1	D-73988
	200		1	D-73994
	350		1	D-74005









Core bit for SDS-PLUS Hammers pilot drill



Range	Length mm	Note	Sales pkg q'ty	Part No.
★★★★☆	110	Pilot drill	1	D-73972

Chisels



Shape	Application	For SDS-PLUS Hammers	For SDS-MAX Hammers	17mm Hex	19mm Hex	21mm Hex	28.6mm Hex	30mm Hex	Makita Small
 <p>Bull point</p>	Demolition and adjustment work in masonry and concrete. Chipping and breaking in masonry and concrete. Starts holes in concrete	•	•	•	•	•	•	•	•
 <p>Cold chisel</p>	Adjustment work in masonry and concrete. Chipping, breaking, edging and channeling in masonry and concrete.	•	•	•	•	•	•	•	
 <p>Grooving chisel</p>	Cutting channels in concrete.	•	•	•					
 <p>Scaling chisel</p>	Removing concrete residues.	•	•	•	•	•	•	•	•
 <p>Clay spade</p>	Digging in clay, hard gravel, hard packed gravel, soil and dirt.		•	•		•		•	
 <p>Rammer</p>	Tamping asphalt and compacting gravel, soil and dirt.		•	•	•	•		•	
 <p>Bushing tool</p>	Roughing concrete and asphalt up.		•	•		•			
 <p>Scraper</p>	Scraping floor tiles, linoleum floor and clean-up.	•							•

Bull point for SDS-PLUS Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	250	1	B-64294
	140	1	D-19152
	160	1	D-08034
★★★★☆	230	1	D-71249
	250	1	D-08713
	400	1	D-62424
	400	1	D-19015

Bull point for SDS-PLUS Hammers premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	250	1	B-64238

Bull point for SDS-PLUS Hammers Self-sharpening



Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	250	1	B-64761

Feature

Unique star-shape design keeps always sharp



Benefit
No re-sharpening necessary
No work interruption due to resharping
No service costs

Cold chisel for SDS-PLUS Hammer



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	20x250	1	B-64303
	20x140	1	D-19168
	20x160	1	D-71255
★★★★☆	20x230	1	D-71261
	20x250	1	D-08729
	20x250	1	D-62430
	20x400	1	D-19021

Cold chisel for SDS-PLUS Hammers premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	20x250	1	B-64244

Cold chisel for SDS-PLUS Hammer Self-sharpening

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	20x250	1	B-64777

Scaling chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	40x250	1	B-64319
	40x230	1	D-71277
	40x250	1	D-08735
★★★☆☆	50x215	1	D-25616
	50x215	1	D-62446
	80x150	1	D-61042
	80x250	1	D-61020

Scaling chisel for SDS-PLUS Hammers premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	40x250	1	E-20177

Scaling chisel for SDS-PLUS Hammers Self-sharpening

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	40x250	1	B-14059
	60x250	1	B-14065

Scaling chisel for SDS-PLUS Hammers tile



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	40x260	1	B-14071
★★★☆☆	50x250	1	D-78324

Scaling chisel for SDS-PLUS Hammers tile premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	50x250	1	E-20183
	75x165	1	E-20199

Grooving chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	8x170	1	A-30075

Scraper assembly for SDS-PLUS Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	100x160	1	A-68161

Chisel for SDS-PLUS Hammers assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	3	D-30134
	Bull point 230, Cold chisel 20x230, Scaling chisel 40x230	3	D-71314

Chisel for SDS-PLUS Hammers assortment in aluminum case



Range	Size mm	Sales pkg q'ty	Part No.
★★☆☆☆	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	3	D-05181
	Bull point 250, Cold chisel 20x250	4	D-08757
	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	5	D-16368

Chisel for SDS-PLUS Hammers assortment in aluminum case with Makita blue



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	3	D-42357
	Bull point 250, Cold chisel 20x250	4	D-42363
	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	5	D-42379

Chisel for SDS-PLUS Hammers premium assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	3	E-20220

Chisel for SDS-PLUS Hammers Self-sharpening assortment in plastic case

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	5	E-13188

Bull point for SDS-MAX Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	280	1	B-13823
	400	1	B-13839
		1	B-64325
★★☆☆☆	600	1	B-13845
	300	1	D-34176
	400	1	D-34182
		10	D-34182-10
	600	1	D-34198

Bull point for SDS-MAX Hammers premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	400	1	B-64266
	600	1	E-26624

Bull point for SDS-MAX Hammers Self-sharpening

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	400	1	B-23064
		1	E-13172

Cold chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	25x280	1	B-13851
	25x400	1	B-13867
	25x600	1	B-13873
★★★☆☆	25x300	1	D-34207
	25x400	1	D-34213
		10	D-34213-10
	25x600	1	D-34229

Cold chisel for SDS-MAX Hammers premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	25x400	1	B-64272
	25x600	1	E-26630

Cold chisel for SDS-MAX Hammers Self-sharpening

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	25x400	1	B-64783

Scaling chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	50x400	1	B-13889
		1	B-64347
	80x300	1	B-13895
	115x350	1	B-13910
★★★☆☆	50x400	1	D-34235
	80x300	1	D-34241

Scaling chisel for SDS-MAX Hammers premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	50x380	1	E-20208

Scaling chisel for SDS-MAX Hammers Self-sharpening

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	50x350	1	B-14015

Scaling chisel for SDS-MAX Hammers tile



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	50x300	1	B-14021
★★☆☆☆	50x400	1	D-78330

Scaling chisel for SDS-MAX Hammers tile premium



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	50x380	1	E-20214

Grooving chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	26x300	1	B-13926

Clay spade for SDS-MAX Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	110x400	1	B-13976

Rammer for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg q'ty	Part No.
Specialized	140	Without adapter. Use with adapter(A-19897)	1	A-19875

Bushing tool for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg q'ty	Part No.
Specialized	60x60	Without adapter. Use with adapter(A-19897)	1	A-19881

Ground rod adapter for SDS-MAX Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	22.2x260	1	E-13041

Shank adapter for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg q'ty	Part No.
Specialized	250	Shank for A-19881, A-19875	1	A-19897

Chisel for SDS-MAX Hammers assortment in cardboard box



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 400, Cold chisel 25x400	10	D-35324-10

Chisel for SDS-MAX Hammers assortment in aluminum case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 300, 400, Cold chisel 25x300, 25x400	4	D-40559
	Bull point 400, Cold chisel 25x400, Scaling chisel 50x400	3	D-40543
	Bull point 400, Cold chisel 25x400	5	D-40618
	Bull point 400, Cold chisel 25x400, Scaling chisel 50x400, 80x300	6	D-40565

Chisel for SDS-MAX Hammers assortment in aluminum case with Makita blue



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 300, 400, Cold chisel 25x400, 25x300	4	D-42466
	Bull point 400, Cold chisel 25x400, Scaling chisel 50x400	3	D-42450
	Bull point 400, Cold chisel 25x400	5	D-42472
	Bull point 400, Cold chisel 25x400, Scaling chisel 50x400, 80x300	6	D-42488

Chisel for SDS-MAX Hammers premium assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 400, Cold chisel 25x400, Scaling chisel 50x380	5	E-20236

Chisel for SDS-MAX Hammers Self-sharpening assortment in plastic case

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 400, Cold chisel 25x400, Scaling chisel 50x350	5	E-13194

Bull point for 17mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	280	1	A-80450
	450	1	A-80547
★★★☆☆	210	1	D-16374
	255	1	D-71283
	280	1	D-08682
		1	D-26303
	350	1	D-29860
	450	1	D-16863

Cold chisel for 17mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	19x450	1	A-80575
	19x210	1	D-26587
★★★☆☆	19x280	1	D-08707
	19x450	1	D-16879
	22x255	1	D-71299

Scaling chisel for 17mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	50x280	1	A-80606
	40x255	1	D-71308
★★★☆☆	50x280	1	D-20694
	50x450	1	D-52548

Grooving chisel for 17mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	22x280	1	A-48555

Rammer for 17mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	140	1	A-21428

Ground rod adapter for 17mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	180	1	A-47276

Chisel for 17mm Hex shank Hammers assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Bull point 255, Cold chisel 22x255, Scaling chisel 40x255	3	D-71320

Bull point for 19mm Hex shank Hammers



Range	Shank type	Size mm	Sales pkg q'ty	Part No.
★★★★☆	19mm Hex (B type)	300	1	D-20074
		450	1	D-19196

Cold chisel for 19mm Hex shank Hammers



Range	Shank type	Size mm	Sales pkg q'ty	Part No.
★★★★☆	19mm Hex (B type)	26x300	1	D-20080
		26x450	1	D-19205

Ground rod adapter for 19mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	20x180	1	798132-2

Bull point for 21mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	450	1	A-80553
	320	1	D-16499
★★★★☆	450	1	D-23824
	600	1	D-30994

Cold chisel for 21mm Hex shank Hammers




Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	26x450	1	A-80581
	26x320	1	D-17588
★★★☆☆	26x450	1	D-17594

Scaling chisel for 21mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	70x320	1	D-20672

Bull point for 28.6mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	350	1	D-65034
		1	D-17631
	410	1	D-61531
		1	D-17675
520	1	D-61569	

Bull point for 28.6mm Hex shank Hammers Self-sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	400	1	B-10372

Self sharpening

Cold chisel for 28.6mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	28x410	1	D-17647
		1	D-61547
	28x520	1	D-17681
		1	D-61575

Scaling chisel for 28.6mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	75x410	1	D-29228
		1	D-61553
	75x520	1	D-20725
		1	D-61581

Bull point for 30mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	400	1	D-15285
		1	D-31924

Bull point for 30mm Hex shank Hammers Self-sharpening

Self sharpening



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	400	1	B-10388

Cold chisel for 30mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	30x400	1	D-15300

Scaling chisel for 30mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	75x310	1	D-23868
		1	D-34805

Clay spade for 30mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	120x500	1	B-10300

Rammer for 30mm Hex shank Hammers



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	200	1	A-31485

Bull point for Makita small shank



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	220	1	B-06921

Scaling chisel for Makita small shank



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	20x220	1	B-07004
	30x150	1	B-07331
	50x150	1	B-07347
	50x220	1	B-07010

Scraper assembly for Makita small shank



Range	Size mm	Sales pkg q'ty	Part No.
Specialized	100x160	1	A-68155

TCT drill bit & chisel for SDS-PLUS Hammers assortment in plastic case



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Drill 5 to 8, Bull point 250, Cold chisel 20x250, Scaling chisel 40x250	6	D-58920
	Drill 5 to 16, Bull point 160, Cold chisel 20x140	10	D-46361
		10	D-57059
	Drill 5.5 to 15, Bull point 160, Cold chisel 20x140	10	D-44971
	Drill 6 to 18, Bull point 160, Cold chisel 20x140	10	D-41470

TCT drill bit & chisel for SDS-PLUS Hammers assortment in aluminum case



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	Drill 5.5 to 20, Bull point 250, Cold chisel 20x250	10	D-21191
	Drill 6 to 20, Bull point 250, Cold chisel 20x250	10	D-19174
	Drill 5 to 16, Bull point 250, Cold chisel 20x250	13	D-20111
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20x250, 20x140, Scaling chisel 40x250	17	D-19180
		17	D-21200

TCT drill bit & chisel for SDS-PLUS Hammers assortment in aluminum case with Makita blue



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	Drill 6 to 16, Bull point 250, Cold chisel 20x250	13	B-64674
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20x140, 20x250, Scaling chisel 40x250	17	E-03115
	Drill 6 to 14, Bull point 140, 250, Cold chisel 20x140, 20x250, Scaling chisel 40x250	17	B-64680
★★★☆☆	Drill 5 to 16, Bull point 250, Cold chisel 20x250	10	D-71990
	Drill 5.5 to 16, Bull point 250, Cold chisel 20x250	10	D-70904
	Drill 6 to 20, Bull point 250, Cold chisel 20x250	10	D-42385
	Drill 5 to 16, Bull point 250, Cold chisel 20x250	13	D-42400
		14	D-71174
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20x250, 20x140, Scaling chisel 40x250	17	D-42444
	Drill 5 to 12, Bull point 140, 250, Cold chisel 20x140, 20x250, Scaling chisel 40x250	18	D-71180
Drill 5 to 14, Bull point 140, 250, Cold chisel 20x140, 20x250, Scaling chisel 40x250	18	D-71196	

TCT drill bit & chisel for SDS-PLUS Hammers assortment in roll up pouch



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	Drill 5 to 16, Bull point 250, Cold chisel 20x250	13	D-53659
	Drill 5.5 to 16, Bull point 250, Cold chisel 20x250	13	D-70895
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20x140, 20x250, Scaling chisel 40x250	17	D-53073

TCT drill bit & chisel for SDS-PLUS Hammers assortment in MAKPAC



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	Drill 5 to 14, Bull point 140, 250, Cold chisel 20x250, 20x140, Scaling chisel 40x250	17	B-52059
		17	B-53877

TCT drill bit & chisel for SDS-MAX Hammers assortment in aluminum case



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	Drill 18 to 25, Bull point 400, Cold chisel 25x400, Scaling chisel 50x400	7	D-40571

TCT drill bit & chisel for SDS-MAX Hammers assortment in aluminum case with Makita blue



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	Drill 18 to 25, Bull point 400, Cold chisel 25x400, Scaling chisel 50x400	7	D-42494

Chuck adapter for SDS-PLUS Hammers



Range	Size mm	Sales pkg q'ty	Part No.
★★★☆☆	M6x22	1	D-14093

Fastening



Fastener drive and screwdriving series

1. C-form



2. E-form



3. Double ended



4. Bit holder



5. Nutsetter



6. Assortment




7. Socket adapter / Socket bit




8. Impact socket



9. Other



Torsion screw bit C-form Impact PREMIER




Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★★	C-form	H3.0	25	2	E-26733
		H4.0		2	E-26749
		H5.0		2	E-26755
		H6.0		2	E-26761
		PH 1		2	E-03121
		PH 2		2	E-03137
		PH 2R		15	E-03246
		PH 3		2	E-03143
		PH 3		2	E-03159
		PZ 1		2	E-03165
		PZ 2		2	E-03171
		PZ 2		15	E-03252
		PZ 3		2	E-03187
		T 10		2	E-03193
		T 10		15	E-25937
		T 15		2	E-03202
		T 15		15	E-25943
		T 20		2	E-03218
		T 20		15	E-25959
		T 25		2	E-03224
T 25	15	E-25965			
T 30	2	E-03230			
T 30	15	E-25971			
T 40	2	E-20242			
T 40	15	E-25987			

Torsion screw bit E-form Impact PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	H3.0	50	2	E-26777
		H4.0		2	E-26783
		H5.0		2	E-26799
		H6.0		2	E-26808
		PH 1		2	E-03268
		PH 2		2	E-03274
		PH 2		10	E-03377
		PH 3		2	E-03280
		PH 3		2	E-03296
		PZ 1		2	E-25993
		PZ 1		10	E-25993
		PZ 2		2	E-03305
		PZ 2		10	E-03383
		PZ 3		2	E-03311
		PZ 3		10	E-26004
		T 10		2	E-03327
		T 10		10	E-26010
		T 15		2	E-03333
		T 15		10	E-26026
		T 20		2	E-03349
T 20	10	E-26032			
T 25	2	E-03355			
T 25	10	E-26048			
T 30	2	E-03361			
T 30	10	E-26054			
T 40	2	E-12027			
T 40	10	E-26060			

Torsion screw bit E-form Impact PREMIER assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	5	E-13568
		5pcs(10set)	E-13568-10

Double ended torsion screw bit E-form Impact PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	PH 2	65	2	E-06286
		PZ 2		2	E-06292

Torsion bit holder E-form Impact PREMIER



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	68	1	E-20258
		150	1	E-20264

Ultra mag torsion bit holder E-form Impact PREMIER



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	79	1	E-20270

Torsion nutsetter E-form Impact PREMIER



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	6	65	1	E-03458
		8		1	E-03464
		10		1	E-03470
		13		1	E-03486

Ring nutsetter E-form Impact PREMIER



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	8	50	1	E-22888
		10		1	E-22894

Tilt socket adapter E-form Impact PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	1/2 inch Drive	50	1	E-03436
		3/8 inch Drive		1	E-03420

Tilt socket bit E-form Impact PREMIER




Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	13	75	1	E-03492
		15		1	E-03501
		17		1	E-03517
		19	1	E-03523	
		21	80	1	E-03539

Mag boost Impact PREMIER




Range	Sales pkg q'ty	Part No.
★★★★★	1	E-03442

Torsion screw bit C-form Impact PREMIER with bit holder assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★★	C-form & E-form (MZ)	11	E-03567
		11	E-03573
		31	E-13552
		31	E-25111
		31	E-26814
		11pcs(10set)	E-03567-10

Torsion screw bit C & E-form Impact PREMIER with bit holder assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★★	C-form & E-form (MZ)	27	E-26820
		27	E-26836
		28	E-25068
		38	E-26179

Torsion screw bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 2	100	1	B-56948
		PZ 2		1	B-56954

Double ended torsion screw bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 1	65	3	B-21836
			85	3	B-21842
			110	3	B-21858
		PH 2	65	3	B-20703
			85	3	B-12326
			110	3	B-21864
		PH 3	65	3	B-21870
			85	3	B-21886
			110	3	B-21892
		PZ 1	65	3	B-21901
			85	3	B-21917
			110	3	B-21923
		PZ 2	65	3	B-20719
			85	3	B-12790
			110	3	B-16259
		PZ 3	65	3	B-21939
			85	3	B-20725
			110	3	B-20731
E-form (NZ)	PH 2	65	3	B-21945	
		65	3	B-55376	
		110	10	B-52037	

Screw bit C-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	PH 1	25	2	B-63600
				2	B-63616
		PH 2		25	E-12360
				25x12sets	E-12360-12
		PH 3		2	B-63622
				2	B-63638
		PZ 1		2	B-63644
				25	E-12376
		PZ 2		25x12sets	E-12376-12
				2	B-63650
		T 15		2	B-63666
				2	B-63672
		T 20		25	E-12382
				2	B-63688
		T 25		25	E-12398
				2	B-63694
T 30	25	E-12653			
	2	B-63703			
T 40	25	E-12669			

Torsion screw bit E-form Impact BLACK



Torsion form Long life!!

By adopting flexible torsion form, it absorbs peak torque during demanding applications. Also, by applying additional heat treatment to the torsion zone, it's shock absorption capacity is enhanced.



<Life>


Current
Screw bit E-form
Impact BLACK



New
Torsion screw bit E-form
Impact BLACK



The amount of cutting per 1 charge




Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ) E-form (NZ)	PH 2	50	2	E-26107
				10	E-26113
				2	E-26129
				10	E-26135

Screw bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 1	50	2	B-63719
				2	B-63725
		PH 2		10	E-12407
				10x12sets	E-12407-12
		PH 3		2	B-63731
				2	B-63747
		PZ 1		2	B-63753
				10	E-12413
		PZ 2		10x12sets	E-12413-12
				2	B-63769
		PZ 3		2	B-63775
				2	B-63781
		T 15		10	E-12429
				10x12sets	E-12429-12
		T 20		2	B-63797
				10	E-12435
		T 25		10x12sets	E-12435-12
				2	B-63806
		T 30		10	E-12675
				10x12sets	E-12675-12
		T 40		2	B-63812
				10	E-12681
		10x12sets		2	B-63812
				10	E-12681
E-form (NZ)	PH 2	2	E-08763		
		2	E-08779		
	PH2	10	E-14211		

Screw bit E-form Impact BLACK assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	10	E-12011
	E-form (NZ)	10	E-14233

Double ended screw bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (NZ)	PH 2	65	10	E-15827
			110	10	E-15833

Magnetic bit holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	60	1	B-66793
	E-form (NZ)		1	E-08785

Sleeve chuck bit holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	60	1	B-66802
	E-form (NZ)		1	E-08791

Screw guide bit holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	80	1	B-66818

Sleeve chuck extension bar E-form Impact BLACK



Accepts various 1/4" Hex shank bit

E-form



C-form



Suitable for working in narrow space

Without Sleeve chuck extension bar



With Sleeve chuck extension bar



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	76	1	E-24125
		152	1	E-24131
		306	1	E-24147
	E-form (NZ)	76	1	E-24941
		152	1	E-24957
		306	1	E-24963

Right angle attachment E-form Impact BLACK




Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	166	1	E-25030
	E-form (NZ)		1	E-25046

Nutsetter E-form Impact BLACK



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	6	50	1	B-66824
		8		1	B-66830
		10		1	B-66846
		13		1	B-66852
	E-form (NZ)	6		1	E-08800
		8		1	E-08816
		10		1	E-08822
		13		1	E-08838

Nutsetter E-form Impact BLACK assortment in clear case series



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	6	E-15768
	E-form (NZ)	6	E-18035

Socket adapter E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	1/2 inch Drive	50	1	B-66874
		3/8 inch Drive		1	B-66868
	E-form (NZ)	1/2 inch Drive		1	E-08850
		3/8 inch Drive		1	E-08844

Screw bit C-form Impact BLACK with bit holder assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	8	E-11994
		10	E-12005
		10	E-15811
	C-form & E-form (NZ)	8	E-14227
		10	E-15849

Screw bit C & E-form Impact BLACK assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	33	B-66896
		35	B-66880
		90	E-03109
		100	E-24826
	C-form & E-form (NZ)	33	E-06622
		35	E-06638

Screw bit C & E-form Impact BLACK assortment in clear case series

Clear case




1/4" C-form

Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	33x10sets	E-12441-10
	C-form & E-form (NZ)	33	E-15687

Screw bit & socket C & E-form Impact BLACK with bit holder assortment in clear case series

Clear case




1/4" MZ C-form 1/4" 3/8"

Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	30	E-22903

Screw bit C & E-form Impact BLACK with bit holder assortment in clear case series

Clear case




1/4" MZ C-form

Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	32	E-22919
		36	E-22925

Screw bit C-form in blister


1/4" C-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	H 1.5	25	3	B-23662
		H 2.0		3	B-23678
		H 2.5		3	B-23684
		H 3.0		3	B-23690
		H 4.0		3	B-23709
		H 5.0		3	B-23715
		H 6.0		3	B-23721
		H 8.0		3	B-23737
		PH 1		3	B-23450
		PH 2		3	B-23466
		PH 3		3	B-23472
		PZ 1		3	B-23488
		PZ 2		3	B-23494
		PZ 3		3	B-23503
		SL 0.5x4.0		3	B-23519
		SL 0.6x4.5		3	B-23525
		SL 0.8x5.5		3	B-23531
		T 10		3	B-23597
		T 15		3	B-23606
		T 20		3	B-23612
		T 25		3	B-23628
		T 27		3	B-23634
		T 30		3	B-23640
		T 40		3	B-23656
		T 8		3	B-23581

Screw bit C-form in plastic case


1/4" C-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	PH 2	25	25	B-24583
				100	B-24876
				250	B-62452
		25		B-24608	
		25		B-24614	
		100		B-24882	
		25		B-24620	
		25		B-24636	
		25		B-24642	
		25		B-24658	
		25		B-24664	

Screw bit C-form in plastic bag


1/4" C-form PH1



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	PH 2	25	100	B-24957

Screw bit C-form assortment


1/4" C-form



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	25	3	B-24511
			3	B-24527
			3	B-24533

Screw bit for screwdriver C-form


1/4" C-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	PH 2	25	3	798398-4
		PH 3		3	798314-6

Dry wall bit C-form

1/4" C-form PH2



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	C-form	PH 2	30	1	D-61690

Screw bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (NZ)	SL 0.6x5.0	45	3	798301-5
		SL 1.0x6.35		3	798299-6
		SL 1.2x10.0	52	3	798303-1
		SL 1.2x8.0	70	3	798302-3

Screw bit E-form in blister



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	H 3.0	50	3	B-25448
		H 4.0		3	B-25454
		H 5.0		3	B-25460
		H 6.0		3	B-25476
		PH 1		3	B-25214
		PH 2		3	B-25220
		PH 2	90	1	B-57788
		PH 2	150	1	B-57847
		PH 3	50	3	B-25236
		PZ 1		3	B-25242
		PZ 1		3	B-25258
		PZ 2	90	1	B-59885
		PZ 2	150	1	B-59950
		PZ 3	50	3	B-25264
		SL 0.5x4.0		3	B-25286
		SL 0.6x4.5		3	B-25292
		SL 0.8x5.5		3	B-25301
		T 10		3	B-25373
		T 15	90	1	B-59900
		T 15		1	B-59972
		T 20	50	3	B-25395
		T 20	90	1	B-59916
		T 20	150	1	B-59988
		T 25	50	3	B-25404
		T 25	90	1	B-59922
		T 25	150	1	B-59994
		T 27	50	3	B-25410
		T 30	90	1	B-59938
		T 30		1	B-60006
		T 40	50	3	B-25432
		T 8		3	B-25351
		T 9		3	B-25367
T 9	3	D-74930			
T 9	3	D-74974			
H 3.0	90	1	D-74974		
H 3.0	150	1	D-75013		
H 4.0	50	3	D-74946		
H 4.0	90	1	D-74980		
H 4.0	150	1	D-75029		
H 5.0	50	3	D-74952		
H 5.0	90	1	D-74996		
H 5.0	150	1	D-75035		
H 6.0	50	3	D-74968		
H 6.0	90	1	D-75007		
H 6.0	150	1	D-75041		

Screw bit E-form in plastic case



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 2	50	10	B-26244
				50	B-26490
		100		B-62468	
		PZ 2		10	B-26272
		PZ 2		50	B-26509

Screw bit E-form in plastic bag



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 2	50	50	B-26571

Screw bit E-form assortment



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	50	3	B-26179
			3	B-26185
			3	B-26191
			10	D-65028
			E-form (NZ)	10

Screw bit E-form assortment in battery type case



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	50	21	B-68323

Screw bit for screwdriver E-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (NZ)	PH 2	122	5	A-45858
			132	5	A-16536

Dry wall bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 2	40	1	B-60399

Double ended screw bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	PH 2	65	10	D-34366
				100	D-31669
				110	D-34849
	E-form (NZ)		45	3	798308-1
			65	3	798309-9
				10	D-33679
	PH 3	100	D-31653		
		110	3	798337-4	
			10	D-34833	
		150	3	798338-2	
		45	3	798310-4	
		65	3	798311-2	
110	3	798339-0			

Magnetic bit holder for screwdriver E-form



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	60	1	B-52445
		150	1	B-57750
		300	1	B-57766

Sleeve chuck bit holder E-form



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	60	1	B-52467

Sleeve chuck bit holder for SDS-PLUS Hammers



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	SDS-PLUS	80	1	B-57548

Screw guide bit holder E-form



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	80	1	B-48751
		120	1	B-48767
	E-form (NZ)	120	1	D-71037

Flexible bit holder with 1/4inch Hex shank



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/4 Inch Hex	200	1	B-29072
		300	1	B-29094

Flexible bit holder E-form



Range	Shank type	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	300	1	B-51867
	E-form (NZ)		1	B-51851

Nutsetter E-form



Range	Shank type	Socket size mm (inch)	Length mm (inch)	Sales pkg q'ty	Part No.	
★★★★☆	E-form (MZ)	5.5	50	1	B-38685	
		6		1	B-38691	
		7		1	B-38700	
		8		1	B-38716	
				50	50	B-67773
				1	B-38722	
				30	B-67789	
				1	B-61999	
				1	B-38738	
				1	B-38744	
				1	B-38750	
				1	B-38766	
		(1/4)		(6)	1	B-57255
		(5/16)		1	B-38772	
				50	E-01862	
				1	B-57261	
		(3/8)		1	B-38788	
	30		E-01878			
	1		B-57277			
	1		B-57277			
	E-form (NZ)	7	50	1	D-78601	
		8		1	D-78617	
				50	B-68345	
		10		1	D-78623	
12		1		D-78639		
13		1		D-78645		
17	1	D-72964				

Nutsetter C-form assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★☆☆☆	C-form	8,10,12,13	48	4	B-57554

Nutsetter E-form assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★☆☆☆	E-form (MZ)	6, 8, 10, 12, 13	50	5	B-39154

Socket adapter E-form



Range	Shank type	Bit type	Length mm (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	E-form (MZ)	1/2 inch Drive	50	1	B-54673
			152 (6)	1	B-57744
		1/4 inch Drive	50	1	D-74740
			152 (6)	1	B-54667
	E-form (NZ)	1/2 inch Drive	50	1	B-54695
		3/8 inch Drive	50	1	B-54689

Socket bit E-form long type



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★☆☆☆	E-form (MZ)	10	75	1	B-52526
			150	1	B-52532
			300	1	B-52548
			700	1	B-52560
		13	75	1	B-52576
			150	1	B-52582
			300	1	B-52598
			500	1	B-52607
		17	700	1	B-52613
			75	1	B-52629
			150	1	B-52635
			300	1	B-52641
500	1	B-52657			

Threaded rod socket bit E-form



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★★	E-form (MZ)	M6	66	1	B-42961
		M8		1	B-42977
		M10		1	B-42983

Bit catcher



Range	Note	Sales pkg q'ty	Part No.
★★☆☆☆	E-form (MZ)	1	B-54411
	E-form (NZ)	1	B-63105

Drill & drive bit



Range	Shank type	Bit type	Note	Sales pkg q'ty	Part No.
★★★★★	1/4 Inch Hex	PH 2	Drill is for #10 screw	1	D-73221
			Drill is for #6 screw	1	D-73209
			Drill is for #8 screw	1	D-73215

Drill & drive bit spare part



Range	Shank type	Note	Sales pkg q'ty	Part No.
★★★★★	1/4 Inch Hex	Drill is for #10 screw	1	D-73259
		Drill only	2	D-80282
		Drill is for #6 screw	1	D-73237
		Drill only	2	D-80260
		Drill is for #8 screw	1	D-73243
		Drill only	2	D-80276

Screw bit C-form with bit holder assortment



Range	Shank type	Sales pkg q'ty	Part No.	
★★☆☆☆	C-form & E-form (MZ)	7	D-73265	
		7	D-73271	
		11	D-31756	
		11	D-64995	
		11	D-65006	
		28x6sets	B-28911-6	
		11x12sets	D-30651-12	
		12x12sets	D-31083-12	
		31x12sets	D-30667-12	
		31x12sets	D-34936-12	
		37x10sets	B-28606-10	
		C-form & E-form (NZ)	11	D-67636
		E-form (MZ)	32x12sets	D-74762-12

Screw bit C & E-form assortment



Range	Shank type	Sales pkg q'ty	Part No.	
★★★★☆	C-form & E-form	43	B-55697	
		29	D-73477	
	C-form & E-form (MZ)	30	B-68339	
		30	E-15774	
		32	D-65084	
		47	D-73461	
		18x6sets		B-28896-6

Screw bit C & E-form assortment in clear case series

Clear case



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	28	E-07048
		32	E-07076
		28x10sets	E-07048-10
		32x10sets	E-07076-10
	C-form & E-form (NZ)	28	E-07107
		32	E-07135

Screw bit C-form with bit holder assortment in battery type case



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	31	B-68317
		31x12sets	E-00022
	C-form & E-form (NZ)	31	B-69901

Screw bit C-form Impact BLACK with bit holder assortment in Battery type case



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	31x12sets	E-03090

Impact bit socket Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	T30	78	1	E-19794
		T35		1	E-19803
		T40		1	E-19819
		T45		1	E-19825
		T50		1	E-19831
		T55		1	E-19847
		T60		1	E-19853

Impact bit socket Impact BLACK assortment



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	T30, T40, T45, T50, T55, T60, T70	78	7	E-23628

Impact socket Impact BLACK



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.		
★★★★☆	1/2 Inch Drive	8	38	1	E-16047		
		9		1	E-16053		
		10		1	E-16069		
		11		1	E-16075		
		12		1	E-16081		
		13		1	E-16097		
		14		1	E-16106		
		15		1	E-16112		
		16		1	E-16128		
		17		1	E-16134		
		18		1	E-16140		
		19		1	E-16156		
		20		1	E-16162		
		21		1	E-16178		
		22		1	E-16184		
		23		1	E-16190		
		24	1	E-16209			
		27	1	E-16215			
		30	1	E-16221			
		32	1	E-16237			
		★★★★☆	3/8 Inch Drive	6	28	1	E-15877
				7		1	E-15883
				8		1	E-15899
				9		1	E-15908
				10		1	E-15914
				11		1	E-15920
				12		1	E-15936
				13		1	E-15942
				14	1	E-15958	
				15	1	E-15964	
				16	1	E-15970	
				17	1	E-15986	
18	1			E-15992			
19	1			E-16003			
20	1			E-16019			
21	1			E-16025			
22	1	E-16031					

Impact socket Impact BLACK assortment



Range	Shank type	Socket size mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	8 to 21	8	E-16601
			9	E-16570
		8 to 24	9	E-16564
		10 to 27	9	E-16617

Impact socket Impact BLACK with socket adapter assortment



Range	Shank type	Socket size mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	8 to 18	9	E-16639
			9	E-16645
		13 to 24	7	E-16592
		E-form (NZ)	8 to 18	9

Impact socket



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1 Inch Drive	27	60	1	E-24511
		30	62	1	E-24527
		32	63	1	E-24533
		33		1	E-24549
		34	1	E-24555	
		36	66	1	E-24561
		38		1	E-24577
		40	1	E-24583	
		41	68	1	E-24599
		42		1	E-24608
		44	70	1	E-24614
		46	72	1	E-24620
		50	76	1	E-24636
		55	84	1	E-24642
	60	88	1	E-24658	
	65	92	1	E-24664	
	70	96	1	E-24670	
	3/4 Inch Drive	17	51	1	E-22224
		19		1	E-22230
		21		1	E-22246
		22		1	E-22252
		24	53	1	E-22268
		26		1	E-22274
		27		1	E-22280
		30		1	E-22296
		32	57	1	E-22305
		35		1	E-22311
		36		1	E-22327
38		1		E-27311	
41		58	1	E-27327	

Impact socket with socket adapter assortment



Range	Shank type	Bit type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	E-form (MZ)	1/4 Inch Drive	6 to 13	23	8	E-12289
		E-form (NZ)			8	E-14336

Impact deep socket Impact BLACK



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	8	81.5	1	E-16405
		10		1	E-16411
		11		1	E-16427
		12		1	E-16433
		13		1	E-16449
		14		1	E-16455
		16		1	E-16461
		17		1	E-16477
		18		1	E-16483
		19		1	E-16499
		21		1	E-16508
		22		1	E-16514
		24		1	E-16520
		27		1	E-16536
★★★★☆	3/8 Inch Drive	7	63	1	E-16243
		8		1	E-16259
		9		1	E-16265
		10		1	E-16271
		11		1	E-16287
		12		1	E-16293
		13		1	E-16302
		14		1	E-16318
		15		1	E-16324
		16		1	E-16330
		17		1	E-16346
		18		1	E-16352
		19		1	E-16368
		20		1	E-16374
21	1	E-16380			
22	1	E-16396			

Impact deep socket Impact BLACK assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	10 to 32	Assort	14	E-16586

Impact deep socket



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.	
★★★★☆	1 Inch Drive	27	90	1	E-24686	
		30		1	E-24692	
		32		1	E-24701	
		33		1	E-24717	
		34		1	E-24723	
		36		1	E-24739	
		38		1	E-24745	
		40		1	E-24751	
		41		1	E-22420	
		44		1	E-24767	
		46		1	E-24773	
		50		100	1	E-24789
		55		108	1	E-24795
		60		108	1	E-24804
	65	120	1	E-24810		
	3/4 Inch Drive	19	90	1	E-22333	
		21		1	E-22349	
		24		1	E-22355	
		26		1	E-27333	
		27		1	E-22361	
30		1		E-22377		
32		1		E-22383		
33		1		E-27349		
36	1	E-22399				

Impact deep socket for wheel nut assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	17,19,21	86	3	E-12354

Impact socket extension bar



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	1/2 inch Drive	75	1	B-55728
			150	1	B-55712
			250	1	B-55706

Impact socket spare part



Range	Shank type	Socket size mm	Note	Sales pkg q'ty	Part No.
★★★★☆	1 Inch Drive	27 to 70	O ring	1	E-22436
			Pin	1	E-22442
	1/2 Inch Drive	8 to 16	O ring set	3	B-54542
			Pin set	3	B-54586
		17	O ring set	3	B-54558
			Pin set	3	B-54592
		18 to 19	O ring set	3	B-54564
			Pin set	3	B-54601
	3/4 Inch Drive	20 to 32	O ring set	3	B-54570
			Pin set	3	B-54617
	17 to 41	O ring	1	E-22408	
		Pin	1	E-22414	

Socket adapter



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	3/4 Inch Drive	1/2 inch Drive	57	1	E-24985

Bit adapter



Range	Shank type	Bit type	Length mm	Sales pkg q'ty	Part No.
★★★★☆	1/2 Inch Drive	7/16 Inch Hex	50	1	B-68460
		E-form (MZ)	51	1	B-68448
		E-form (NZ)	57	1	B-68476
	3/8 Inch Drive	E-form (MZ)	51	1	B-68454
		E-form (NZ)	57	1	B-68482

Screw bit & socket assortment in clear case series

Clear case




Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form (MZ)	30	E-07060
		30x10sets	E-07060-10
	C-form & E-form (NZ)	30	E-07129

Screw bit & socket with ratchet handle assortment



Range	Shank type	Sales pkg q'ty	Part No.
★★★★☆	C-form & E-form	21	B-54081

Drill and Screw Bit Set









Accessory set Lineup

Series	Pcs.	Contents							Part No.	
		Drill bit			Hole saw	Screw bit	Nut setter	Hand tool	Screw bit shank type	
		Metal	Wood	Masonry					MZ	NZ
MAKPAC ★★★★★  MAKPAC accessory set comes with Makpac type 1. It consists of drill bit, screw bit and hand tools.	56	✓	✓			✓	✓		B-53768	
	62	✓	✓	✓		✓	✓		B-53908	
	65	✓	✓	✓		✓	✓	✓	B-69478 (Screw bit shank type is C-form)	
	66	✓	✓			✓	✓		B-43044	
	69	✓	✓	✓		✓	✓		B-49638	
	87					✓		✓	E-11542	
	96	✓	✓	✓		✓	✓	✓	B-49725	
	116	✓	✓	✓		✓	✓	✓	B-49884	
	120					✓		✓	E-08713	
MACCESS ★★★★★  MACCESS series contains screw bit, drill bits, hand tools, and so on. Top of the case is made of clear material, so that contents inside can be visible. Also the case is designed for steady stacking.	38	✓	✓	✓		✓	✓		E-22573	
	71	✓	✓	✓		✓	✓	✓	E-22589	
	104	✓	✓	✓		✓	✓	✓	E-22604	
	200	✓	✓	✓	✓	✓	✓	✓	E-22610	
Circle ★★★  Circle series comes with bit and hand tool set. These series are more reasonable than MACCESS series.	50	✓	✓	✓		✓		✓	*D-42014-6	D-53687
	65					✓		✓	*D-42020-6	
	71	✓	✓	✓		✓		✓	*D-47145-6	D-53001
	100	✓	✓	✓	✓	✓		✓	*D-42036-5	
	103	✓	✓	✓	✓	✓		✓	*D-42042-5	D-53017
Square ★★★  Square series does not contain neither high quality expensive items nor hand tools, to keep it less expensive.	17	✓		✓		✓			D-40200	D-53693
	34	✓	✓	✓		✓	✓		B-68498	
	42	✓				✓	✓		D-58877	

*with counter display

Drill and Screw Bit Sets

Series	Pcs.	Contents							Part No.	
		Drill bit			Hole saw	Screw bit	Nut setter	Hand tool	Screw bit shank type	
		Metal	Wood	Masonry					MZ	NZ
Accessory set ★★★  Accessory set series is the set item with the reasonable price.	60	✓	✓	✓		✓	✓		E-11829	
		✓	✓	✓		✓		✓	E-15095	
	75	✓	✓	✓		✓	✓		B-49373	
	80	✓	✓	✓		✓		✓	E-15104	
	91					✓		✓	E-15752	
	100	✓	✓	✓	✓	✓	✓		B-54520	
		✓	✓	✓	✓	✓	✓		B-54879	
	102	✓	✓	✓		✓	✓		B-68432	
		✓	✓	✓	✓	✓	✓	✓	E-10730	
	212	✓	✓	✓	✓	✓	✓	✓	E-06270	
256	✓	✓	✓	✓	✓	✓	✓	E-11689		
Hand tool ★★★  The hand tool series is the set that mainly includes hand tools. Because hand tools are heavy, 8 corners of the case are covered by plastic having impact resistance composites.	76					✓	✓		E-10899	
	87					✓		✓	E-08458	
	120					✓		✓	E-06616	
	221					✓		✓	E-10883	
Tablet case ★★★  This is a slim case set and easy to carry and it is stylish design. You can put in and take out the bits smoothly and it will increase your work effort.	33	✓	✓	✓		✓	✓		B-49389	
Battery type case series  Makita's 40V XGT battery-shape drill & screw bit set.	31	✓				✓	✓		E-22850	
									**E-25052	
Clear case ★★★  Clear cover makes it visible inside. Comparing to current items, clear case was designed to be able to be stacked stably.	18			✓		✓	✓		E-07026 *E-07026-10	
	27					✓	✓		E-07032 *E-07032-10	
	29	✓	✓	✓		✓			E-07054 *E-07054-10	
Other ★★★ 	17	✓	✓	✓					D-74887	D-77207
	38	✓					✓	✓	B-54106	
	47						✓	✓	*B-36170-10	
	48	✓					✓	✓	*B-36192-10	
	71	✓	✓				✓		B-50295	
	75	✓	✓	✓			✓	✓	E-15126	E-15110

*with counter display
 **With counter display (12 sets)

Cutting



T.C.T Saw Blade

Tooth shape

<p>ATB</p>	<p>ATBR</p>	<p>Hi-ATB</p>	<p>ATAF</p>	<p>ATAFR</p>
<p>Alternate top bevel For wood and aluminum.</p>	<p>Added flat teeth to ATB for easy straight cutting</p>	<p>Alternate top bevel (ATB) with a larger top bevel angle</p>	<p>Alternate top alternate face Enables to cut wood fiber sharply.</p>	<p>Added flat teeth to ATAF for easy straight cutting. MATAFR: Modified ATAFR for less cutting resistance.</p>
<p>M-FORCE</p>	<p>FTG</p>	<p>TCG</p>	<p>MTCG</p>	<p>SMTCG</p>
<p>Tooth front and top shapes symmetric V groove having features of ATB and FTG.</p>	<p>Flat teeth, allows easy straight cutting and tips are rarely chipped. For cutting wood along the grain and cutting thin metal.</p>	<p>Trapezoidal and flat teeth are arranged alternatively and they divide debris by three. Allows easy straight cutting and tips are rarely chipped.</p>	<p>Flat teeth with alternating bevel Less cutting resistance than flat teeth. Tips are rarely chipped</p>	<p>Contrast to MTCG, asymmetric two bevels on a tooth top producing sharp edges Allows easy bite to materials.</p>

Technical term

<p>Laser Slit</p>	<p>Coated</p>	<p>Tip Embedded</p>	<p>P.C.D Tip</p>
<p>Vibration dampening system Resinbond filled laser cut body slots for smoother and quieter cuts.</p>	<p>PTFE (polytetrafluoroethylene) coating plate to reduce pitch build-up and to lower resistance.</p>	<p>Inserted tooth design will greatly increase the body-to-tip braze area for greater support and tip strength.</p>	<p>PCD (Poly-Crystalline Diamond) tips has extreme hardness and wear resistance. PCD tipped saw blade is the best choice for long lasting performance when cutting fiber cement board.</p>



Feature



Sharp top angle



Enable you to make a fine cut surface with only little effort.




Curved body




Allows the excellent chip chute performance.



Slimmed bottom



Realizes long life battery by saving cutting resistance.



More cuts per charge



Fast cutting



Longer life

The amount of cutting per 1 charge

Plate: 1.6mm




165mm x 48T

Plate: 1.0mm



165mm x 50T

EFFICUT



The test results depend to a great extent on the hardness of wood materials, etc.



VIDEO CLIP

This movie was filmed in Japan. Models and specs may vary by country.

Cutting



Feature

Curved body



Allows the excellent chip chute performance.


Slimmed bottom



Realizes long life battery by saving cutting resistance.

The amount of cutting per 1 charge

Plate: 1.2mm




185mm x 40T

Plate: 1.0mm



185mm x 40T


EFFICUT
Composite decking



Model: DHS780 (BL1860B)
Material : Composite decking
(WxH =137mm x 23mm)

Following the tooth design of Efficut for wood with

- Tip hardness was improved
- Having obtuse tip angle then realized longer life and more cuts per charge.



Life




185mm x 40T

EFFICUT



185mm x 40T


EFFICUT
Composite decking



Model: DRS780 (BL1860)
Material : Composite decking
(WxH =139mm x 22mm)

EFFICUT Metal

Feature



Strong and least chipping




Special blade tip design greatly improves efficiency and durability.



Release swarf smoothly




Superior in straight cutting



The load on blade tips can be distributed efficiently to suppress wobbling of saw blade, providing steady straight cutting and increased durability against tip breakage.

Cutting



More cuts per charge



Fast cutting



Longer life

The amount of cutting per 1 charge

Plate: 1.2mm



150mm x 32T

Plate: 0.95mm



150mm x 33T

EFFICUT
Metal

100

60%
UP

160

Model: DCS553 (BL1860B)

Material: Carbon steel pipe (Dia: 31mm / Thickness: 3mm)




VIDEO CLIP

This movie was filmed in Japan.
Models and specs may vary by country.

EFFICUT Aluminum


Feature




Strong and least chipping



Special blade tip design greatly improves efficiency and durability.




Superior in straight cutting



The load on blade tips can be distributed efficiently to suppress wobbling of saw blade, providing steady straight cutting and increased durability against tip breakage.



Reduce cutting resistance




Realizes high durability and reduce cut resistance.

Allows the excellent chip ejection.



Realizes long life battery by saving cutting resistance.




More cuts per charge



Fast cutting



Longer life



Clean cutting

The amount of cutting per 1 charge

Plate: 1.6mm



260mm x 80T

Plate: 1.0mm



260mm x 81T

EFFICUT
Aluminum

100

40%
UP

140

Model: DLS110(BL1860B x2)

Material: Aluminum frame (WxH=45x45mm, t=2mm)



VIDEO CLIP

This movie was filmed in Japan.
Models and specs may vary by country.

TCT saw blade for circular saw EFFICUT general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★★	Wood	125	45	1.4	1	20	23	ATAFR	EAC mark only	1	B-69462
		165	25	1.4	1	20	23	ATAFR		1	B-63018
		185	24	1.45	1	19	23	ATAFR		1	B-64375
			24	1.45	1	20	23	ATAFR		1	B-62022
			45	1.45	1	20	23	ATAFR		1	B-68616
		190	24	1.45	1	20	23	ATAFR		1	B-64200
			45	1.45	1	20	23	ATAFR		1	B-68644
		235	24	2.2	1.5	25	20	ATBR		1	E-01959
			24	2.2	1.5	25.4	20	ATBR		1	E-01937
			24	2.15	1.5	25	23	ATAFR		1	E-07733
		260	24	2.15	1.5	25.4	23	ATAFR		1	E-07749
			24	2.15	1.5	25.4	23	ATAFR		1	E-12974
		415	35	2.3	1.8	25.4	23	ATAFR		1	E-24832
			35	2.3	1.8	30	23	ATAFR		1	E-24848
		Wood/MDF	165	56	1.45	1	20	23		ATAFR	1

TCT saw blade for metal cutting EFFICUT general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Wood	150	25	1.4	1	20	23	ATAFR	1	E-06937

TCT saw blade for miter saw EFFICUT general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Wood	165	60	1.85	1.35	20	10	ATBR	1	B-69892
			25	1.85	1.35	20	10	ATBR	1	E-11265
		190	45	1.85	1.35	20	10	ATBR	1	E-11271
			60	1.85	1.35	20	10	ATBR	1	E-11287
		216	45	2	1.5	25.4	10	ATBR	1	E-07010
			60	2	1.5	25.4	10	ATBR	1	E-08969
			80	2	1.5	25.4	10	ATBR	1	E-08975

TCT saw blade for miter saw table saw EFFICUT general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Wood	260	45	2.15	1.65	25.4	15.88	10	ATAFR	1	E-27779
			60	2.15	1.65	25.4	-	10	ATAFR	1	E-29555
			80	2.15	1.65	25.4	-	10	ATAFR	1	E-29583
		305	60	2.15	1.65	25.4	-	10	ATAFR	1	B-67452
			80	2.15	1.65	25.4	-	10	ATAFR	1	B-67468
			100	2.15	1.65	25.4	-	10	ATAFR	1	B-67474

TCT saw blade for metal cutting EFFICUT Metal general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Metal	136	30	1.1	0.95	20	0	SMTCG	1	B-69428
		150	33	1.1	0.95	20	0	SMTCG	1	B-69440
		185	45	1.4	1.2	20	0	SMTCG	1	E-12918
		305	63	2	1.75	25.4	-2	SMTCG	1	E-12083
	Metal/SUS	136	45	1.1	0.95	20	0	SMTCG	1	B-69434
		150	48	1.1	0.95	20	0	SMTCG	1	B-69456
		185	60	1.4	1.2	20	0	SMTCG	1	E-12924
		305	96	2	1.75	25.4	-3	SMTCG	1	E-19788

TCT saw blade for steel rod cutter EFFICUT Metal general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★★	Metal	110	24	1.5	1.1	34	0	SMTCG	EAC mark only	1	E-11097

TCT saw blade for miter saw EFFICUT Aluminum general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Aluminum	165	54	1.50	1.15	20	-3	SMTCG	1	E-16798
		185	60	1.70	1.35	20	0	SMTCG	1	E-16841
		190	60	1.70	1.35	20	0	SMTCG	1	E-16891
		216	63	1.85	1.50	25.4	0	SMTCG	1	E-16944
		260	81	1.85	1.5	25.4	-3	SMTCG	1	E-06345
		305	81	2	1.65	25.4	-3	SMTCG	1	E-13281
			96	2	1.65	25.4	-3	SMTCG	1	E-13340

TCT saw blade for circular saw EFFICUT Composite decking general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Wood	185	40	1.5	1	20	15	ATAFR	1	E-11972

TCT saw blade for miter saw table saw EFFICUT Composite decking general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★★	Wood	260	75	2.15	1.65	25.4	8	ATAFR	1	E-11988

TCT saw blade for circular saw wood M-FORCE general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Wood	165	16	2	1.2	20	-	15	M-FORCE	1	A-89626
			24	2	1.2	20	-	15	M-FORCE	1	A-89632
			24	2	1.2	20	-	15	M-FORCE	1	A-89707
		185	16	2	1.2	20	-	15	M-FORCE	1	A-89713
			16	2	1.2	30	16, 20	15	M-FORCE	1	A-89648
			24	2	1.2	20	-	15	M-FORCE	1	A-89729
			24	2	1.2	20	-	15	M-FORCE	1	B-03816
			24	2	1.2	30	16, 20	15	M-FORCE	1	A-89654
			20	2.3	1.6	20	-	15	M-FORCE	1	B-04092
		235	20	2.3	1.6	30	15.88, 25	20	M-FORCE	1	B-04117
			40	2.3	1.6	20	-	15	M-FORCE	1	B-04101
			40	2.3	1.6	30	15.88, 25	20	M-FORCE	1	B-04123

TCT saw blade for circular saw wood general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★★	Wood	190	44	1.45	1	19	-	10, 30	ATAF	Tooth shape: Double cut	1	B-60420
			44	1.45	1	20	-	23	ATAFR		1	B-54514
★★★★☆	Wood/MDF	165	44	1.45	1	20	-	23	ATAFR	Tooth shape: Double cut, Fluorine coating, Laser slit	1	B-53279
			190	44	1.45	1	20	-	23		ATAFR	1
★★★★☆	Wood	165	55	1.6	1.1	20	-	20	ATAFR	Fluorine coating, Laser slit	1	B-57059
			20	1	0.7	15	-	10	ATB		1	792623-5
★★★★☆	Wood	85	20	1	0.7	15	-	10	ATB		1	B-14607
			12	1.85	1.25	20	-	20	ATB		1	A-81723
★★★★☆	Wood	110	24	1.8	1.2	20	-	10	ATAF		1	A-81359
			24	1.8	1.2	20	-	10	ATAF		1	A-88864
★★★★☆	Wood	136	30	1.8	1.2	20	-	10	ATB		1	A-81365
			16	1.5	1	20	-	20	ATAF		1	B-09949
★★★★☆	Wood	160	36	1.5	1	20	-	18	ATAF		1	B-46800
			24	2.2	1.4	20	-	25	ATAF		1	A-81371
★★★★☆	Wood	160	30	2.2	1.4	20	-	20	ATAF		1	A-81876
			32	2.2	1.4	20	-	20	ATAF		1	A-81387
★★★★☆	Wood	160	36	2.2	1.4	20	-	20	ATAF		1	A-81882
			40	1.6	1	20	-	18	ATB		1	A-80612
★★★★☆	Wood	160	40	2.2	1.4	20	-	20	ATAF		1	A-81898
			48	2.2	1.4	20	-	20	ATAF		1	A-81907
★★★★☆	Wood	160	60	2	1.4	20	-	15	ATAF		1	A-82688
			60	2.2	1.4	20	-	15	ATB		1	A-81393
★★★★☆	Wood	165	10	2	1.4	20	-	20	FTG		1	B-02917
			24	1.5	1	20	-	20	ATAF		1	A-85101
★★★★☆	Wood	165	24	1.5	1	20	-	20	ATAF		1	A-85117
			40	1.6	1	20	-	18	ATAF		1	A-82454
★★★★☆	Wood	165	40	1.6	1	20	-	18	ATAF		1	A-85195
			40	1.6	1	20	-	18	ATAF		1	B-45565
★★★★☆	Wood	165	44	1.45	1	20	-	23	ATAFR		1	B-53285
			52	1.6	1	20	-	20	ATAF		1	A-85189
★★★★☆	Wood	165	52	1.6	1	20	-	20	ATAF		1	A-85204
			60	1.6	1	20	-	18	ATAF		1	A-82460
★★★★☆	Wood	180	24	2.2	1.4	20	-	25	ATAF		1	A-81402
			30	2.2	1.4	20	-	20	ATAF		1	A-81913
★★★★☆	Wood	180	36	2.2	1.4	20	-	20	ATAF		1	A-81929
			40	2.2	1.4	20	-	20	ATAF		1	A-81418
★★★★☆	Wood	180	48	2.2	1.4	20	-	20	ATAF		1	A-81935
			60	2	1.4	20	-	15	ATAF		1	A-82694
★★★★☆	Wood	180	60	2.2	1.4	20	-	15	ATAF		1	A-81424

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★☆	Wood	185	40	1.6	1	19	-	18	ATAF		1	B-05181
			40	1.6	1	20	-	18	ATAF		1	A-80628
			40	1.6	1	20	-	18	ATAF		1	A-82476
			40	2	1.4	20	-	18	ATAF		1	A-85999
			60	1.6	1	19	-	18	ATAF		1	B-45587
		60	1.6	1	20	-	18	ATAF		1	A-82482	
		190	12	2	1.4	30	-	20	FTG		1	B-02939
			24	2	1.4	20	-	20	ATAF		1	A-87507
			24	2	1.4	30	-	20	ATAF		1	A-87258
			40	2	1.4	30	-	10	ATAF		1	A-87301
			72	1.5	1	19	-	15	ATAF		1	B-49694
		72	1.6	1	19	-	15	ATAF		1	B-49688	
		195	80	2.2	1.5	25.4	-	15	ATB		1	B-44890
		203	40	2.4	1.6	25.4	25	20	ATAF		1	A-81430
			48	2.4	1.6	25.4	25	20	ATAF		1	A-81979
			60	2.2	1.6	25.4	25	15	ATAF		1	A-82703
		235	16	2.6	1.8	30	-	20	FTG		1	B-27274
			16	2.6	1.8	30	-	20	FTG		5	B-27274-5
			20	2.3	1.6	25	-	20	ATB		1	A-89947
			20	2.3	1.6	30	25	25	ATAF		1	A-80678
			20	2.3	1.6	30	-	20	ATB		1	A-89866
			24	2.6	1.8	25.4	-	25	ATB		1	A-81985
			30	2.6	1.8	25.4	25	25	ATB		1	A-81991
			36	2.6	1.8	25.4	25	25	ATB		1	A-82002
			40	2.6	1.8	25.4	25	25	ATAF		1	A-81468
			48	2.3	1.6	30	25	18	ATB		1	A-81795
			48	2.6	1.8	25.4	25	20	ATAF		1	A-82018
			60	2.3	1.6	30	25	20	ATB		1	B-12865
			60	2.4	1.6	25.4	25	20	ATAF		1	A-82719
			80	2.4	1.6	25.4	-	15	ATAF		1	B-45602
			80	2.6	1.6	25.4	25	15	ATB		1	A-81480
		100	2.4	1.6	25.4	-	10	ATAF		1	B-45618	
		260	24	2.3	1.6	25.4	-	20	ATB		1	B-10584
		270	18	2.6	1.8	25.4	-	20	ATB		1	B-12843
			18	2.6	1.8	30	-	20	ATB		1	B-12859
			24	2.6	1.8	30	25	23	ATB		1	A-81804
			24	2.6	1.8	30	-	20	ATB		1	B-04232
			40	2.6	1.8	30	25	18	ATB		1	A-81816
		335	60	2.6	1.8	30	25	18	ATB		1	A-81826
			60	3	2.2	25	-	20	ATB		1	B-12603
			60	3	2.2	30	25	20	ATB		1	B-04248
		355	20	3	2.2	30	-	27	ATAF		1	A-80014
			24	3	2.2	30	-	20	ATB		1	B-04254
			24	3	2.2	30	-	23	ATB		1	A-81832
			40	3	2.2	30	-	20	ATB		1	B-04260
			40	3	2.2	30	-	23	ATB		1	A-81848
			60	3	2.2	30	-	18	ATB		1	A-81854
		60	3	2.2	30	-	20	ATB		1	B-04276	
		415	60	2.6	1.8	25	-	20	ATAF		1	792118-8
		110	12	1.7	1.1	20	-	15	ATB		1	D-15562
			24	1.7	1.1	20	-	10	ATB		1	D-15578
			30	1.6	1	20	-	10	ATAF		1	B-39475
		160	16	2	1.3	20	16	20	ATB		1	D-16433
			24	2	1.3	20	16	20	ATB		1	D-34257
			40	2	1.3	20	16	18	ATB		1	D-34263
		165	10	2	1.3	20	-	20	ATB		1	D-03327
			16	1.5	1	20	-	20	ATB		1	D-51079
			16	2	1.3	20	-	20	ATB		1	D-09628
			24	2	1.3	20	-	20	ATB		1	D-03333
			40	2	1.3	20	-	18	ATB		1	D-03349
		185	16	2	1.3	30	16, 20	20	ATB		1	D-03903
			20	2	1.3	30	16, 20	20	ATB		1	D-09634
			24	1.8	1.2	20	-	20	ATB		1	D-19037
			24	1.8	1.2	20	-	20	ATB		1	D-51275
			24	1.8	1.2	20	-	20	ATB	Price competitive	1	D-51275
			24	2	1.3	20	-	20	ATB	TWIN-PACK(2xD-19037)	2	D-34279
			24	2	1.3	20	-	20	ATB		1	D-03355
			40	2	1.3	20	-	18	ATB		1	D-03361
		190	40	2	1.3	30	16, 20	18	ATB		1	D-03919
			40	2.2	1.4	20	-	15	ATB		1	P-83901
			60	2.2	1.4	20	-	15	ATB		1	P-83917
		190	24	2	1.3	30	-	18	ATB	EAC mark only	1	D-64973
		195	80	2	1.3	25.4	16, 20	10	ATB		1	D-16396
		210	24	2	1.3	25	-	20	ATB		1	D-29066
			24	2	1.3	25	-	20	ATB		1	D-34291
			24	2	1.3	30	-	20	ATB		1	D-29050
			40	2	1.3	25	-	18	ATB		1	D-34300

★★★★☆

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.	
★★★★☆	Wood	235	20	2.4	1.6	25	-	20	ATB	-	1	D-15811	
			20	2.4	1.6	30	25, 25.4	20	ATB	-	1	D-03925	
			24	2.4	1.6	25	-	20	ATB	TWIN-PACK(2xD-19819)	2	D-34316	
			40	2.4	1.6	25	-	18	ATB	-	1	D-16570	
			40	2.4	1.6	25.4	25	18	ATB	-	1	D-03377	
			48	2.4	1.6	30	25	18	ATB	-	1	D-03931	
			60	2.4	1.6	25	-	15	ATB	-	1	D-34322	
			60	2.4	1.6	30	25	15	ATB	-	1	D-09640	
	Wood/MDF	185	60	2.2	1.5	19	-	-5	TCG	-	1	D-17918	
			60	2.2	1.5	20	-	-5	TCG	-	1	D-59427	
			60	2.4	1.5	20	15.88	12	TCG	-	1	D-21381	
			60	2.4	1.5	30	16, 20	12	TCG	-	1	D-17902	
			24	1.5	1.0	20	-	25	ATB	-	1	D-81119	
			40	1.5	1.0	20	-	15	ATB	-	1	D-82292	
★★★★☆	Wood	125	40	1.5	1.0	20	-	25	ATB	-	1	D-81119	
			40	1.5	1.0	20	-	15	ATB	-	1	D-82292	
		136	40	1.6	1	20	-	20	ATB	-	1	D-81131	
			16	1.8	1.2	20	15.88	20	ATB	-	1	D-81050	
		165	24	2	1.2	20	-	12	ATB	-	1	D-50491	
			24	1.6	1.0	20	15.88	12	ATB	-	1	D-81147	
			40	2	1.2	20	-	12	ATB	-	1	D-50500	
			40	1.6	1.0	20	15.88	12	ATB	-	1	D-81169	
			16	1.8	1.2	20	15.88	20	ATB	-	1	D-81212	
			16	1.8	1.2	25.4	-	20	ATB	-	1	D-81228	
		185	16	1.8	1.2	30	20	20	ATB	-	1	D-81234	
			24	1.6	1.0	20	15.88	20	ATAFR	-	1	E-25105	
			24	1.8	1.2	20	-	20	ATB	-	1	D-81022	
			24	1.8	1.2	25.4	20,15.88	20	ATB	-	1	D-81262	
			24	1.8	1.2	30	-	20	ATB	-	1	D-81278	
			40	1.8	1.2	19	-	18	ATB	-	1	D-81290	
			40	1.8	1.2	20	15.88	18	ATB	-	1	D-81038	
			40	1.8	1.2	25.4	20	18	ATB	-	1	D-81284	
			40	1.8	1.2	30	20	18	ATB	-	1	D-81309	
			40	1.8	1.2	30	-	18	ATB	-	10	D-81614	
			60	2	1.3	30	20	15	ATB	-	1	D-79980	
			190	24	1.6	1.0	30	-	15	ATB	-	1	D-81343
		40		1.6	1.0	30	-	15	ATB	-	1	D-81359	
		20		2.4	1.6	25	-	18	ATB	-	1	D-81468	
		20		2.4	1.6	25.4	25, 15.88	18	ATB	-	1	D-81474	
		235	20	2.4	1.6	30	25	18	ATB	-	1	D-81480	
			40	2.4	1.6	25	-	18	ATB	-	1	D-81044	
			40	2.4	1.6	25.4	25, 15.88	18	ATB	-	1	D-81496	
			40	2.4	1.6	30	25	18	ATB	-	1	D-81094	
			60	2.4	1.6	25	-	15	ATB	-	1	D-81527	
			60	2.4	1.6	25.4	25,15.88	15	ATB	-	1	D-81533	
			60	2.4	1.6	30	25	15	ATB	-	1	D-81549	
			165	52	2.2	1.4	20	15.88	-5	TCG	-	1	D-81181
			185	60	2.2	1.4	20	15.88	-5	TCG	-	1	D-81991

TCT saw blade for circular saw wood assortment general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★☆	Wood	165	16, 24, 40	2	1.3	20	-	20, 20, 18	ATB	TRIPLE-PACK (D-09628&D-03333&D-03349)	3	D-44753
			16, 20	2	1.3	30	16, 20	20	ATB	TWIN-PACK(D-03903&D-09634)	2	D-20052
		185	16, 24, 40	1.8, 1.8, 2.0	1.2, 1.2, 1.3	20	-	20, 20, 18	ATB	TRIPLE-PACK (D-34338&D-19037&D-17843)	3	D-34285
			16, 24, 40	2	1.3	30	-	20, 20, 18	ATB	TRIPLE-PACK (D-03903&D-09634&D-03919)	3	D-44769
			20, 40	2	1.3	30	16, 20	20, 18	ATB	TWIN-PACK(D-03919&D-09634)	2	D-21593
			24, 40	1.8, 2	1.2, 1.3	20	-	20, 18	ATB	TWIN-PACK(D-19037&D-03361)	2	D-21412
			24, 40	1.8, 2	1.2, 1.3	20	-	20, 18	ATB	TWIN-PACK(D-19037&D-17843)	2	D-19043
			24, 60	1.8, 2.4	1.2, 1.6	20	-	20, 12	ATB	TWIN-PACK(D-19037&D-21381)	2	D-21406
		235	20, 48	2.4	1.6	30	25, 25.4	18, 20	ATB	TWIN-PACK(D-03925&D-03931)	2	D-20068
			20, 48	2.4	1.6	30	25, 25.4	20, 18	ATB	TWIN-PACK(D-03931&D-03925)	2	D-21602
			20, 48, 60	2.4	1.6	30	-	20, 18, 15	ATB	TRIPLE-PACK (D-03925&D-03931&D-09640)	3	D-44775
			24, 40	2.4	1.6	25	-	20, 18	ATB	TWIN-PACK(D-19825&D-19819)	2	D-21319

TCT saw blade for miter saw wood general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.		
★★★★☆	Wood	165	64	1.9	1.4	20	-	10	ATAF	1	B-56487		
			24	2	1.4	20	-	-5	ATB	1	B-03866		
		190	24	2.2	1.6	20	-	5	ATB	1	B-03850		
			24	2.2	1.6	20	-	5	ATB	1	B-04298		
			24	2.2	1.6	20	-	5	ATB	1	B-04880		
			40	1.9	1.4	20	-	10	ATB	1	A-86147		
			40	2	1.4	20	-	10	ATAF	1	A-86751		
			60	2	1.4	20	-	-5	ATB	1	B-03981		
			60	2	1.4	20	-	5	ATB	1	B-04008		
			72	2	1.4	20	-	10	ATAF	1	A-86359		
		216	40	2.1	1.6	25.4	25	10	ATB	1	A-86153		
			40	2.1	1.6	30	-	10	ATB	1	A-86169		
			48	2.4	1.6	25.4	-	5	ATAF	1	B-39497		
			80	2.2	1.6	25.4	-	10	ATAF	1	B-45593		
			100	2.2	1.6	25.4	-	10	ATAF	1	B-51390		
		255	24	3.2	2.2	25.4	25	25	ATB	1	A-82024		
			30	3.2	2.2	25.4	25	25	ATB	1	A-82030		
			36	3.2	2.2	25.4	-	25	ATB	1	A-82046		
			40	2.8	2	25.4	25	25	ATB	1	A-81496		
			40	3.2	2.2	25.4	25	25	ATB	1	A-82725		
			48	3.2	2.2	25.4	25	20	ATAF	1	A-82052		
			60	2.8	2	25.4	25	20	ATAF	1	A-81505		
			80	2.8	2	25.4	25	15	ATB	1	A-81511		
			120	2.6	2	25.4	25	15	ATAF	1	A-82301		
			305	30	3.4	2.4	25.4	25	25	ATAF	1	A-82068	
		36		3.4	2.4	25.4	25	25	ATB	1	A-82074		
		48		3.4	2.4	25.4	25	20	ATB	1	A-82096		
		60		2.6	2	25.4	-	10	ATAF	1	A-85472		
		60		2.6	2	30	15.88	10	ATAF	1	B-03822		
		60		2.6	2	30	-	-5	ATAF	1	B-03844		
		60		3	2	25.4	25	20	ATAF	1	A-82105		
		100		3	2.2	25.4	25	15	ATAF	1	A-82323		
		120		3	2.2	25.4	25	15	ATAF	1	A-82339		
		355		36	3.6	2.6	25.4	25	25	ATB	1	A-82127	
			40	3.6	2.6	25.4	25	25	ATB	1	A-82133		
			48	3.4	2.4	25.4	25	25	ATAF	1	A-81527		
			48	3.6	2.6	25.4	25	25	ATB	1	A-82731		
			60	2.6	2	25.4	-	10	ATB	1	A-85488		
			60	3	2.2	25	-	20	ATB	1	A-02618		
			60	3.4	2.4	25.4	25	20	ATAF	1	A-82149		
			80	3	2.2	30	-	5	ATB	1	B-04282		
			80	3.4	2.4	25.4	25	20	ATAF	1	A-81533		
			100	3.4	2.4	25.4	25	15	ATAF	1	A-82351		
			100	3.4	2.4	25.4	-	15	ATB	1	A-81549		
			120	3.4	2.4	25.4	25	15	ATAF	1	A-82367		
		★★☆☆☆	Wood/MDF	305	100	3.2	2.4	25.4	-	15	ATB	1	D-34403
					96	3.2	2.2	25.4	-	-5	TCG	1	D-62468
					120	3.2	2.4	30	15.88	10	TCG	1	D-19087
		★☆☆☆☆	Wood	216	40	2.2	1.5	25.4	-	20	ATB	1	D-77350
					80	2.2	1.5	25.4	-	15	ATAF	1	D-81446
				305	60	2.8	2.0	25.4	-	15	ATB	1	D-81848
					60	2.8	2.0	30	25.4	15	ATB	1	D-81854
					80	2.8	2.0	30	25.4	15	ATB	1	D-81876
100	2.8				2.0	25.4	-	15	ATB	1	D-81935		
100	2.8				2.0	30	25.4	15	ATAF	1	D-81941		
255	100				3	2	30	25.4	12	TCG	1	D-57130	

TCT saw blade for miter saw table saw wood general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.	
★★★★☆	Wood	210	18	1.9	1.4	30	25	25	ATB	1	A-81767	
			18	2	1.4	25	-	20	FTG	1	792345-7	
			24	1.9	1.4	30	25	23	ATB	1	A-81773	
			48	1.9	1.4	30	25	8	ATAF	1	A-81789	
		255	80	2	1.4	25	-	8	FTG	1	792438-0	
			24	2.3	1.6	25.4	-	20	ATB	1	B-05000	
			32	2.3	1.8	25.4	-	5	ATAF	1	A-83696	
			32	2.3	1.8	30	15.88	5	ATAF	1	A-80961	
			40	2.3	1.6	25.4	-	20	ATB	1	B-05088	
			40	2.3	1.8	25.4	-	5	ATB	1	B-03626	
			40	2.4	1.8	25.4	25	20	ATAF	1	A-82529	
			60	2.3	1.8	25.4	-	5	ATB	1	B-03632	
			60	2.3	1.8	25.4	-	5	ATB	1	B-53665	
			80	2.3	1.8	25.4	-	10	ATAF	1	B-45624	
			80	2.3	1.8	25.4	-	5	ATB	1	B-03648	
			100	2.3	1.8	25.4	-	10	ATAF	1	B-45630	
			120	2.3	1.8	25.4	-	10	ATAF	1	B-45646	
			260	24	2.3	1.6	30	-	20	ATB	1	B-04999
		40		2.3	1.6	30	-	20	ATB	1	B-05072	
		40		2.3	1.8	30	15.88	5	ATB	1	B-03545	
		60		2.3	1.8	30	15.88	5	ATAF	1	A-85014	
		60		2.3	1.8	30	15.88	5	ATAF	1	B-11019	
		60		2.3	1.8	30	15.88	5	ATB	1	B-03486	
		64		2.3	1.8	25	-	5	ATAF	1	792695-0	
		70		2.3	1.8	30	15.88	5	ATAF	1	B-04597	
		305	80	2.3	1.8	30	15.88	5	ATB	1	B-03551	
			100	2.3	1.8	30	15.88	5	ATB	1	B-03567	
			40	2.3	1.8	30	15.88	5	ATB	1	B-03573	
			60	2.3	1.8	25.4	-	5	ATAF	1	B-02808	
			60	2.3	1.8	25.4	-	5	ATB	1	B-03676	
			60	2.3	1.8	30	15.88	5	ATB	1	B-03589	
			70	2.5	1.9	25.4	-	0	ATAF	1	B-57560	
			70	2.5	1.9	30	15.88	0	ATAF	1	B-04606	
			80	2.3	1.8	30	15.88	5	ATB	1	B-03595	
			96	2.3	1.8	25.4	-	5	ATAF	1	B-02814	
			100	2.3	1.8	25.4	-	10	ATAF	1	B-45652	
			100	2.3	1.8	25.4	-	5	ATB	1	B-03698	
		255	100	2.3	1.8	30	15.88	5	ATB	1	B-03604	
			120	2.3	1.8	25.4	-	10	ATAF	1	B-45668	
			80	2.6	1.8	30	25.4	12	ATB	1	D-34388	
			260	60	2.4	1.8	30	-	15	ATB	1	D-46408
				100	2.6	2	25.4	15.88	12	ATB	1	D-34394
			255	84	2.6	1.8	25.4	-	-5	TCG	1	D-62452
				100	3.2	2.4	30	15.88	10	TCG	1	D-19071
			260	40	2.6	1.8	25.4	-	18	ATB	1	D-81583
				40	2.6	1.8	30	-	18	ATB	1	D-81599
				40	2.6	1.8	25.4	-	18	ATB	1	D-77338
				60	2.4	1.8	30	25.4	15	ATB	1	D-81701
				80	2.4	1.8	25.4	-	12	ATB	1	D-81739
		100		2.6	1.8	25.4	-	12	ATAF	1	D-81103	
Wood/MDF	255	84	2.6	1.8	25.4	15.88	15	TCG	1	D-81636		
		100	2.6	1.8	25.4	15.88	12	TCG	1	D-81658		

TCT saw blade for plate joiner wood general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Wood	100	6	4	3	22	20	ATAF	1	B-20644

TCT saw blade for plunge cut saw wood general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★☆	Wood/MDF	165	60	2	1.4	20	5	Hi-ATB	Fluorine coating, Laser slit	1	B-56661
			60	2	1.4	20	5	TCG		1	B-56677
★★★★☆	Wood		28	2	1.4	20	15	ATB		1	B-56649
			28	2.2	1.6	20	15	ATB		1	B-07434
			48	1.85	1.25	20	8	ATB		1	B-56166
			48	2.2	1.6	20	8	ATB		1	B-07353

TCT saw blade for table saw wood general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Wood	203	24	2.4	1.6	25.4	-	25	ATB	1	A-81941
			30	2.4	1.6	25.4	25	25	ATB	1	A-81957
			36	2.4	1.6	25.4	-	20	ATAF	1	A-81963
			60	2	1.4	25.4	25	15	ATAF	1	A-82507
			60	2.4	1.6	25.4	25	15	ATAF	1	A-81446
			80	2.4	1.6	25.4	25	15	ATB	1	A-81452
		405	30	3.8	2.6	25.4	25	25	ATAF	1	A-82155
			36	3.6	2.6	25.4	-	25	ATAF	1	A-82161
			40	3.6	2.6	25.4	25	25	ATAF	1	A-82177
			48	3.6	2.6	25.4	-	25	ATB	1	A-81555
			60	3.4	2.4	25.4	25	20	ATAF	1	A-82183
			80	3.6	2.6	25.4	25	20	ATAF	1	A-81561
			100	3.6	2.6	25.4	25	15	ATAF	1	A-82395
			120	3.6	2.6	25.4	25	15	ATAF	1	A-81577
		120	3.6	2.6	25.4	25	15	ATAF	1	A-82404	
		510	52	4.2	3	25.4	-	25	ATB	1	A-81583

TCT saw blade for circular saw wood and metal general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Wood, Metal	160	42	2.8	2	20	16	-5	TCG	1	A-02624
		210	54	2.8	2	30	25	-5	TCG	1	A-02646
		235	54	3	2.2	30	25	-5	TCG	1	A-02652

TCT saw blade for miter saw wood and metal general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Wood, Metal	255	80	3.2	2.4	30	25	-5	TCG	1	A-02668

TCT saw blade for circular saw wood with nails tip embedded general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Wood/NAIL	165	16	2	1.25	20	-	23	ATB	1	A-86022
			24	2	1.25	20	-	23	ATB	1	A-86038
			40	2	1.25	20	-	18	ATB	1	A-86044
		185	16	2	1.25	30	20	25	ATB	1	A-86050
			20	1.85	1.25	20	-	25	ATB	1	A-83814
			40	2	1.25	30	20	25	ATB	1	A-86072

TCT saw blade for metal cutting metal general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.	
★★★★☆	Metal	136	30	1.5	1.2	20	0	MTCG	-	1	B-07319	
			50	1.4	1.1	20	-15	ATB		1	B-07325	
		150	32	1.5	1.2	20	0	MTCG		1	B-46296	
			36	1.9	1.5	20	0	ATB		1	B-04628	
		185	36	1.9	1.5	30	0	ATB		1	B-03931	
			38	2	1.6	20	0	MTCG		1	A-85438	
			38	2	1.6	30	0	MTCG		1	B-03953	
			48	1.85	1.5	20	0	SMTCG		1	B-23357	
			48	2	1.6	20	0	MTCG		1	A-83967	
			48	2	1.6	30	0	MTCG		1	B-03969	
			56	1.8	1.4	30	-10	FTG		1	B-07369	
			56	1.8	1.5	20	0	SMTCG		1	B-23391	
		305	60	2.1	1.7	25.4	0	TCG		1	A-87242	
			60	2.4	2	25.4	0	TCG		Laser slit	1	A-86723
			60	2.5	2.2	25.4	0	TCG		-	1	A-81860
			78	2.3	2	25.4	-5	MTCG		1	A-87127	
			136	56	1.1	0.95	20	0		SMTCG	Laser slit	1
		Metal/SUS	150	60	1.1	1	20	0		SMTCG	1	B-47014
	185		64	1.6	1.3	20	0	SMTCG	1	B-31697		
	305		100	1.95	1.65	25.4	-3	SMTCG	1	B-23151		
	185		40	-	-	30	0	-	-	1	B-07870	
305	76		-	-	25.4	0	-	-	1	A-87579		
-	-		-	-	-	-	-	-	-	-	-	

TCT saw blade for metal cutting thin metal general




Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Metal	150	52	1.4	1.1	20	-15	ATB	1	B-47008
		185	70	1.7	1.3	30	-10	FTG	1	B-03975

TCT saw blade for metal cutting thin metal SPECIALIZED general



3-piece blades set

By changing tip shape from flat to 3-piece blades set with a sharper cutting edge, the deformation and burr of the cutting surface are reduced.




Clean cutting




Thin tip design

Cutting efficiency is improved by reducing cutting resistance, thanks to thin tip and base metal.



Fast cutting



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Metal	136	48	1.1	0.95	20	15.88	-7	SMTCG	1	E-23391
		150	57	1.1	0.95	20	15.88	-7	SMTCG	1	E-23036
		185	60	1.25	1.1	20	15.88	-7	SMTCG	1	E-23379
			60	1.25	1.1	30	-	-7	SMTCG	1	E-23357

TCT saw blade for metal cutting thick metal general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★★☆	Metal	150	32	1.1	0.95	20	0	TCG	Laser slit	1	B-68301
		185	36	1.3	1.1	30	0	TCG	-	1	E-26082
★★★☆☆			38	1.4	1.2	20	0	TCG	Laser slit	1	E-14320

TCT saw blade for aluminum groove cutter general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
Specialized	Aluminum composite panel	118	6	14	6	20	5	TCG	Grooving 90 degrees	1	B-48832
			6	18	6	20	5	TCG	Grooving 135 degrees	1	B-48860

TCT saw blade for circular saw aluminum general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★☆☆☆☆	Aluminum	190	60	2.2	1.4	30	20	5	TCG	1	D-81371

TCT saw blade for metal cutting aluminum general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★☆☆	Aluminum	136	50	1.6	1	20	-	0	ATB	1	B-40331
		150	52	1.6	1	20	-	0	ATB	1	B-47020
★☆☆☆☆	Aluminum	185	40	2.0	1.4	20	15.88	5	TCG	1	D-81505
			40	2.0	1.4	30	-	5	TCG	1	D-81511

TCT saw blade for miter saw aluminum general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★★☆☆	Aluminum	165	60	1.8	1.2	20	-	5	TCG	Laser slit	1	B-56530
		190	60	2	1.4	20	-	-5	TCG		1	B-03997
		255	100	2.3	1.8	25.4	25	-5	TCG		1	B-04204
			100	2.4	1.8	25.4	-	-5	TCG		1	B-45674
			100	2.6	2	25.4	25	0	ATB		1	A-81614
		260	120	2.6	2	25.4	25	0	ATB		1	A-81620
			80	2.3	1.8	30	15.88	-5	FTG		1	B-04151
			100	2.3	1.8	30	15.88	-5	TCG		1	B-04167
		305	80	2.3	1.8	30	15.88	-5	TCG		1	B-04173
			100	2.3	1.8	30	15.88	-5	TCG		1	B-04020
			100	2.3	1.8	30	15.88	-5	TCG		1	B-04189
			100	2.4	1.8	25.4	-	5	FTG		1	B-02820
			100	2.6	2	25.4	-	-5	TCG		1	B-45680
			100	2.8	2.2	25.4	25	0	ATB		1	A-82557
			120	2.8	2.2	25.4	-	0	ATB		1	A-82563
		355	80	3	2.2	25	-	5	TCG		1	A-02602
			100	3	2.4	25.4	25	0	ATB		1	A-81636
			120	3	2.4	25.4	25	0	ATB		1	A-81642
		380	100	3	2.4	25.4	-	0	ATB		1	A-82585
		405	120	3.4	2.6	25.4	25	0	ATB		1	A-82616
★★★☆☆	Aluminum	260	70	3	2	25.4	-	5	TCG		1	D-03408
			70	3	2	30	15.88	5	TCG		1	D-03969
			100	2.8	2	30	15.88	-3	TCG		1	D-26674
		100	3	2	25.4	-	5	TCG		1	D-03414	
		305	100	3	2	30	15.88	5	TCG		1	D-03975
			80	3	2.2	30	15.88	5	TCG		1	D-16520
		355	100	3	2	25.4	15.88	5	TCG		1	D-34419
355	120	3.3	2.35	30	25	8	TCG		1	D-16592		
★☆☆☆☆	Aluminum	260	70	2.6	1.8	30	25.4, 15.88	5	TCG		1	D-81723
			100	2.6	1.8	25.4	-	5	TCG		1	D-81789
			100	2.6	1.8	30	-	5	TCG		1	D-81795
			120	2.6	1.8	25.4	-	1	TCG		1	D-81810
		305	120	2.6	1.8	30	-	1	TCG		1	D-81826
			80	2.8	2	30	25.4	5	TCG		1	D-81898
			100	2.7	2	25.4	-	5	TCG		1	D-81125
			100	2.8	2	30	25.4	5	TCG		1	D-81963

TCT saw blade for plunge cut saw aluminum general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Aluminum	165	56	2	1.4	20	-3	TCG	1	B-56655
★★★☆☆			56	2.4	1.7	20	-3	TCG	1	B-07440

TCT saw blade for table saw aluminum general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★☆☆	Aluminum	405	100	3.4	2.6	25.4	25	0	ATB	1	A-82600

TCT saw blade for plunge cut saw sandwich panel general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★☆☆	Sandwichpanel	165	42	1.75	1.4	20	0	SMTCG	1	B-63161

TCT saw blade for circular saw multi-purpose general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Multi-purpose	165	60	2.2	1.4	20	-	5	TCG	1	D-81206
			60	2.2	1.4	30	15.88, 16, 19, 20	5	TCG	1	D-81197
		185	60	2.2	1.4	30	15.88, 16, 20	5	TCG	1	D-81321
		190	60	2.2	1.4	30	15.88, 16, 20	5	TCG	1	D-81387
		235	60	2.4	1.6	30	16, 20, 25, 25.4	5	TCG	1	D-81555

TCT saw blade for miter saw multi-purpose general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★★☆	Multi-purpose	216	60	2.4	1.6	30	16, 20, 25, 25.4	5	TCG	1	D-81430
			80	2.4	1.6	30	16, 20, 25, 25.4	5	TCG	1	D-81452
		260	80	2.6	1.8	30	16, 20, 25, 25.4	5	TCG	1	D-81751
			100	2.6	1.8	30	16, 20, 25, 25.4	5	TCG	1	D-81804
			120	2.6	1.8	30	16, 20, 25, 25.4	1	TCG	1	D-81832
		305	80	2.8	2	30	16, 20, 25, 25.4	5	TCG	1	D-81907
			100	2.8	2	30	16, 20, 25, 25.4	5	TCG	1	D-81979

TCT saw blade for plunge cut saw solid surface material general



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg q'ty	Part No.
★★★☆☆	Corian	165	48	2	1.4	20	5	TCG	1	B-56683
			48	2.4	1.7	20	5	TCG	1	B-10344

PCD saw blade for circular saw fiber cement general



Range	Work material	Outer dia. mm (inch)	No. teeth	Kerf mm (inch)	Plate mm (inch)	Hole dia. mm (inch)	Ring mm	Rake	Tooth shape	Note	Sales pkg q'ty	Part No.
★★☆☆☆	Fiber Cement Board	165	4	1.8	1.4	20	15.88	12	FTG	-	1	D-72104
			4	1.8	1.4	20	-	12	FTG		1	D-72067
		185	4	1.8	1.4	20	15.88	12	FTG		1	D-72110

Tungsten carbide grit blade for Cordless compact cut-off



Range	Work material	Outer dia. mm (inch)	No. teeth	Hole dia. mm	Sales pkg q'ty	Part No.
Specialized	Plaster board, PVC, FRP	76 (3)	TC grit 40/50	9.5	1	D-75596
		76	TC grit 50/60	10	1	D-78374

Tungsten carbide grit blade for angle grinder



Range	Work material	Outer dia. mm	No. teeth	Hole dia. mm	Sales pkg q'ty	Part No.
Specialized	Plaster board, PVC, FRP	115	TC grit 30/40	22.23	1	B-57716
		125	TC grit 30/40	22.23	1	B-57722


Tungsten carbide grit blade for angle grinder with X-LOCK

XLOCK



Range	Work material	Outer dia. mm	No. teeth	Hole dia.	Sales pkg q'ty	Part No.
Specialized	Plaster board, PVC, FRP	115	TC grit 30/40	X-LOCK	1	E-11760
		125	TC grit 30/40	X-LOCK	1	E-11776

Jigsaw / Reciprosawing



Jig Saw blade

Teeth Type


Milled and side set teeth




Ground and side set teeth



Milled and wavy set teeth



Ground and taper ground teeth



Teeth manufacture


Milled teeth

- Low cost type of manufacturing
- For general cutting
- Soft to hard materials
- Long blade life



Ground teeth

- Costly type of manufacturing
- Very sharp!
- Accurate, clean cut
- Soft to medium hard materials



Production method

- **Side set:** each individual tooth is alternately bent to the left and to the right. Raker setting Example: right, left, straight, etc.



- **Wavy set:** row of teeth receives a wave shape
- **Ground:** blade body tapers to the rear (conical)



Jig Saw Blade material

- **HCS (High Carbon Steel)** for cutting softer materials such as wood or plastics.
- **HSS (High Speed Steel)** for cutting harder materials such as metals.
- **BiM (Bi-metal, HCS base and HSS teeth)** for cutting soft materials to hard materials such as wood, metal, plastics.
- **TC (Tungsten Carbide)** for cutting glass fiber reinforced plastic, cement-bonded fiberboards or plasterboard.

Jig saw blade B shank wood Super express



SUPER EXPRESS



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-50	Wood, Plastics	Fast finish	Ground and taper ground teeth	8-11	100	73	1.25	HCS	5	B-06460

Jig saw blade B shank metal Super express



SUPER EXPRESS



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-51	Metal, Stainless	Fast	Milled and wavy set teeth	10-18	100	73	0.8	HSS	5	B-06476

Jig saw blade B shank universal Super express



SUPER EXPRESS



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-52	Universal	Fast	Milled and wavy set teeth	6-10	100	73	1.0	HSS	5	B-06482

Jig saw blade B shank wood basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-13	Wood, Plastics	Basic	Milled and side set teeth	8	105	75	1.25	HCS	2	B-01286
										5	A-85656
								100		B-07705	
								5		A-85662	
	B-14		Milled and wavy set teeth	18	76	51	5	A-85678			
	B-15			12		50	5	A-85709			
B-18	Basic, Scroll cutting	Milled and side set teeth	14	77	44	1.05	5	A-85709			
							100	B-07727			

Jig saw blade B shank wood basic price competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Wood	Basic	Milled and side set teeth	8	100	74	1.2	HCS	5	D-34877

Jig saw blade B shank wood fast cut



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.	
★★★☆☆	B-16	Wood, Plastics	Fast	Ground and side set teeth	6	105	75	1.25	HCS	2	B-01292	
										5	A-85684	
	B-16L						180			151	100	B-07711
							5			792726-5		
	B-17		Fast, Scroll cutting			105	71			2	B-01301	
	B-8		Fast			8	75			5	A-85690	
	L-10		-		6	180	151	5		A-86315		
	L-2				6	132	101	5		A-86309		
	No.58		Fast		8	105	75	5		A-86577		
								100		B-07842		

Jig saw blade B shank wood fast cut price competitive




Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Wood	Fast	Ground and side set teeth	6	100	74	1.2	HCS	5	D-34883
		Fast, Scroll cutting							5	D-34899

Jig saw blade B shank wood finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	B-10	Wood, Plastics	Fast finish	Ground and taper ground teeth	9	105	76	1.25	HCS	5	A-85628
	B-10S	Wood	Finish		12	90	65			100	B-07674
					5	792691-8					
	B-11	Wood, Plastics	Fast finish		9	100	73			2	B-01270
					5	A-85634					
	B-12	Wood, Plastics	Fast finish		6	105	74			100	B-07680
					5	A-85640					
	B-19S	Wood, Plastics	Fast finish		12	70	43	100		B-07696	
					5	B-04933					
	B-29	Wood, Plastics	Finish, Scroll cutting		16	77	44	5		A-80400	
					100	B-07761					
	B-37	Wood	Fast finish, Scroll cutting		9	105	76	5		E-22218	
					100	A-85793					
BR-13	Wood	Finish	Milled and side set teeth	9	105	70	5	A-85793			
			100	B-07777							
L-1	Wood, Plastics	Fast finish	Ground and taper ground teeth	6	132	100	5	A-86290			
			8	105	75	5	A-86583				
No.59	Wood, Plastics	Fast finish	Ground and taper ground teeth	8	105	75	100	B-07858			

Jig saw blade B shank wood finish price competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Wood	Finish	Ground and taper ground teeth	9	100	74	1.2	HCS	5	D-72718

Jig saw blade B shank hardwood and hard plastics basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	B-25	Wood, Plastics, Aluminum, Metal	Basic	Milled and side set teeth	9	100	74	1.05	HSS	2	B-01345
										5	A-85765
	B-26		Basic, Scroll cutting				100			B-07755	
							2			B-01351	
							5			A-85771	

Jig saw blade B shank decorative veneers finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	B-19	Wood, Plastics	Finish	Ground and taper ground teeth	12	90	63	1.25	HCS	5	A-85715
	B-28	16			HSS					5	A-80391

Jig saw blade B shank laminate finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	B-53	Laminate, Plastics	Finish	Ground and taper ground teeth	15	82	59	1.25	Bi-Metal	5	B-10970
	B-54				18					5	B-10986
	B-55				14					100	77

Jig saw blade B shank metal basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.		
★★★☆☆	B-22	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	76	52	0.9	HSS	2	B-01323		
						57	32			5	A-85737		
						100				100	B-07733		
	B-23	Wood, Plastics, Aluminum, Metal			76	51	2			B-01339			
					52		5			A-85743			
	B-24	Metal, Stainless, Plastics, Aluminum			32	57	32			100	B-07749		
	B-24S	Metal, Plastics, Aluminum			24	76	52			5	A-85759		
	B-27	Metal, Stainless, Plastics, Aluminum			Basic, Scroll cutting	Milled and wavy set teeth	24			76	52	2	B-01367
										75	50	5	A-85787
	B-30	Metal, Plastics, Aluminum			18	132	107			5	B-04961		
	B-32	Metal, Plastics, Aluminum			14					5	B-10431		
	B-33	Metal, Plastics, Aluminum			18	76	52			5	B-10447		
	B-34	Metal, Stainless, Plastics, Aluminum			14	180	154			5	B-10453		
	B-35	Wood with nails, Plastic, Aluminum			14					3	B-10469		
No.51	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	90	66	0.9	Bi-Metal	5	A-86561			
								HSS	100	B-07836			

Jig saw blade B shank metal basic price competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Metal	Basic	Milled and wavy set teeth	21	75	51	1	HSS	5	D-34908

Jig saw blade B shank plastic



Range	Makita No.	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-21	Plastics, Aluminum	12	100	73	1.25	HSS	2	B-01317
								5	A-85721

Jig saw blade B shank fiber cement



Range	Makita No.	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-60	Fiber cement, Plaster board, FRP, Plastics	6	100	75	1.25	TC/HM	3	B-06890
	B-61			132	105			3	B-06909

Jig saw blade B shank rubber



Range	Makita No.	Work material	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	B-K	Rubber, Paper, Cork, Leather	100	75	1.25	HCS	5	A-80416

Jig saw blade B shank assortment



Range	Note	Sales pkg q'ty	Part No.
★★★☆☆	2xB-13, 2xB-16, 2xB-10S, 2xB-22, 2xB-23	10	B-44410
	2xB-50, B-51, B-52, B-53	5	B-48527
	4xB-50, 2xB-51, 2xB-52, 2xB-53	10	B-44426
	B-10S, B-13, B-16, B-22, B-23	5	A-86898
	B-50, B-51, B-52	3	B-06292



Jig saw blade M shank wood basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	No.16	Wood, Plastics	Basic, Scroll cutting	Milled and side set teeth	9	82	61	1.25	HCS	2	792212-6
										5	A-85830
	No.3		Basic			2	A-86533				
						5	A-85868				
						100	B-07808				

Jig saw blade M shank wood fast cut



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	No.8	Wood, Plastics	Fast	Ground and side set teeth	8	82	60	1	HCS	2	792267-1
										5	A-85911
										100	B-07814

Jig saw blade M shank wood finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	BR-3	Wood	Finish	Milled and side set teeth	9	85	58	1	HCS	5	A-85933
	No.10	Wood, Plastics	Fast finish							Ground and taper ground teeth	82
				5	A-85818						
				100	B-07820						
	No.10S	Wood	Finish	Ground and taper ground teeth	13	62	1.25	2		A-86555	
								5		A-85824	
	No.9	Wood, Plastics	Fast finish	Ground and taper ground teeth	8	60	1.25	2		792325-3	
								5		A-85927	

Jig saw blade M shank hardwood and hard plastics basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	No.4	Wood, Plastics, Aluminum, Metal	Basic	Milled and side set teeth	9	80	59	0.9	HSS	2	A-86549
										5	A-85874

Jig saw blade M shank decorative veneers basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	No.17	Wood, Plastics, Aluminum, Metal	Basic, Scroll cutting	Milled and side set teeth	14	82	63	0.9	HSS	2	792215-0
										5	A-85846
	No.2		Basic			2	A-86527				
						5	A-85852				
						100	B-07799				

Jig saw blade M shank decorative veneers finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	No.41	Wood, Plastics	Finish	Ground and taper ground teeth	12	82	61	1.25	HSS	5	A-85880
	No.42	Plastics			16					5	A-85896

Jig saw blade M shank metal basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	No.1	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	80	61	0.9	HSS	2	A-86511
										5	A-85802
										100	B-07783
	No.5	Metal, Plastics, Aluminum				2	792131-6				
						5	A-85905				

Jig saw blade M shank assortment



Range	Note	Sales pkg q'ty	Part No.
★★★★☆	No.1, No.2, No.3, No.8, No.10S	5	A-86882

Recipro saw blade metal Super express



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Metal, Plastics	Fast	Milled and side set teeth	7-18	152	130	0.9	Bi-Metal	2	B-05038-2
									5	B-05038
									25	B-05038-25

Recipro saw blade wood Super express



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Wood	Fast	Milled and side set teeth	6-10	203	180	1.0	HCS	2	B-05153-2
									5	B-05153
									25	B-05153-25

Recipro saw blade universal Super express



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Universal	Fast	Milled and side set teeth	6-11	152	130	0.9	Bi-Metal	2	B-05044-2
									5	B-05044
									25	B-05044-25

Recipro saw blade metal basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.	
★★★★☆	Metal	Basic	Milled and side set teeth	14	152	130	0.9	Bi-Metal	2	B-16841-2	
									5	B-16841	
									25	B-16841-25	
					18	152			130	2	B-16776-2
										5	B-16776
				18	165	144		25	B-16776-25		
								2	B-05169-2		
								5	B-05169		
								25	B-05169-25		
								2	B-00810		
5	792147-1										

Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Metal	Basic	Milled and side set teeth	18	225	205	0.9	Bi-Metal	2	B-16782-2
					5	B-16782				
					25	B-16782-25				
				24	152	130			2	B-16835-2
					225	205			5	B-16835
					2	B-43169-2				
			Milled and wavy set teeth	14	100	80		5	B-43169	
								5	B-20410	
								5	B-20404	
				24	125			104	5	B-20395
									2	B-00804
									5	792146-3
	165	144	2	B-00832						
				5	792149-7					
Metal, Aluminum, Plastics	Milled and side set teeth	10-14	305	280	Bi-Metal	2	B-16857-2			
						5	B-16857			

Recipro saw blade metal basic price competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★☆☆☆	Metal	Basic	Milled and wavy set teeth	14	150	128	0.9	Bi-Metal	2	D-80298
					225	203			2	D-80307
				18	150	128			2	D-80313
					225	203			2	D-80329
				24	150	128			2	D-80335
					225	203			2	D-80341

Recipro saw blade metal curved shape



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Metal	14+18	152	130	1.1	Bi-Metal	5	B-55815
			228	205			5	B-55821
			305	280			5	B-55837

Recipro saw blade metal heavy



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Metal	Heavy	Milled and side set teeth	14+18	152	130	1.1	Bi-Metal	5	B-43131
					225	205			5	B-43175
					305	280			5	B-43206
				8+10	152	130			5	B-43147
					225	205			2	B-43181-2
					305	280			5	B-43181
		Heavy fast		10-14	152	130	1.25		2	B-43212-2
									5	B-43212
									5	B-43153
				10+12+14	225	205	280		2	B-43197-2
									5	B-43197
									5	B-43228
		Heavy finish		10-14	152	130	1.25		5	B-43228
									5	B-43228
									5	B-43228
				10+12+14	225	205	280		5	E-26288
									5	E-26294
									5	E-26303

Recipro saw blade wood basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.	
★★★★☆	Green tree, Wood	Basic	Ground and side set teeth	5	225	200	1.5	HCS	5	E-26272	
					305	280			5	B-16863	
					150	129			5	A-02319	
				10	152	130			0.8	5	B-16807
					250	229				5	B-00767
					3	152				130	5
	Wood		6	305	280	1.25	5		B-16798		
							2		B-16829-2		
							5		B-16829		
			9	165	144		1		2	B-00826	
									5	792148-9	
									5	A-02331	
	Wood, Plastics		6	150	130	1.25	5		A-02331		

Recipro saw blade wood basic price competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★☆☆☆	Wood	Basic	Ground and side set teeth	6	150	131	1.2	HCS	2	D-53089

Recipro saw blade wood fast cut




Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Wood	Fast	Ground and side set teeth	6	120	100	0.8	HCS	5	B-00022
			Milled and side set teeth	4	300	279	1.25		5	B-03030
		Fast finish	Ground and side set teeth	6	150	129	1		5	A-02303
									5	792707-9

Recipro saw blade wood Japanese teeth



Japanese Teeth Reciprosaw Blade

1. Japanese teeth for Sharp Edge!




2. Clean Cutting Surface



Application

For Bamboo

15TPI



For Green Wood

8.5TPI



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Note	Sales pkg q'ty	Part No.		
★★★☆☆	Bamboo, Wood, Plastic	Only use	Japanese teeth	15	225	200	0.9	Bi-Metal	Bamboo:<140mm, Wood:<140mm, PVC:<140mm	1	B-57392		
					190	165	0.6	HCS	Only use : DJR185, 183,145, 143, JR105D, 103D, 102D, 100D, Bamboo:<100mm, Wood:<100mm, PVC:<100mm	1	B-56596		
	Green tree, Wood	Only use		8.5	225	200	0.9	Bi-Metal	Wood:<140mm, Green tree:<140mm	1	B-57386		
					250	225	1	HCS	Wood:<160mm, Green tree:<160mm	1	B-62016		
							190	165	0.6	HCS	Only use : DJR185, 183,145, 143, JR105D, 103D, 102D, 100D, Wood:<100mm, Green tree:<100mm	1	B-56580

Recipro saw blade wood and metal basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Wood with nails	Basic	Milled and side set teeth	6	100	80	0.9	Bi-Metal	2	B-20432-2
									5	B-20432
	152				130	1.25	2		B-05175-2	
							5		B-05175	
	Wood, Chipboard, Wood with nails, Metal, Aerated concrete, Plastics, FRP			5-8	305	280			3	B-10637
				10	100	80	0.9		5	B-20426
	Wood, Metal			14+18	152	130			5	B-20454
				10-14	152	130			5	B-43240
Wood, Plastics, Aluminum, Metal		225	205		5	B-43262				

Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Wood, Wood with nails, Metal	Basic	Milled and side set teeth	10	152	130	0.9	Bi-Metal	2	B-31843-2
									5	B-31843
					200	180			200	B-54259
									200	B-54265
									2	B-31859-2
									5	B-31859
									200	B-54271
					225	205		200	B-54287	

Recipro saw blade wood and metal heavy



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	1	B-49834
									10	B-49834-10
					228	205			1	B-49840
									10	B-49840-10
									1	B-49856
★★★★☆	Wood, Chipboard, Metal	Heavy	Milled and side set teeth	5-8	152	130	1.6	Bi-Metal	5	B-43234
									2	B-43256-2
					225	205			5	B-43256
									2	B-43278-2
									305	280

Recipro saw blade wood and metal rescue



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
Specialized	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	25	B-67206
					225	205			25	B-67212

Recipro saw blade cast iron pipes



Tungsten Carbide Tip

Application



Cutting life 30 times than current BIM blade



For Cast Iron



For Stainless

Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★★☆	Metal, Cast iron, Stainless	8	100	80	1.25	TC/HM	1	B-55566
							1	B-55572
			150	130			10	B-55572-10
			228	205			1	B-55588
							10	B-55588-10
							1	B-55594
★★★★☆	Cast iron, FRP, Epoxy	-	225	205	1	Diamond Grit	2	B-31871

Recipro saw blade stainless



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Stainless	18	152	128	1	TC/HM	2	B-07250
			203	180			2	B-51312

Recipro saw blade fiber insulation



Range	Work material	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
Specialized	Fiber Insulation	228	205	1.5	HCS	2	B-52118
		305	280			2	B-52124
		400	320			1	B-52130

Recipro saw blade plasterboard basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Plasterboards	Basic	Milled and side set teeth	6	100	80	0.9	Bi-Metal	5	B-20448

Recipro saw blade ice



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
Specialized	Ice	Basic	Milled and side set teeth	10	228	207	1.2	Stainless steel	1	B-30570
					279	1			B-23254	
				3	305	280	1.25		1	B-10609
					152	131	1.2		1	B-52043
		6		228	207	1			B-30564	
				305	279	1			B-23248	

Recipro saw blade aerated concrete



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
★★★☆☆	Aerated concrete, Soft brick	2	240	202	1.5	TC/HM	1	B-12809
			305	267			1	B-10394
			455	420			1	B-10403
	Aerated concrete, Soft brick, Epoxy	3	400	375			2	B-63591
			305	280			2	B-63585

Recipro saw blade assortment



Range	Note	Sales pkg q'ty	Part No.
★★★☆☆	2xB-05044, 2xB-16782, 2xB-16776	6	B-44448
	2xB-16798, 2xB-05153, 2xB-05175	6	B-44432
	B-00804, B-00810, B-00826	3	792003-5
	B-05038, B-05044, B-05153	3	B-13677

Recipro saw blade price competitive assortment



Range	Note	Sales pkg q'ty	Part No.
★★☆☆☆	2xD-51627, 2xD-51633, 2xD-53089	6	D-53051

Chain vise reciprocating saw blade cast iron pipes



<Cutting diameter>

Blade material	Work material	Blade shape	Blade length (mm)	Pipe diameter(mm)				
				50	100	150	200	250
BIM	Metal Cast iron	Straight	145	→				
			200	→				
			260	→				
	Stainless	Curved Fast cutting	145	→				
			260	→				
			300	→				
			350	→				

Chain vise reciprocating saw blade cast iron pipes



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
Specialized	Metal, Cast iron, Stainless	Heavy	Milled and side set teeth	8	145	117	1.6	Bi-Metal	5	E-26191
					200	172			5	E-26200
					260	232			5	E-26216

Chain vise reciprocating saw blade cast iron pipes curved shape



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg q'ty	Part No.
Specialized	Metal, Cast iron, Stainless	Heavy	Milled and side set teeth	8	145	117	1.6	Bi-Metal	5	E-26222
					260	232			5	E-26244
					300	272			5	E-26571
					350	322			5	E-26587

Board cutter blade plasterboard



Range	Work material	Overall length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	Plasterboard	55	30	2	B-49703
				10	B-49703-10
				25	B-49703-25

Board cutter blade wood



Range	Work material	Overall length mm	Working length mm	Sales pkg q'ty	Part No.
Specialized	Wood	53	15	2	B-49719
				10	B-49719-10
				25	B-49719-25

Band saw blade for 730mm metal wave type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg q'ty	Part No.
★★★★☆	730	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness:More than 5mm	5	E-04101
						18	Material thickness:4-5mm	5	E-04117
						24	Material thickness:Less than 4mm	5	E-04123

Band saw blade for 835mm metal wave type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg q'ty	Part No.
★★★★☆	835	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness:More than 5mm	5	B-40543
						18	Material thickness:4-5mm	5	B-40559
						24	Material thickness:Less than 4mm	5	B-40565

Band saw blade for 1140mm metal raker type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg q'ty	Part No.
★★★★☆	1140	13	Raker set	Plastics, Non-ferrous metal, Mild steel	HCS	14	Material thickness:More than 5mm	3	792560-3
						18	Material thickness:4-5mm	3	792559-8
						24	Material thickness:Less than 4mm	3	792558-0
				Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	10	Material thickness:More than 5.5mm	1	B-30128
						14	Material thickness:More than 5mm	1	792557-2
						18	Material thickness:4-5mm	1	792556-4

Band saw blade for 1140mm metal wave type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg q'ty	Part No.
★★★★☆	1140	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness:More than 5mm	1	194691-8
						24	Material thickness:Less than 4mm	1	194692-6

Band saw blade for 1140mm wood raker type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Sales pkg q'ty	Part No.
★★★★☆	1140	13	Raker set	Wood	HCS	6	3	792567-9

Band saw blade for 2240mm metal raker type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg q'ty	Part No.
★★★★☆	2240	16	Raker set	Non-ferrous metal	HCS	14	Material thickness:More than 5mm	3	B-16695

Band saw blade for 2240mm wood raker type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Sales pkg q'ty	Part No.
★★★★☆	2240	6	Raker set	Wood for curve cut	HCS	4	3	B-16689
		13		Wood for universal cut			3	B-16673
		16		Wood for cross cut			3	B-16667

Brushing



Brushes for Grinder

Shape type

For Grinder

Cup	Effective for flat or rugged surface.	Wheel	Effective for working at spot.	Bevel	Effective for working at corner.
Standard	With metal cover	Keep high works effectively.			
		Metal cover			

For Drill

Cup	Effective for flat or rugged surface.	Wheel	Effective for working at spot.	End	Effective for tight or narrow place.	Flap	Effective for treatment for wood.

Material of Brush

Steel	Ideal for metal material.	Steel (Brass coated)	Ideal for metal material. Feature of wire is resistant to rust.	Stainless	Ideal for stainless material. Feature of wire is resistant to rust, heat and corrosion.	Nylon*	Ideal for light rust removal of metal material, wood and PVC.

*For driver drill only

Wire type

Crimped	Ideal for light rust removal.	Knotted	Ideal for heavy work.

Trim materials of Brushes for Grinder and Drill

Material of Brush	Steel wire		Steel wire (Brass coated)	Stainless wire		Nylon wire	
	Knotted	Crimped	Crimped	Knotted	Crimped	Coarse(#80)	Fine(#240)
Image							
Work efficiency	Very high	High	High	Very high	High	Low	Very low
Finishing	Very Rough	Rough	Rough	Very Rough	Rough	Clean	More clean
Rust resistant	Regular	Regular	Good	Very good	Very good	Very good	Very good
Work material	Stainless	×	×	⊙	⊙	×	×
	Metal	⊙	⊙	⊙	⊙	⊙	⊙
	Wood	×	×	○*	×	×	⊙
	PVC	×	×	×	×	×	⊙

⊙ : Highly suitable ○ : Suitable × : Not use *Cannot be used for wood when you use with grinders.

Wire brush for angle grinder/ cup/ crimped



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	60	M14x2.0	Brass coated steel wire 0.3mm	115, 125, 150mm Angle grinder	1	D-39746
	75			180, 230mm Angle grinder	1	D-39768
	90			180, 230mm Angle grinder	1	D-39780
	100			180, 230mm Angle grinder	1	D-39805
	65	M10x1.5	Stainless steel wire 0.3mm	100mm Angle grinder	1	D-77425
	75			100mm Angle grinder	1	D-77447
	65	M14x2.0	Stainless steel wire 0.3mm	115, 125, 150mm Angle grinder	1	D-77431
	75			115, 125, 150mm Angle grinder	1	D-77453
	100			180, 230mm Angle grinder	1	D-78564
	60	M10x1.5	Steel wire 0.3mm	100mm Angle grinder	1	D-24066
	75			100mm Angle grinder	1	D-24088
	60	M14x2.0	Steel wire 0.3mm	115, 125, 150mm Angle grinder	1	D-24072
75	115, 125, 150mm Angle grinder			1	D-24094	
100	180, 230mm Angle grinder			1	D-29284	

Wire brush for angle grinder/ cup/ knotted



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	65	M10x1.5	Stainless steel wire 0.5mm	100mm Angle grinder	1	D-77469
	75			100mm Angle grinder	1	D-77481
	65	M14x2.0		115, 125, 150mm Angle grinder	1	D-77475
	75			115, 125, 150mm Angle grinder	1	D-77497
	60	M10x1.5	Steel wire 0.5mm	100mm Angle grinder	1	D-24103
	75			100mm Angle grinder	1	D-24125
	60	M14x2.0		115, 125, 150mm Angle grinder	1	D-24119
	75			115, 125, 150mm Angle grinder	1	D-24131

Wire brush for angle grinder/ cup with metal cover/ knotted



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	100	M14x2.0	Stainless steel wire 0.5mm	180, 230mm Angle grinder	1	D-78570
	60	M10x1.5	Steel wire 0.5mm	100mm Angle grinder	1	D-24147
		M14x2.0		115, 125, 150mm Angle grinder	1	D-24153
	100			M14x2.0	180, 230mm Angle grinder	1

Wire brush for angle grinder/ wheel/ crimped



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	100	M10x1.5	Stainless steel wire 0.3mm	100mm Angle grinder	1	D-77506
	115	M14x2.0		115, 125, 150mm Angle grinder	1	D-77512

Wire brush for angle grinder/ wheel/ knotted



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	100	M10x1.5	Stainless steel wire 0.5mm	100mm Angle grinder	1	D-77528
	115	M14x2.0		115, 125, 150mm Angle grinder	1	D-77534
	125			115, 125, 150mm Angle grinder	1	D-77540
	100	M14x2.0	Steel wire 0.5mm	180, 230mm Angle grinder	1	D-29555
	115				1	D-29561
	125				1	D-29577
	150			1	D-45761	
	175			230mm Angle grinder	1	D-45777

Wire brush for angle grinder/ bevel/ crimped



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	100	M10x1.5	Stainless steel wire 0.3mm	100mm Angle grinder	1	D-77556
	115			115, 125, 150mm Angle grinder	1	D-77562
	100	M14x2.0	Steel wire 0.3mm	150mm Angle grinder	1	D-39827
	115			150mm Angle grinder	1	D-39849

Wire brush for angle grinder/ bevel/ knotted



Range	Outer dia. mm (inch)	Thread mm (inch)	Brush type	For model	Sales pkg q'ty	Part No.
★★★★☆	100	M10x1.5	Stainless steel wire 0.5mm	100mm Angle grinder	1	D-77578
	115			115, 125, 150mm Angle grinder	1	D-77584
	100	M14x2.0	Steel wire 0.5mm	150mm Angle grinder	1	D-39861
	115				1	D-39883

Wire brush for angle grinder with X-LOCK/ cup/ crimped



Range	Outer dia. mm	Thread	Brush type	For model	Sales pkg q'ty	Part No.
★★★☆☆	75	X-LOCK	Brass coated steel wire 0.3mm	100, 115, 125mm Angle grinder (X-LOCK)	1	D-73433
			Stainless steel wire 0.3mm		1	D-73346
			Steel wire 0.3mm		1	D-73396

Wire brush for angle grinder with X-LOCK/ cup/ knotted



Range	Outer dia. mm	Thread	Brush type	For model	Sales pkg q'ty	Part No.
★★★☆☆	80	X-LOCK	Stainless steel wire 0.5mm	100, 115, 125 mm Angle grinder (X-LOCK)	1	D-73330
			Steel wire 0.35mm		1	D-73374
			Steel wire 0.5mm		1	D-73380

Wire brush for angle grinder with X-LOCK/ wheel/ crimped



Range	Outer dia. mm	Thread	Brush type	For model	Sales pkg q'ty	Part No.
★★★☆☆	115	X-LOCK	Steel wire 0.3mm	115, 125mm Angle grinder (X-LOCK)	1	D-73427

Wire brush for angle grinder with X-LOCK/ wheel/ knotted



Range	Outer dia. mm	Thread	Brush type	For model	Sales pkg q'ty	Part No.
★★★☆☆	115	X-LOCK	Stainless steel wire 0.5mm (Full Knotted)	115, 125mm Angle grinder (X-LOCK)	1	D-73352
			Stainless steel wire 0.5mm (Stringer Knotted)		1	D-73368
			Steel wire 0.5mm (Full Knotted)		1	D-73405
			Steel wire 0.5mm (Stringer Knotted)		1	D-73411

Wire brush for angle grinder with X-LOCK/ bevel/ crimped



Range	Outer dia. mm	Thread	Brush type	For model	Sales pkg q'ty	Part No.
★★★☆☆	100	X-LOCK	Steel wire 0.3mm	100, 115, 125mm Angle grinder (X-LOCK)	1	D-73449

Wire brush for drill/ cup/ crimped



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★☆☆☆	38	1/4inch Hex MZ	Brass coated steel wire 0.3mm	1	D-73601
	50			1	D-73617
	63			1	D-73623
	75			1	D-73639
	80			1	D-73645
	38			6	Stainless wire 0.3mm
	50	1	D-76560		
	63	1	D-76576		
	75	1	D-76582		
	80	1	D-76598		
	38	6	Steel wire 0.3mm		
	50			1	D-39914
63	1			D-39920	
75	1			D-39936	
80			1	D-39942	

Wire brush for drill/ cup/ knotted



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★☆☆☆	65	1/4inch Hex MZ	Stainless wire 0.5mm	1	D-76691
	75			1	D-76700
	63	6	Steel wire 0.5mm	1	D-73798

Wire brush for drill/ wheel/ crimped



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★☆☆☆	38	1/4inch Hex MZ	Brass coated steel wire 0.3mm	1	D-73651
	50			1	D-73667
	63			1	D-73673
	75			1	D-73689
	100			1	D-73695
	38			6	Stainless wire 0.3mm
	50	1	D-76613		
	63	1	D-76629		
	75	1	D-76635		
	100	1	D-76641		
	38	6	Steel wire 0.3mm		
	50			1	D-39964
63	1			D-39970	
75	1			D-39986	
100			1	D-39992	

Wire brush for drill/ wheel/ knotted



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	75	1/4inch Hex MZ	Stainless wire 0.5mm	1	D-76716
	100			1	D-76722
	75	6	Steel wire 0.5mm	1	D-73813
	100			1	D-73829

Wire brush for drill/ end/ crimped



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	12	1/4inch Hex MZ	Brass coated steel wire 0.3mm	1	D-73704
	19			1	D-73710
	24			1	D-73726
	28			1	D-73732
	12			1	D-76657
	19			1	D-76663
	24	6	Stainless wire 0.3mm	1	D-76679
	28			1	D-76685
	12	6	Steel wire 0.3mm	1	D-40004
	19			1	D-40010
	25			1	D-40026
	30			1	D-40032

Wire brush for drill/ end/ knotted



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	12	1/4inch Hex MZ	Stainless wire 0.5mm	1	D-76738
	19			1	D-76744
	24			1	D-76750
	28			1	D-76766
	12	6	Steel wire 0.5mm	1	D-73835
	19			1	D-73841
	24			1	D-73857
	24			1	D-73857
	28			1	D-73863

Wire brush for drill assortment



Range	Note	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	Cup-Crimped:63,75mm, Wheel-Crimped:75,100mm	6	Steel wire 0.3mm	4	D-65729
	Cup-Crimped:50mm, End-Crimped:25mm, Wheel-Crimped:50mm			3	D-66070

Nylon brush for drill/ cup



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	50	6	Coarse	1	D-45509
	63			1	D-45515
	75			1	D-45521
	50			Fine	1
	63		1		D-45543
	75		1		D-45559

Nylon brush for drill/ wheel



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	38	6	Coarse	1	D-45565
	50			1	D-45571
	63			1	D-45587
	75			1	D-45593
	100			1	D-45602
	38			Fine	1
	50		1		D-45624
	63		1		D-45630
	75		1		D-45646
	100		1		D-45652

Nylon brush for drill/ end




Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	12	6	Coarse	1	D-45668
	17			1	D-45674
	24			1	D-45680
	30			1	D-45696
	12		Fine	1	D-45705
	17			1	D-45711
	24			1	D-45727
	30			1	D-45733

Nylon brush for drill assortment



Range	Note	Shaft mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	Cup:50mm, Wheel:50mm, End:24mm	6	Coarse	3	D-70742
			Fine	3	D-70758

Wire brush for wheel sander




Range	Outer dia. mm	Brush type	Sales pkg q'ty	Part No.
★★★★☆	100	Brass coated steel wire 0.3mm	1	D-73570
		Steel wire 0.3mm	1	D-73564

Nylon brush for wheel sander



Range	Outer dia. mm	Brush type	Grit	Sales pkg q'ty	Part No.
★★★★☆	100	Coarse	C60	1	D-73586
		Medium	C80	1	D-73592

Sponge pad/ high repulsion



Range	Outer dia. mm	Note	Type	Brush type	Sales pkg q'ty	Part No.
★★★★☆	125	Hook & Loop type	Flat	Coarse	1	D-62511
			Wave		1	D-62608
	Flat		1		D-62527	
	Wave		1		D-62614	
	190		Flat	1	D-74572	
	125		Flat	Medium	1	D-62549
			Wave		1	D-62636
	150		Flat		1	D-62555
			Wave		1	D-62642
	190		Flat	Fine	1	D-74588
	125		Flat		1	D-62577
			Wave		1	D-62664
	150		Flat		1	D-62583
			Wave	1	D-62670	
	190		Flat	1	D-70801	

Sponge pad/ low repulsion



Range	Outer dia. mm	Note	Type	Brush type	Sales pkg q'ty	Part No.
★★★★☆	120	Hook & Loop type	Flat	Coarse	1	D-74647
	150				1	D-74653
	190				1	D-70786
	120				Medium	1
	150			1		D-75976
	170			1		D-75982
	190			1		D-70792

Wool pad



Range	Outer dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	100	Hook & Loop type, for Hook & loop pad 197925-8	1	D-67000
	125	Hook & Loop type	1	D-70867
	150		1	D-65735
	180		1	D-74594

Wool pad/ double side



Range	Outer dia. mm	Note	Brush type	Sales pkg q'ty	Part No.
★★★★☆	230	Use with M14/M16 adapter, White	Coarse	1	D-70873
		Use with M14/M16 adapter, Yellow	Fine	1	D-70889

Felt pad



Range	Outer dia. mm	Note	Sales pkg q'ty	Part No.
★★★★☆	100	Hook & Loop type, for Hook & loop pad 197925-8	1	D-74603
	125	Hook & Loop type	1	D-74631
	150		1	D-74619
	190		1	D-74625

Bonded Abrasive



New Label design



Lot number and validity : on washer (If there is not on washer, there is on label)


Point 1 The icon tell that how to use.

	for metal	for INOX	for Masonry	for Aluminum
Grinding				
Cutting for grinder				
Cutting for portable cut-off			—	
Cutting for power cutter		—		—

Point 2 The marks tell the range in makita.



Point 3 How to read the spec.



Aluminum Oxide Group (mainly for metal & INOX)

Brown Fused Aluminum : A
The most common abrasive material for metal.



Single Aluminum Oxide : SA
Single crystal abrasive material with high tenacity.
Higher durability and grinding/cutting performance than A.




White Aluminum Oxide : WA
High purity abrasive material, eliminated extraneous elements from A. Higher grinding and cutting performance than A.



Alumina Zirconium : Z
Extremely sharp and hard abrasive material.
Grinding/cutting performance than SA.



Ceramic : 
Extremely sharp and high resistant to shock/heat/wear.
High grade abrasive material with excellent grinding performance and durability.

Silicon Oxide Group (mainly for non-metallic)


Black Silicon Carbide : C
The most common abrasive material for non-metal.





Green Silicon Carbide : GC
Higher purity than C, eliminated extraneous elements, thus having higher grinding and cutting performance than C, but a little lower durability than C.



Bonded Abrasive




Grit Size



Hardness of grinding wheel

Closer to A, softer grinding wheel is
Closer to Z, harder grinding wheel is
Soft grinding wheel ▶ Hard work piece
Hard grinding wheel ▶ Soft work piece





Very Soft	Soft	Middle	Hard	Very Hard
A - G	H - K	L - O	P - S	T - Z



Type of Bond

BF : Reinforced resinoid bond
V : Vitrified bond

Point 4 The color tell the application.

	for metal	for INOX	for Masonry	for Aluminum
color	 Blue	 Orange	 Green	 Gray

Grinding wheel/ metal/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.	
★★★★☆	Metal	100 (4)	4.0 (5/32)	16.00 (5/8)	A36P	1	A-80905	
					A24P	1	A-85391	
					A24R	1	A-87719	
		115 (4-1/2)	22.23 (7/8)	6.0 (1/4)	A36P	1	1	A-80911
						1	1	A-80927
						25	1	A-80927-25
						1	1	A-80933
						25	1	A-80933-25
						1	1	A-84981
		125 (5)	A24R	10	1	1	1	A-84981-10
						1	1	A-88886
						1	1	A-80949
		150 (6)	A36P	10	1	10	1	A-80949-10
						1	1	A-80955
						10	1	A-80955-10
180 (7)	A24P	16.00 (5/8)	1	1	1	D-65090		
				1	1	D-65090-25		
				1	1	D-18459		
★★★★☆	Metal	115 (4-1/2)	22.23 (7/8)	A24R	10	1	D-18459-10	
					20	1	D-18459-20	
					1	1	D-18465	
		20			1	D-18465-20		
		1			1	D-26163		
		1			1	D-18471		
125 (5)	A24P	16.00 (5/8)	1	1	1	D-18487		
				1	1	D-72883		
				1	1	D-82703		
★★★★☆	Metal	100 (4)	4.0 (5/32)	22.23 (7/8)	A24P	1	1	D-72241
						1	1	D-74485
						1	1	D-74491
		1				1	D-74500	
		1				1	D-74516	
		1				1	D-74522	
115 (4-1/2)	A24P	16.00 (5/8)	1	1	1	D-72883		
				1	1	D-82703		
				1	1	D-72241		
125 (5)	A24P	16.00 (5/8)	1	1	1	D-74485		
				1	1	D-74491		
				1	1	D-74500		
150 (6)	A24P	16.00 (5/8)	1	1	1	D-74516		
				1	1	D-74522		
				1	1	D-74522		
180 (7)	A24P	16.00 (5/8)	1	1	1	D-72883		
				1	1	D-82703		
				1	1	D-72241		
230 (9)	A24P	16.00 (5/8)	1	1	1	D-74485		
				1	1	D-74491		
				1	1	D-74500		

Grinding wheel/ stainless/ depressed




Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.				
★★★★☆	Stainless, Metal	100 (4)	6.0 (1/4)	22.23 (7/8)	WA36N	1	A-80852				
						A24R	1	B-21113			
						WA36N	25	A-80640-25			
		115 (4-1/2)			A24R	1	25	25	1	B-21129	
										25	A-80656-25
										1	A-80846
		125 (5)			WA36N	10	1	10	1	B-21129-25	
										1	A-80846-10
										1	B-21135
		150 (6)			A24R	1	1	1	1	A-80880	
										10	A-80880-10
										1	B-21141
		180 (7)			WA360	10	1	1	1	A-80896	
										10	A-80896-10
										10	A-80896-10
230 (9)	A24R	1	1	1	1	A-80896-10					
						1	A-80896-10				
						10	A-80896-10				

Grinding wheel/ stainless/ depressed/ for heavy industries



- 7.2mm thickness for Heavy Industries. It is suitable to use with a high power grinder.




Grinding wheel/ metal/ depressed with X-LOCK



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Thread	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	100 (4)	6.0 (1/4)	X-LOCK	A36P	1	E-00480
		115 (4-1/2)				1	E-00365
		125 (5)				1	E-00393

2. Longer Life



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	115 (4-1/2)	7.0 (9/32)	22.23 (7/8)	A24P (CERAMIC)	1	B-66911
		125 (5)			A24S	1	B-66927
★★★★☆	Stainless, Metal	115 (4-1/2)	7.2 (9/32)	22.23 (7/8)	AZ24N	1	B-56378
					A24S	1	B-56384
		125 (5)			AZ24N	1	B-56390
					A24S	1	B-56409
180 (7)	AZ24N	1	B-56415				

Grinding wheel/ stainless/ depressed with X-LOCK



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Thread	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless Metal	100 (4)	6.0 (1/4)	X-LOCK	WA36N	1	E-00496
		115 (4-1/2)				1	E-00371
		125 (5)				1	E-00402

Grinding wheel/ aluminum/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Aluminium	100 (4)	6.0 (1/4)	22.23 (7/8)	A36N	1	B-17706
		115 (4-1/2)				1	B-14560
		125 (5)				25	B-14560-25
		150 (6)				1	B-17653
						25	B-17653-25
		180 (7)				1	B-17669
		230 (9)				10	B-17669-10
						1	B-14576
						10	B-14576-10
		1				B-14582	
10	B-14582-10						

Flexible grinding wheel/ metal/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	100 (4)	2.0 (5/64)	16.00 (5/8)	AC46P	1	B-18203
					AC60P	1	A-85139
					AC80P	1	B-18219
					AC120P	1	B-18225
					AC36P	1	B-18231
					AC46P	1	B-18247
					AC60P	1	B-18253
					AC80P	1	B-18269
					AC36P	1	B-18275
					AC46P	1	B-18281
					AC60P	1	B-18297
					AC80P	1	B-18306
		115 (4-1/2)	AC36P	1	B-18312		
			AC46P	1	B-18328		
			AC60P	1	B-18334		
			AC80P	1	B-18340		
			AC36P	1	B-18356		
			AC46P	1	B-18362		
		125 (5)	AC60P	1	A-88490		
			AC80P	1	B-18378		
			AC36P	1	B-18384		
		180 (7)	AC46P	1	B-18390		
			AC60P	1	B-18409		
			AC80P	1	B-18415		
230 (9)	AC46P		1	B-18378			
	AC60P		1	B-18384			
	AC80P		1	B-18390			

Flexible grinding wheel/ stainless/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless Metal	100 (4)	2.0 (5/64)	16.00 (5/8)	WA46P	1	B-18421
					WA60P	1	B-18437
					WA80P	1	B-18443
					WA120P	1	B-18459
					WA36P	1	B-18465
					WA46P	1	B-18471
					WA60P	1	B-18487
					WA80P	1	B-18493
					WA36P	1	B-18502
					WA46P	1	B-18518
					WA60P	1	B-18524
					WA80P	1	B-18530
		115 (4-1/2)	WA36P	1	B-18546		
			WA46P	1	B-18552		
			WA60P	1	B-18558		
			WA80P	1	B-18574		
			WA36P	1	B-18580		
			WA46P	1	B-18596		
		125 (5)	WA60P	1	B-18605		
			WA80P	1	B-18611		
			WA36P	1	B-18627		
		180 (7)	WA46P	1	B-18633		
			WA60P	1	B-18649		
			WA80P	1	B-18655		
230 (9)	WA46P		1	B-18633			
	WA60P		1	B-18649			
	WA80P		1	B-18655			


Grinding wheel/ masonry/ depressed




Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Masonry	100 (4)	6.0 (1/4)	22.23 (7/8)	C24R	1	D-18493
		25				D-18493-25	
		115 (4-1/2)				1	D-18502
		125 (5)				1	D-18518
		230 (9)				1	D-18546

Flexible grinding wheel

1. Less noise
2. Low vibration
3. As flexible grinding wheel cause almost no tapping, it provides excellent workability
4. Wide range of Applications



Flexible grinding wheel/ stainless/ depressed/ ideal for Cordless angle grinder



1. Amount of grinding per 1 charged 70% up than grinding wheel/ stainless.
2. Vibration 60% off than grinding wheel/ stainless.



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	100 (4)	4.0 (5/32)	16.00 (5/8)	WA36P	1	B-52392
		115 (4-1/2)		22.23 (7/8)		1	B-49775
		125 (5)		1		B-53110	

Flexible grinding wheel/ masonry/ depressed



1. GC grain



Contains GC (Green Silicon Carbide) grain which is specialized to grind stone/glass.

2. Ground surface



A rough ground surface releases dust smoothly and reduces clogging.

3. Flexible



Original manufacturing method realized high flexibility. Clean surface is available.

Application

1. Chamfering of marble



2. Grinding marble's curved surface



3. Deburring of glass



*Always use with back-up pad.

Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Masonry	100 (4)	2.0 (5/64)	16.00 (5/8)	GC46	1	B-18661
					GC60	1	B-18677
					GC80	1	B-18683
					GC120	1	B-18699
					GC36	1	B-18708
			3.0 (1/8)		GC60P	1	B-51356
					GC80P	1	B-51362
					GC120P	1	B-51378

Back up pad for flexible grinding wheel



Range	Note	Sales pkg q'ty	Part No.
★★★★☆	Back Up Pad for 100mm	1	B-20476
	Back Up Pad for 115/125mm	1	B-20482
	Back Up Pad for 180mm	1	B-20498
	Back Up Pad for 230mm	1	B-20507

Cut-off wheel/ metal/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	100 (4)	2.0 (5/64)	16.00 (5/8)	A46S	1	A-85123
		115 (4-1/2)				1	A-85298
		125 (5)				25	A-85307-25
		180 (7)				1	A-85313
		230 (9)				25	A-85313-25
		A30R			1	A-85329	
					25	A-85329-25	
					1	A-85335	
					25	A-85335-25	
					★★☆☆☆	Metal	100 (4)
115 (4-1/2)	50	D-18655-50					
125 (5)	1	D-18661					
150 (6)	50	D-18661-50					
180 (7)	1	D-18677					
A30S	50	D-18677-50					
	1	D-18683					
	1	D-18683					
	50	D-18683-50					
	1	D-18699					

Cut-off wheel/ metal/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	100 (4)	3.0 (1/8)	16.00 (5/8)	A30T	1	A-83587
		115 (4-1/2)				1	A-83593
		125 (5)				1	B-21200
		150 (6)				1	E-17996
		180 (7)				1	A-83602
		A30T			1	B-05050	
					1	A-83618	
					1	A-83624	
					1	B-62913	
					★★☆☆☆	Metal	100 (4)
115 (4-1/2)	1	D-18568					
125 (5)	1	D-18574					
150 (6)	1	D-29418					
180 (7)	1	D-18580					
A30S	230 (9)	1	D-18596				

Cut-off wheel/ stainless/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★☆☆☆☆	Stainless, Metal	100 (4)	3.0 (1/8)	16.00 (5/8)	A30S	1	D-79996
		115 (4-1/2)				1	D-80008
		125 (5)		1		D-80014	
		180 (7)		1		D-80020	
		230 (9)		1		D-80036	

Thin cut-off wheel/ stainless metal/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	100 (4)	1.6 (1/16)	16.00 (5/8)	A36S	1	B-45749
		115 (4-1/2)				1	B-45755
		125 (5)		1		B-46931	
		180 (7)		1		B-60458	
		230 (9)		1		B-60464	

Cut-off wheel/ masonry/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Masonry	100 (4)	3.0 (1/8)	16.00 (5/8)	C30T	1	A-86739
		115 (4-1/2)				25	A-85363-25
		125 (5)		25		A-85379-25	
		180 (7)		25		A-85385-25	
		230 (9)		25		A-85385-25	
★★★☆☆	Masonry	100 (4)	3.0 (1/8)	16.00 (5/8)	C30S	1	D-18708
		115 (4-1/2)				1	D-18714
		125 (5)		1		D-18720	
		180 (7)		1		D-18736	
		230 (9)		1		D-18742	

Thin cut-off wheel/ stainless/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.			
★★★★☆	Stainless, Metal	100 (4)	1.0 (3/64)	16.00 (5/8)	A60V	1	E-17108			
						12	E-17108-12			
						25	E-17108-25			
						1	E-17114			
						12	E-17114-12			
		25	E-17114-25							
		1	E-17120							
		12	E-17120-12							
		25	E-17120-25							
		1	E-22458							
		1	E-22464							
		1	E-22470							
		★★★☆☆	Stainless, Metal	100 (4)		1.0 (3/64)	16.00 (5/8)	WA46R	1	D-65947
									10	D-65947-10
									12	D-65947-12
1	D-74871									
1	D-18758									
100	D-18758-100									
1	D-65953									
10	D-65953-10									
12	D-65953-12									
50	D-65953-50									
25	D-72001-25									
50	D-72001-50									
1	D-18764									
10	D-18764-10									
100	D-18764-100									
50	D-18764-50									
★★★☆☆	Stainless, Metal	115 (4-1/2)	1.2 (3/64)	22.23 (7/8)	WA60T	1	D-65969			
						10	D-65969-10			
						12	D-65969-12			
						50	D-65969-50			
						25	D-72001-25			
		50	D-72001-50							
		1	D-18770							
		10	D-18770-10							
		100	D-18770-100							
		50	D-18770-50							
		1	D-78265							
		1	D-29424							
		1	D-18786							
		1	D-65975							
		1	D-18792							
★★★★☆	Stainless, Metal	100 (4)	1.0 (3/64)	16.00 (5/8)	WA46R	1	D-75518			
						1	D-77148			
						1	D-75524			
						50	D-75524-50			
						1	D-75530			
		50	D-75530-50							
		1	D-77154							
		1	D-75546							
		1	D-77160							
		1	D-75552							
		1	D-77176							
		1	D-75568							
		1	D-77182							

Cut-off wheel/ masonry/ depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Masonry	100 (4)	3.0 (1/8)	16.00 (5/8)	C30T	1	A-86745
		115 (4-1/2)				1	A-85254
		125 (5)		1		A-85260	
		180 (7)		1		A-85276	
		230 (9)		1		A-85282	
★★★☆☆	Masonry	125 (5)	3.0 (1/8)	22.23 (7/8)	C30S	1	D-18627
		180 (7)				1	D-18633
		230 (9)		1		D-18649	

Thin cut-off wheel/ metal/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	115 (4-1/2)	1.6 (1/16)	22.23 (7/8)	A46U	1	B-14102
		10				B-14102-10	
		1				B-35134	

Thin cut-off wheel/ stainless/ flat with X-LOCK



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Thread	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	100(4)	1.2 (3/64)	X-LOCK	A60T	1	E-00505
		115(4-1/2)				1	E-00387
		125(5)				1	E-00418

Thin cut-off wheel/ stainless/ depressed




Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	100 (4)	1.2 (3/64)	16.00 (5/8)	WA60T	1	D-18801
		115 (4-1/2)				1	D-18817
		125 (5)	1.6 (1/16)	22.23 (7/8)	WA46T	1	D-18823
		180 (7)	2.0 (5/64)			1	D-18839
		230 (9)				1	D-18845

Ultra thin cut-off wheel/ stainless/ flat




1. Long life

New thickness 0.8mm cut-off wheel (Grit : Z60V) use to bond stronger than current item (Grit : Z60U). So the life length will be increased for 185%.



2. Less burr of materials



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.				
★★★★☆	Stainless, Metal	100 (4)	0.8 (1/32)	16.00 (5/8)	Z60V	1	E-22931				
						12	E-22931-12				
						25	E-22931-25				
						1	E-22947				
						12	E-22947-12				
						25	E-22947-25				
		115 (4-1/2)	22.23 (7/8)	1	E-22953						
						12	E-22953-12				
						25	E-22953-25				
						125 (5)	22.23 (7/8)	2.0 (5/64)	SA46P	1	B-51649
										1	B-50360
										1	B-51655

Thin cut-off wheel/ multi material/ flat




Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
Specialized	Multi material	100 (4)	1.2 (3/64)	16.00 (5/8)	C46T	1	E-10702
		115 (4-1/2)				1	E-10718
		125 (5)				1	E-10724

Grinding wheel/ metal/ depressed/ 2in1



1. Grinding and cutting with one wheel.
2. Time and cost saving thanks to its efficient workability.
3. Recommendable from DIY to professional.



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	100 (4)	3.2 (1/8)	16.00 (5/8)	A36T	1	B-21222
		115 (4-1/2)				1	B-21238
		125 (5)	22.23 (7/8)	1		B-21244	
		180 (7)		4.0 (5/32)		1	B-21250

Grinding wheel/ stainless/ depressed/ 2in1/ ideal for Cordless angle grinder



1. Cutting speed 10%up than 2in1 wheel.
2. Number of cut with 1 charge 80%up than 2in1 wheel.



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	100 (4)	2.2 (5/64)	16.00 (5/8)	SA46P	1	B-51649
						115 (4-1/2)	1
		125 (5)	2.2 (5/64)	22.23 (7/8)		1	B-51655

Cut-off wheel for portable cut-off/ metal




Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	305 (12)	3.0 (1/8)	25.40 (1)	A36P	25	A-87650-25
						25	A-88456-25
					A30P	25	B-16891-25
						5	B-16891-5
		A30R			5	B-20753-5	
		A30Q			25	B-20775-25	
					25	A-87585-25	
					25	A-87672-25	
					5	A-87672-5	
					25	A-89545-25	
					5	A-89545-5	
					25	A-89953-25	
					5	A-89953-5	
		A36P			25	B-10665-25	
					5	B-10665-5	
					25	B-10730-25	
	5	B-10730-5					
	25	B-19881-25					
	5	B-19881-5					
	25	A-87694-25					
	25	A-88478-25					
★★★☆☆		405 (16)			A36T	25	E-10540-25
★★★★☆			355 (14)		A30Q	25	D-81016-25
				2.8 (7/64)			

Cut-off wheel for portable cut-off/ stainless



1. The optimum bonding

Heat-resistance property provides long life.



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	305 (12)	3.0 (1/8)	25.40 (1)	A30P	25	B-64571-25
						5	B-64571-5
		355 (14)	2.8 (7/64)			25	B-64565-25
						5	B-64565-5

Cut-off wheel for portable cut-off/ aluminum



1. Minimize clogging

Minimize clogging which caused by the heat when you cut-off the material by adding special additive to the cut-off wheel.

Clog will occur when you cut aluminum with cut-off wheel which is not for aluminum



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
Specialized	Aluminium	305 (12)	3.0 (1/8)	25.40 (1)	AC30P	25 5	E-04961-25 E-04961-5

Cut-off wheel for portable cut-off/ aluminum/ ideal for Cordless portable cut-off



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
Specialized	Aluminium	355 (14)	2.8 (7/64)	25.40 (1)	AC30P	25 5	E-04977-25 E-04977-5

Cut-off wheel for portable cut-off/ metal/ fast cut



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	355 (14)	3.0 (1/8)	25.40 (1)	A30P	25 5	B-64353-25 B-64353-5

Cut-off wheel for portable cut-off/ metal stud/ ideal for Cordless portable cut-off



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
Specialized	Metal stud	355 (14)	2.5 (3/32)	25.40 (1)	A36P	25 5	B-64696-25 B-64696-5

Thin cut-off wheel for portable cut-off/ metal




1. Ideal for cordless tools

2.5mm thickness blade for smooth and fast cutting.

The optimum bonding for fast cutting and longer life.

2.5 mm

2. Thinner blade & the optimum bonding



B-49448: For high voltage machine
 B-57607: For low voltage machine

Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	355 (14)	2.5 (3/32)	25.40 (1)	A36P	25	B-49448-25
						5	B-49448-5
					A36N	25	B-57607-25
						5	B-57607-5
★★★★☆			2.4 (3/32)		A30Q	25	B-20769-25
						5	B-20769-5

Thin cut-off wheel/ stainless/ flat/ ideal for Cordless power cutter



Range	Work material	Outer dia. mm (inch)	Thickness mm	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal	230 (9)	2.0	22.23 (7/8)	WA36R	1	E-03006
						25	E-03006-25

Cut-off wheel for power cutter/ metal/ ideal for Cordless power cutter



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Metal	355 (14)	4.3 (11/64)	25.40 (1)	A24T	5	E-12790-5

Cut-off wheel for power cutter/ masonry/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★★★☆	Masonry	355 (14)	4.3 (11/64)	25.40 (1)	C24T	5	E-16966-5

Thin cut-off wheel for Cordless compact cut-off/ stainless metal/ flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.
★★☆☆☆	Stainless, Metal	76 (3)	1.0 (3/64)	10.00	WA46S	5	D-74815-5
				9.50 (3/8)		5	D-75661-5

Grinding wheel for straight grinder



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.	
★★☆☆☆	Metal	125 (5)	20.0 (13/16)	20.00 (13/16)	A24P	1	B-28662	
					A36P	1	B-28678	
					A24P	1	B-28684	
		150 (6)			12.70 (1/2)	A24P	1	B-34017
					20.00 (13/16)	A36P	1	B-28690

Grinding wheel for bench grinder



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg q'ty	Part No.	
★★☆☆☆	Metal	150 (6)	6.4 (1/4)	12.70 (1/2)	A60M	1	A-47195	
						1	B-51895	
					A36M	1	B-51904	
					A60M	1	B-51910	
	Non-Ferrous Stainless, Metal	205 (8)	19.0 (3/4)	15.88 (5/8)	GC120H	1	B-51932	
					WA60K	1	B-51926	
	Metal					A36P	1	B-51948
						A60P	1	B-51954
						GC120H	1	B-51976
						WA60K	1	B-51960

Tungsten carbide burrs/ mm type



Standard cut

<Feature> High efficiency
 <Surface> Smooth
 <Material> Metal, Stainless



Diamond cut

<Feature> Less vibration
 <Surface> Rough
 <Material> Metal, Stainless



Non-ferrous cut

<Feature> Less clogging up
 <Surface> Rough
 <Material> Non-ferrous, Plastic



Shape and application

Shape : SA



Shape : SC



Shape : SF



Shape : SL



Shape : SM



Clean the burrs on inox



Deburr of aluminium



Wipe the welding line between steel plate



Wheel point



Range	Shank mm	Shape	Grit	Bit dia. mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	3	Cylinder	A60P	5	13.0	10	794050-2
			WA60P			10	794054-4
			A60P	6		10	794051-0
			WA60P			10	794055-2
			A60P	8		10	794052-8
			WA60P			10	794056-0
		A60P	10	10	794053-6		
		WA60P		10	794057-8		
		Sphere	A60P	5	5.0	10	794058-6
				10	10.0	10	794059-4

Dressing stone



Range	Work material	Grit	Note	Sales pkg q'ty	Part No.
★★★★☆	Metal	A1200	180x70mm	1	794060-9
			150x70mm	1	794061-7
		GC600	100x25mm	1	794063-3
			100x16mm	1	A-24642

Range	Shank mm	Shape	Grit	Bit dia. mm	Working length mm	Sales pkg q'ty	Part No.
★★★★☆	6	SA	Standard cut	10	20	1	B-52716
			Diamond cut			1	B-52722
			Non-ferrous cut			1	B-52738
		SC	Standard cut			1	B-52744
			Diamond cut			1	B-52750
			Non-ferrous cut			1	B-52766
		SF	Standard cut			1	B-52772
			Diamond cut			1	B-52788
			Non-ferrous cut			1	B-52794
		SL	Standard cut			1	B-52803
			Diamond cut			1	B-52819
			Non-ferrous cut			1	B-52825
		SM	Standard cut			1	B-52831
			Diamond cut			1	B-52847
			Non-ferrous cut			1	B-52853

Coated Abrasive



New Label design



Point 1 The icon tell that how to use.

	for metal	for INOX	for Masonry
Grinding			

Point 2 The marks tell the range in makita.



performance more good

Point 3 Grain and Grit

Z60

EN13743

005821

Aluminum Oxide Group (mainly for metal & INOX)

Grain

Brown Fused Aluminum : A
The most common abrasive material for metal.

Alumina Zirconium : Z
Extremely sharp and hard abrasive material. Grinding/cutting performance than SA.

Silicon Oxide Group (mainly for non-metallic)

Black Silicon Carbide : C
The most common abrasive material for non-metal.

Z60

EN13743

005821




Grit Size

36 60 80 120 180

Coarse

Fine

Point 4 The color tell the application.

	for metal	for INOX	for Masonry
color	 Blue	 Orange	 Green

Backing Type




Fiber glass backing
Standard backing type




Nylon backing
For heavy duty

Shape Type














Flat
Effective for flat surface



Angled
Effective for angles or corners

Material chart

AA : Recommended A : Acceptable

Description of Grit material	 Aluminum oxide	 Zirconia alumina	 Silicon carbide
Description of label color	Best for metal 	Best for INOX and metal 	Best for Masonry 
Plastic 	A		
Metal 	AA	AA	
No ferrous 	A	A	
INOX 		A	
Masonry 			AA

*After reading instruction manual of grinder, please chose work material.

Flap disc aluminum oxide/ fiberglass backing/ angled




Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.		
★★★★☆	Metal, Non-ferrous, PVC	100	16.00	A36	1	D-26973		
				A40	1	D-26989		
				A60	1	D-26995		
				A80	1	D-27006		
				A120	1	D-27012		
		115	22.23	A36	1	D-27028		
				A40	1	D-27034		
				A60	1	D-27040		
				A80	1	D-27056		
				A120	1	D-27062		
		125	22.23	A36	1	D-27078		
				A40	1	D-27084		
				A60	1	D-27090		
				A80	1	D-27109		
				A120	1	D-27115		
		180	22.23	A36	1	D-27121		
				A40	1	D-27137		
				A60	1	D-27143		
				A80	1	D-27159		
				A120	1	D-27165		
		★★★★☆	Metal, Non-ferrous, PVC	100	16.00	A40	1	D-63395
						A60	1	D-63404
						A80	1	D-63410
						A120	1	D-63426
115	22.23			A40	1	D-63432		
				A40	10	D-63432-10		
				A60	1	D-63448		
				A60	10	D-63448-10		
				A80	1	D-63454		
				A80	10	D-63454-10		
				A120	1	D-63460		
				A120	10	D-63460-10		
125	22.23	A40	1	D-63476				
		A60	1	D-63482				
		A80	1	D-63498				
		A120	1	D-63507				
180	22.23	A40	1	D-63513				
		A60	1	D-63529				
		A80	1	D-63535				
		A120	1	D-63541				

Flap disc zirconia aluminum/ fiberglass backing/ angled/ for heavy industries




- High efficiency
 - Long life
 - Suitable for Industry use
- High-speed Grinding with high-power grinder.

Efficiency



Life



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous	125	22.23	Z120	1	B-53958
				Z80	1	B-55669
		180	Z120	1	B-55675	

Flap disc zirconia aluminum/ fiberglass backing/ angled



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.				
★★★★☆	Stainless, Metal, Non-ferrous	100	16.00	Z36	1	D-27377				
				Z40	1	D-27383				
				Z60	1	D-27399				
				Z80	1	D-27408				
		115	22.23	115	22.23	Z120	1	D-27414		
						Z36	1	D-27420		
						Z40	1	D-27436		
						Z60	1	D-27442		
				125	22.23	125	22.23	Z80	1	D-27458
								Z120	1	D-27464
								Z36	1	D-27470
								Z40	1	D-27486
		180	22.23	180	22.23	Z60	1	D-27492		
						Z80	1	D-27501		
						Z120	1	D-27517		
						Z36	1	D-27523		
				100	16.00	100	16.00	Z40	1	D-27539
								Z60	1	D-27545
								Z80	1	D-27551
								Z120	1	D-27567
★★★★☆	Metal, Non-ferrous, PVC	100	16.00	Z40	1	D-63703				
				Z60	1	D-63719				
				Z80	1	D-63725				
				Z120	1	D-63731				

Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.
★★★★★	Stainless, Metal, Non-ferrous	115	22.23	Z40	1	D-63747
					10	D-63747-10
				Z60	1	D-63753
					10	D-63753-10
				Z80	1	D-63769
					10	D-63769-10
		Z120		1	D-63775	
				10	D-63775-10	
		Z40		1	D-63781	
		Z60		1	D-63797	
		Z80		1	D-63806	
		Z120		1	D-63812	
125	Z40	1	D-63828			
	Z60	1	D-63834			
	Z80	1	D-63840			
	Z120	1	D-63856			
180	Z40	1	D-63828			
	Z60	1	D-63834			
	Z80	1	D-63840			
	Z120	1	D-63856			

Flap disc zirconia aluminum/ fiberglass backing/ flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.
★★★★★	Stainless, Metal, Non-ferrous	100	22.23	Z40	1	D-74142
				Z60	1	D-74158
				Z80	1	D-74164
				Z120	1	D-74170
		115		Z40	1	D-74186
				Z60	1	D-74192
				Z80	1	D-74201
				Z120	1	D-74217
		125		Z40	1	D-74223
				Z60	1	D-74239
				Z80	1	D-74245
				Z120	1	D-74251
		180		Z40	1	D-74267
				Z60	1	D-74273
				Z80	1	D-74289
				Z120	1	D-74295

Flap disc zirconia aluminum/ fiberglass backing/ angled with X-LOCK



Range	Work material	Outer dia. mm	Thread	Grit	Sales pkg q'ty	Part No.
★★★★★	Stainless, Metal, Non-ferrous	125	X-LOCK	Z36	1	D-75998
				Z40	1	D-76009
				Z60	1	D-76015
				Z80	1	D-76021
				Z120	1	D-76037

Flap disc silicon carbide/ fiberglass backing/ flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.
★★★★★	Masonry	115	22.23	C40	1	D-28036
				C60	1	D-28042
				C80	1	D-28058
				C120	1	D-28064
				C36	1	D-28070
				C40	1	D-28086
		125		C60	1	D-28092
				C80	1	D-28101
				C120	1	D-28117

Flap disc / fiberglass backing/ angled assortment



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.
★★★★★	Stainless, Metal, Non-ferrous	125	22.23	Z40 Z60 Z80	15	D-82024

Flexible flap disc aluminum oxide/ flat



High flexibility



Suitable for grinding on CURVE/EDGE/CORNER surface.



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg q'ty	Part No.
★★★★★	Metal, Non-ferrous, PVC	100	16.00	A40	1	D-62686
				A60	1	D-62692
				A80	1	D-62701
				A120	1	D-62717

Strip disc

Special tool for stripping work

Grit (SiC)

It is covered with glue with Sic (Silicon Carbide), so it enables you to grind quickly with less power.

Fiber

Entangled fiber acts at a cushion material and prevents from grinding too much and scratching steel.

The surface condition of strip disc is the finest.



Removing Paint, Removing Rust, Removing blue weld discoloration



Strip disc/ fiberglass backing/ long life



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Metal,	100	22.23	1	B-29000
	Stainless,	115		1	B-29016
	Non-ferrous	125		1	B-29022

Strip disc/ nylon backing/ long life



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Metal, Stainless, Non-ferrous	100	22.23	1	B-36245
		115		1	B-36251
		125		1	B-36267
		180		1	B-36273

Strip disc/ fiberglass backing



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Metal, Stainless, Non-ferrous	100	22.23	1	B-28961
		115		1	B-28977
		125		1	B-28983

Strip disc/ nylon backing



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Metal, Stainless, Non-ferrous	115	22.23	1	B-29050
		125		1	B-29066

Surface conditioning flap disc


1. Grinding and surface conditioning of metal in one step.
2. Suitable for polishing after grinding by flap disc.
3. Usable for stainless and metal.

How to use



Removing blue weld discoloration Removing Rust

Polishing after grinding by flap disc



Surface conditioning flap disc/ angled/ coarse



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40755
		125		1	B-40799

Surface conditioning flap disc/ angled/ medium



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40761
		125		1	B-40808

Surface conditioning flap disc/ angled/ fine



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40777
		125		1	B-40814

Surface conditioning flap disc/ flat/ very fine



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40945

Surface conditioning flap disc/ angled/ very fine



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40783
		125		1	B-40820

Flap wheel aluminum oxide with 6mm shank



Range	Work material	Outer dia. mm	Shank mm	Grit	Sales pkg q'ty	Part No.	
★★★★☆	Wood, Metal, PVC	30.0	6.0	A40	1	D-75297	
				A60	1	D-75306	
				A80	1	D-75312	
				A120	1	D-75328	
				A40	1	D-75334	
				A60	1	D-75340	
		40.0		A80	1	D-75356	
				A120	1	D-75362	
				50.0	A40	1	D-75219
					A40	1	D-75378
					A40	1	D-75792
					A60	1	D-75225
		A60			1	D-75384	
		A60			1	D-75801	
		60.0		A80	1	D-75311	
				A80	1	D-75390	
				A80	1	D-75817	
				A120	1	D-75247	
				A120	1	D-75409	
				A120	1	D-75823	
		60.0		A40	1	D-75253	
				A40	1	D-75839	
				A60	1	D-75269	
				A60	1	D-75845	
A80	1		D-75275				
A80	1		D-75851				
60.0	A120	1	D-75281				
	A120	1	D-75867				

Surface conditioning flap disc/ flat/ coarse



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40917

Surface conditioning flap disc/ flat/ medium



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40923

Surface conditioning flap disc/ flat/ fine



Range	Work material	Outer dia. mm	Inner dia. mm	Sales pkg q'ty	Part No.
★★★★☆	Stainless, Metal, Non-ferrous, Paint	115	22.23	1	B-40939

Fiber sanding disc/ wet




Range	Work material	Size mm	Grit	Model No.	Sales pkg q'ty	Part No.
★★★★☆	Marble, Granite	125x22	C50	PK5001C, PK5011C	10	B-14532
			C120	PK5001C, PK5011C	10	B-14554

Accessory for DPV300 / PV301D (Sander Polisher)

How to use

1. Use with adapter (743126-2)
2. Use with pad (743124-6)



Fiber sanding disc for DPV300



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Metal, Stainless	50	A60	Use with adapter (Part No.743126-2) and pad (Part No.743124-6)	25	E-07412
			A80		25	E-07428
			A120		25	E-07434
			Z60		25	E-07440
			Z80		25	E-07456

Surface conditioning disc for DPV300



Range	Work material	Outer dia. mm	Grit type	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Paint	50	Hard	Coarse (A80)	Use with adapter (Part No.743126-2) and pad (Part No.743124-6)	25	E-07462
				Medium (A120)		25	E-07478
				Fine (A240)		25	E-07484
				Medium (A120)		25	E-07490
				Fine (A180)		25	E-07509
			Soft	Very fine (A320)		25	E-07515

Net sanding disc/ wood/ metal




Net sanding



<Cautions for use>


Attaching the sanding net directly to the product pad may damage the pad due to its permeable texture. The pad can be protected by using a pad saver.



Less clogging *After putty sanding

Current

Sanding paper



New

Net sanding



High sanding efficiency

Current Sanding paper

100

100% UP

New Net sanding

200

Range	Work material	Outer dia. mm (inch)	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	125 (5)	A80	Hook & Loop	10	D-78651
			A120		10	D-78667
			A180		10	D-78673
			A240		10	D-78689
			A320		10	D-78695
			A80		10	D-78710
		150 (6)	A120		10	D-78726
			A180		10	D-78732
			A240		10	D-78748
			A320		10	D-78754

Pad saver/ for net sanding disc



Range	Outer dia. mm (inch)	Fastening	Sales pkg q'ty	Part No.
★★★★☆	125 (5)	Hook & Loop	2	D-78704
	150 (6)		2	D-78760

Net sanding disc/ drywall



Range	Work material	Outer dia. mm (inch)	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Drywall	225 (8-7/8")	A80	Hook & Loop	5	D-82214
			A120		5	D-82220
			A180		5	D-82236
			A240		5	D-82242
			A320		5	D-82258

Pad saver for Cordless drywall sander/ for net sanding disc



Range	Outer dia. mm (inch)	Fastening	Sales pkg q'ty	Part No.
★★★★☆	210 (8-1/4")	Hook & Loop	2	D-82264

Abrasive disc/ wood



Range	Work material	Outer dia. mm (inch)	Grit	Holes	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	150 (6)	A40	15	Hook & Loop	10	B-51415
			A60			10	B-51421
			A80			10	B-51437
			A100			10	B-51443
			A120			10	B-51459
			A180			10	B-51465
			A240			10	B-51471
			A320			10	B-51487
			A400			10	B-51493
			★★★★☆			Wood, Paint, Metal	125 (5)
A40	50	D-54673					
A60	10	D-54140					
A60	50	D-54689					
A80	10	D-54156					
A80	50	D-54695					
A100	10	D-54162					
A100	50	D-54704					
A120	10	D-54178					
A120	50	D-54710					
A150	10	D-54184					
A150	50	D-54726					
A180	10	D-54190					
A180	50	D-54732					
A240	10	D-54209					
A240	50	D-54748					
A320	10	D-54215					
A320	50	D-54754					
A60, A120, A240, A320	20	D-77229					
★★★★☆	Wood, Paint, Metal	150 (6)		A40	15		
			A40	50		D-54760	
			A60	10		D-54592	
			A60	50		D-54776	
			A80	10		D-54601	
			A80	50		D-54782	
			A100	10		D-54617	
			A100	50		D-54798	
			A120	10		D-54623	
			A120	50		D-54807	
			A150	10		D-54639	
			A150	50		D-54813	
			A180	10		D-54645	
			A180	50		D-54829	
			A240	10		D-54651	
			A240	50		D-54835	
			A320	10		D-54667	
			A320	50		D-54841	
			A60, A120, A240, A320	20		D-77235	

Abrasive disc/ wood/ metal



Range	Work material	Outer dia. mm (inch)	Grit	Holes	Fastening	Sales pkg q'ty	Part No.	
★★★★☆	Wood, Paint, Metal, Fiberglass, Carbody	150 (6)	A40	15	Hook & Loop	100	B-39300	
			A60			100	B-39316	
			A80			100	B-39322	
			A100			100	B-39338	
			A120			100	B-39344	
			A240			100	B-39350	
			A320			100	B-39366	
			A360			100	B-39372	
			A400			100	B-39388	
			A500			100	B-39394	
	A600	100	B-39403					
	A800	100	B-39419					
	A1000	100	B-39425					
	Wood, Paint, Metal			WA60	9	Hook & Loop	10	794608-7
				WA80			10	794609-5
				WA120			10	794610-0
				WA180			10	794611-8
				WA240			10	794612-6
				WA400			10	794613-4

Abrasive disc/ paint



Range	Work material	Outer dia. mm (inch)	Grit	Holes	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Paint, Wood, Metal	150 (6)	A40	15	Hook & Loop	10	B-51502
			A60			10	B-51518
			A80			10	B-51524
			A100			10	B-51530
			A120			10	B-51546
			A180			10	B-51552
			A240			10	B-51568
			A320			10	B-51574
			A400			10	B-51580
			★★★★☆			Paint, Wood, PVC	125 (5)
A60	10	D-65822					
A80	10	D-65838					
A100	10	D-65844					
A120	10	D-65850					
A150	10	D-65866					
A180	10	D-65872					
A240	10	D-65888					
A320	10	D-65894					
A400	10	D-65903					

Abrasive disc/ drywall



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Drywall	225	A40	9	Hook & Loop	25	B-68389
			A80	9		25	B-68395
			A120	9		25	B-68404
			A150	9		25	E-02375
			A180	9		25	B-68410
			A220	9		25	E-02381
			A320	9		25	B-68426

Abrasive belt/ wood



Range	Work material	Size mm	Grit	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	30x533	A40	5	D-67066
			A60	5	D-67072
			A80	5	D-67088
			A100	5	D-67094
			A120	5	D-67103
			A150	5	D-67119
			A180	5	D-67125
		A240	5	D-67131	
		76x457	A40	3	D-59184
			A60	3	D-59190
			A80	3	D-59209
			A100	3	D-59215
			A120	3	D-59221
			A150	3	D-59237
			A180	3	D-59243
		76x533	A240	3	D-59259
			A40	3	D-59265
			A60	3	D-59271
			A80	3	D-59287
			A100	3	D-59293
			A120	3	D-59302
			A150	3	D-59318
		76x610	A180	3	D-59324
			A240	3	D-59330
A40	3		D-67147		
A60	3		D-67153		
A80	3		D-67169		
A100	3		D-67175		
A120	3		D-67181		
100x610	A150	3	D-67197		
	A180	3	D-67206		
	A240	3	D-67212		
	A40	3	D-59346		
	A60	3	D-59352		
	A80	3	D-59368		
	A100	3	D-59374		
	A120	3	D-59380		
	A150	3	D-59396		
	A180	3	D-59405		
	A240	3	D-59411		

Abrasive belt/ wood/ metal



Range	Work material	Size mm	Grit	Sales pkg q'ty	Part No.
★★★★☆	Wood, Metal, Paint	20x2240	A80	5	B-42581
			A120	5	B-42597
		6x533	A40	10	A-34512
			A60	10	A-34528
			A80	10	A-34534
			A100	10	A-34540
			A120	10	A-34556
		9x533	A40	10	A-34447
			A60	10	A-34453
			A80	10	A-34469
			A100	10	A-34475
			A120	10	A-34481
		13x533	A40	10	A-34562
			A60	10	A-34578
			A80	10	A-34584
			A100	10	A-34590
			A120	10	A-34609
		30x533	A40	10	A-23852
			A60	10	A-23868
			A120	10	A-23896
		100x610	WA40	5	794133-8
			WA60	5	794134-6
			WA80	5	794135-4
			WA100	5	794136-2
WA120	5		794137-0		
WA150	5		794138-8		
WA180	5		794222-9		
WA240	5		794139-6		

Abrasive belt/ stone/ plastic




Range	Work material	Size mm	Grit	Sales pkg q'ty	Part No.
★★★★☆	Stone, Plastics	30x533	C40	10	A-23927

Net sanding sheet/ wood/ metal



Range	Work material	Size mm (inch)	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	80x130 (3-1/8x5-1/8)	A80	Hook & Loop	10	D-78776
			A120		10	D-78782
			A180		10	D-78798
			A240		10	D-78807
			A320		10	D-78813
			A80		10	D-78835
		93x185 (3-5/8x7-1/4)	A120	10	D-78841	
			A180	10	D-78857	
			A240	10	D-78863	
			A320	10	D-78879	

Pad saver/ for net sanding sheet



Range	Size mm (inch)	Fastening	Sales pkg q'ty	Part No.
★★★★☆	80x130 (3-1/8x5-1/8)	Hook & Loop	2	D-78829
	93x185 (3-5/8x7-1/4)		2	D-78885

Abrasive paper/ wood



Range	Work material	Size mm	Grit	Holes	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	114x102	A40	6	Hook & Loop	10	D-58665
			A60			10	D-58671
			A80			10	D-58687
			A100			10	D-58693
			A120			10	D-58702
			A150			10	D-58718
			A180			10	D-58724
			A240			10	D-58730
			A320			10	D-58746

Abrasive paper/ wood/ metal



Range	Work material	Size mm	Grit	Holes	Fastening	Sales pkg q'ty	Part No.		
★★★★☆	Wood, Paint, Metal	93x228	WA60	-	Clamp	10	794156-6		
			WA80			10	794471-8		
			WA100			10	794157-4		
			WA150			10	794158-2		
		114x140	WA60			10	794216-460		
			WA80			10	794469-5		
			WA100			10	794215-660		
			WA150			10	794214-8		
		114x280	WA60			10	794210-6		
			WA80			10	794470-0		
			WA100			10	794209-1		
			WA120			10	794212-2		
			WA150			10	794213-0		
			WA180			10	794211-4		
		115x232	WA150			10	Hook & Loop	5	A-14174
		115x280	WA80			10	Clamp	10	A-14071

Abrasive paper/ paint



Range	Work material	Size mm	Grit	Holes	Fastening	Sales pkg q'ty	Part No.				
★★★★☆	Paint, Wood, Metal	80x130	A40	8	Hook & Loop	10	E-23494				
			A60			10	E-23503				
			A80			10	E-23519				
			A100			10	E-23525				
			A120			10	E-23531				
			A150			10	E-23547				
			A180			10	E-23553				
			A240			10	E-23569				
		93x185	A40			10	E-19629				
			A60			10	E-19635				
			A80			10	E-19641				
			A100			10	E-19657				
			A120			10	E-19663				
			A150			10	E-19679				
			A180			10	E-19685				
			A240			10	E-19691				
		93x228	A40			10	E-18041				
			A60			10	E-18057				
			A80			10	E-18063				
			A100			10	E-18079				
			A120			10	E-18085				
			A150			10	E-18091				
			A180			10	E-18100				
			A240			10	E-18116				
		115x280	A40			10	E-18122				
			A60			10	E-18138				
			A80			10	E-18144				
			A100			10	E-18150				
			A120			10	E-18166				
			A150			10	E-18172				
			A180			10	E-18188				
			A240			10	E-18194				
		★★★★☆	Paint, Wood, PVC			93x228	A80	8	-	10	D-65252
							A100			10	D-65268
							A120			10	D-65274
							A180			10	D-65280
							A240			10	D-65296
							A320			10	D-65305

Abrasive paper sheet/ paint



Range	Work material	Size mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Paint, Wood, PVC	230x280	A120	Clamp	10	D-66101
					100	D-60713

Net sanding detail/ wood/ metal



Range	Work material	Size mm (inch)	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	100x150 (3-15/16 x 5-7/8)	A80	Hook & Loop	10	D-78891
			A120		10	D-78900
			A180		10	D-78916
			A240		10	D-78922
			A320		10	D-78938

Pad saver/ for net sanding detail



Range	Size mm (inch)	Fastening	Sales pkg q'ty	Part No.
★★★★☆	100x150 (3-15/16 x 5-7/8)	Hook & Loop	2	D-78944

Abrasive detail paper/ paint



Range	Work material	Size mm	Grit	Holes	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Paint, Wood, Metal	100x150	A40	7	Hook & Loop	10	E-23416
			A60			10	E-23422
			A80			10	E-23438
			A100			10	E-23444
			A120			10	E-23450
			A150			10	E-23466
			A180			10	E-23472
			A240			10	E-23488

Abrasive delta paper/ wood



Range	Work material	Size mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	93	A60	Hook & Loop	10	B-21624
			A80		10	B-21630
			A100		10	B-22947
			A120		10	B-21646
			A150		10	B-22953
			A180		10	B-21652
			A240		10	B-21668
A60, A80, A120, A180, A240			10		B-21618	
★★★★☆			A40		10	D-58578
			A60		10	D-58584
			A80		10	D-58590
			A100		10	D-58609
			A120		10	D-58615
			A150		10	D-58621
	A180	10	D-58637			
	A240	10	D-58643			
	A320	10	D-58659			

Abrasive delta paper/ wood/ long life



Range	Work material	Size mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Wood, Paint, Metal	93	A60	Hook & Loop	10	B-21565
			A80		10	B-21571
			A100		10	B-21587
			A120		10	B-21593
			A180		10	B-21602
			A240		10	B-22931
			A60, A80, A100, A120, A180		10	B-21559

Abrasive delta paper/ paint



Range	Work material	Size mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Paint, Wood, Metal	93	A60	Hook & Loop	10	B-21680
			A80		10	B-21696
			A100		10	B-21705
			A120		10	B-22969
			A240		10	B-21711
			A320		10	B-21727
			A60, A80, A100, A240, A320		10	B-21674

Abrasive delta paper/ stone



Range	Work material	Size mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Marble	93	C120	Hook & Loop	10	B-21749
			C240		10	B-21755
			C400		10	B-21761
			C600		10	B-21777
			C1200		10	B-21783
			C120, C240, C400, C600, C1200		10	B-21733

Abrasive delta paper polishing fleece



Range	Work material	Size mm	Grit	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Metal, Non-ferrous metal, PVC, Paint	93	A100	Hook & Loop	1	B-21808
	Wood, Metal, Non-ferrous metal, PVC		A280		1	B-21799
	Wood, Metal, PVC, Paint		-		1	B-21814

Abrasive delta paper polishing felt



Range	Work material	Size mm	Fastening	Sales pkg q'ty	Part No.
★★★★☆	Perspex, Non-ferrous metal, Glass	93	Hook & Loop	1	B-21820

Multi Tool

STARLOCK

Rating Suitability for application:
 ✓ = Suitable
 Blank = No Rating

Color coding for application



Wood & Metal



Wood



Metal

TMA089



Multi Material



Grout Abrasive

Width (mm)	Teeth per inch	Blade Material	Curve Teeth
------------	----------------	----------------	-------------

	Width (mm)	Teeth per inch	Blade Material	Curve Teeth
TMA045	85	18	BiM	
TMA046	100	15	BiM	
TMA047	32	20	BiM	●
TMA048	65	20	BiM	●
TMA057	10	20	BiM	
TMA058	20	20	BiM	
TMA049	85	18	HCS	
TMA050	24	18	HCS	
TMA051	32	18	HCS	●
TMA052	65	20	HCS	●
TMA053	32	14	BiM	●
TMA054	32	14	HCS	●
TMA055	65	14	BiM	●
TMA056	65	14	HCS	●
TMA059	32	20	BiM	
TMA060	20	23	TC	
TMA061	32	23	TC	
TMA079	45	23	TC	
TMA089	32	21	TC	
TMA063	100	-	BiM	
TMA064	85	18	BiM	
TMA065	52	-	HCS	
TMA066	52	-	HCS	
TMA067	28	-	HCS	
TMA068	11	-	HCS	
TMA080	32	20	TC	●
TMA081	53	14	BiM	●
TMA082	12	-	Stainless	
TMA069	85	-	TC #30	
TMA070	85	-	Diamond	
TMA071	70	-	TC #50	
TMA072	85	-	TC #40	
TMA073	78	-	TC #20	
TMA074	70	-	TC #40	
TMA075	32	-	TC #50	
TMA076	32	-	TC #40	
TMA077	32	-	TC #100	
TMA083	90	-	TC #20	
TMA085	90	-	TC #60	
TMA087	45	20	BiM	●
TMA088	45	14	BiM	●

Wood & Metal

Wood & Metal									
Wood					Metal				
Wood	Plywood	Chipboard	Laminate	Plaster board	Non ferrous metal	Sheet metal	Stainless	Soft nail	
✓	✓	✓	✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓				✓
✓	✓	✓	✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓	✓			✓
✓	✓	✓	✓						
✓	✓	✓	✓						
✓	✓	✓	✓	✓					
✓	✓		✓	✓					
✓	✓	✓	✓	✓					
✓	✓		✓	✓					
✓	✓		✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓	✓	✓		✓
✓	✓	✓	✓	✓	✓	✓	✓		✓
✓	✓	✓	✓	✓	✓	✓	✓		✓
✓	✓	✓	✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓	✓	✓		✓
✓		✓		✓					
✓				✓					
✓	✓			✓					
✓	✓								
✓	✓	✓							
✓	✓								
✓	✓		✓	✓	✓	✓			✓
✓	✓	✓	✓	✓	✓	✓			✓

Multi Tool

STARLOCK PLUS STARLOCK MAX



Rating Suitability for application :
 ✓ = Suitable
 Blank = No Rating

Color coding for application

Width (mm)	Teeth per inch	Blade Material	Curve Teeth
------------	----------------	----------------	-------------

Wood & Metal									
Wood					Metal				
Wood	Plywood	Chipboard	Laminate	Plaster board	Non ferrous metal	Sheet metal	Stainless	Soft nail	

STARLOCK PLUS

	Wood & Metal	MAP001	32	20	BiM	●	✓	✓	✓	✓	✓	✓		✓
		MAP002	65	20	BiM	●	✓	✓	✓	✓	✓	✓		✓
	Wood	MAP003	32	18	HCS	●	✓	✓	✓					
	Metal	MAP004	32	23	TC		✓	✓	✓	✓	✓	✓	✓	✓
	Multi Material	MAP006	32	20	TC	●	✓	✓	✓	✓	✓	✓	✓	✓
		MAP007	52	20	TC	●	✓	✓	✓	✓	✓	✓	✓	✓

STARLOCK MAX

	Wood & Metal	MAM001	32	20	BiM	●	✓	✓	✓	✓	✓	✓		✓
		MAM002	52	18	BiM	●	✓	✓	✓	✓	✓	✓		✓
		MAM003	100	15	BiM		✓	✓	✓		✓			✓
	Wood	MAM004	32	18	HCS	●	✓	✓	✓					
	Metal	MAM005	32	23	TC		✓	✓	✓	✓	✓	✓	✓	✓
		MAM019	32	21	TC		✓	✓	✓	✓	✓	✓	✓	✓
	Multi Material	MAM006	32	20	TC	●	✓	✓	✓	✓	✓	✓	✓	✓
		MAM007	32	-	HCS									
		MAM008	32	-	HCS									
	Grout Abrasive	MAM010	68	-	TC #30					✓				
		MAM011	68	-	Diamond					✓				
		MAM012	68	-	Diamond					✓				
		MAM013	68	-	TC #40					✓				
		MAM015	116	-	TC #20		✓	✓	✓					

Multi Tool

STARLOCK PLUS STARLOCK MAX



Rating Suitability for application :
 ✓ = Suitable
 Blank = No Rating

Color coding for application

Width (mm)	Teeth per inch	Blade Material	Curve Teeth
------------	----------------	----------------	-------------

Multi Material						Grout Abrasive		
Epoxy	Fiber glass	Linoleum Carpet	Carpet adhesive	Insulation material	Soft joint material	Porous Concrete Soft brick	Soft wall tiles	Mortar Tile adhesive




STARLOCK PLUS

	Wood & Metal	MAP001	32	20	BiM	•	✓	✓									
		MAP002	65	20	BiM	•	✓	✓									
	Wood	MAP003	32	18	HCS	•	✓										
	Metal	MAP004	32	23	TC		✓	✓				✓					
	Multi Material	MAP006	32	20	TC	•	✓	✓				✓					
		MAP007	52	20	TC	•	✓	✓				✓					

STARLOCK MAX


	Wood & Metal	MAM001	32	20	BiM	•	✓	✓									
		MAM002	52	18	BiM	•	✓	✓									
		MAM003	100	15	BiM			✓									
	Wood	MAM004	32	18	HCS	•											
	Metal	MAM005	32	23	TC		✓	✓				✓					
		MAM019	32	21	TC							✓					
	Multi Material	MAM006	32	20	TC	•	✓	✓				✓					
		MAM007	32	-	HCS						✓						
		MAM008	32	-	HCS					✓	✓						
	Grout Abrasive	MAM010	68	-	TC #30		✓	✓				✓	✓	✓			
		MAM011	68	-	Diamond		✓	✓				✓	✓	✓			
		MAM012	68	-	Diamond		✓	✓				✓	✓	✓			
		MAM013	68	-	TC #40		✓	✓				✓	✓	✓			
		MAM015	116	-	TC #20			✓									✓

STARLOCK

Compatibility with models 		Blade Shank		
		STARLOCK	STARLOCK PLUS	STARLOCK MAX
Tool Shank	OIS Compatible Tools 	✓	—	—
	STARLOCK MAX 	✓	✓	✓

Segment saw blade Starlock shank wood and metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★☆☆	TMA045	85	18TPI	BiM	Wood and Metal	1	B-64799
	TMA046	100	15TPI			1	B-64808

Plunge cut saw blade Starlock shank wood and metal

STARLOCK



Range	Makita No.	Blade width mm (inch)	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	TMA047	32x50 (1-1/4x1-31/32)	20TPI	BiM	Bow shape	Wood and metal	25	E-25856
							1	B-64814
	5	B-64814-5						
	20	B-64814-20						
	TMA048	65x40 (2-9/16x1-19/32)			25		E-25909	
					1		B-64820	
	TMA057	10x30			5		B-64820-5	
	TMA058	20x30			1		B-64917	
	TMA087	45x45 (1-3/4x1-3/4)			1		B-64923	
					5		B-64923-5	
1			E-25448					
			5	E-25460				

Segment saw blade Starlock shank wood

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★☆☆	TMA049	85	18TPI	HCS	Wood	1	B-64836

Plunge cut saw blade Starlock shank wood

STARLOCK



Range	Makita No.	Blade width mm (inch)	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA050	24x50	18TPI	HCS	Bow shape	Wood	1	B-64842
							5	B-64842-5
	TMA051	32x50 (1-1/4x1-7/8)					25	E-25797
							1	B-64858
			5	B-64858-5			20	B-64858-20
	TMA052	65x40 (2-9/16x1-19/32)	20TPI				25	E-25834
							1	B-64864
							5	B-64864-5
	TMA053	32x50 (1-1/4x1-31/32)	14TPI	BiM	Bow shape, Japanese teeth, Recommended Hard wood	Hard Wood	25	E-25862
							1	B-64870
							5	B-64870-5
							20	B-64870-20
	TMA054	32x50 (1-1/4x1-31/32)		HCS	Bow shape, Japanese teeth		25	E-25781
							1	B-64886
					5		B-64886-5	
					25		E-25915	
TMA055	65x40 (2-9/16x1-19/32)	BiM	Bow shape, Japanese teeth, Recommended Hard wood	1	B-64892			
				5	B-64892-5			
				25	E-25840			
TMA056	65x40 (2-9/16x1-19/32)	HCS	Bow shape, Japanese teeth	1	B-64901			
				5	B-64901-5			
TMA088	45x45 (1-3/4x1-3/4)		BIM	Bow shape		1	E-25454	
						5	E-25476	

Plunge cut saw blade Starlock shank metal

STARLOCK



Range	Makita No.	Blade width mm (inch)	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA059	32x50 (1-1/4x1-31/32)	20TPI	BiM	Metal	25	E-25828
						1	B-64939
						5	B-64939-5

TC bar plunge cut saw blade Starlock shank metal

STARLOCK



TMA089

Range	Makita No.	Blade width mm (inch)	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA089	32x75 (1-1/4x3)	21TPI	TC/HM	Metal	1	E-25769
						1	B-64945
★★★★☆	TMA060	20x40	23TPI	TC/HM	Metal	5	B-64945-5
						25	E-25921
	TMA061	32x40 (1-1/4x1-19/32)				1	B-64951
						5	B-64951-5
	TMA079	45x49				1	B-69755

Segment saw blade Starlock shank multi material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★☆☆	TMA064	85	18TPI	BiM-TiN	Multi Material	1	B-64973

Serrated segment blade Starlock shank multi material

STARLOCK



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA063	100	BiM	Multi Material	1	B-64967

Plunge and segment cut saw blade Starlock shank multi material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★☆☆	TMA081	53x40	14TPI	BiM	Multi Material	1	B-69777

TC bar plunge cut saw blade Starlock shank multi material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	TMA080	32x40	20TPI	TC/HM	Bow shape	Multi Material	1	B-69761

Joint cutter blade Starlock shank multi material

STARLOCK



Range	Makita No.	Blade width mm (inch)	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA067	28x40	HCS	Multi Material	25	E-25890
		(1-3/32x1-19/32)			1	B-65006
	TMA082	12x29	Stainless		5	B-65006-5
					1	B-69783

Universal purpose knife Starlock shank multi material

STARLOCK



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA068	11x24	HCS	Multi Material	1	B-65012

Scraper blade Starlock shank multi material



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA065	52x26	HCS	Rigid	Multi Material	1	B-64989
	TMA066	52x40		Flexible		1	B-64995

TC segment blade Starlock shank grout abrasive



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA069	85	TC/HM #30	Blade thickness 2.5mm	Grout and mortar remover	1	B-65028
	TMA071	70	TC/HM #50	Blade thickness 1.6mm		1	B-65040
	TMA072	85	TC/HM #40	Blade thickness 1.7mm		1	B-65056

Diamond segment blade Starlock shank grout abrasive



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA070	85	Diamond #40	Blade thickness 2mm	Grout and mortar remover	1	B-65034

TC plunge blade Starlock shank grout abrasive



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA075	32x30	TC/HM #50	Blade thickness 2mm	Grout and mortar remover	1	B-65084

TC remover Starlock shank grout abrasive



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA074	70	TC/HM #40	Blade thickness 3mm	Grout and mortar remover	1	B-65078

TC sanding plate Starlock shank grout abrasive delta shape



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA073	78	TC/HM #20	-	Grout and mortar remover	1	B-65062
	TMA083	90				1	B-69799
	TMA085		TC/HM #60	Use only wood	Wood	1	B-69814

TC sanding plate Starlock shank grout abrasive pointer shape

STARLOCK



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA076	32x50	TC/HM #40	Grout and mortar remover	1	B-65090
	TMA077		TC/HM #100		1	B-65109

Sanding pad for abrasive paper delta Starlock shank

STARLOCK



Range	Makita No.	Blade width mm	Sales pkg q'ty	Part No.
★★★★☆	TMA078	93	1	B-65115

Multi tool blade Starlock shank assortment

STARLOCK



Range	Makita No.	Note	Work material	Sales pkg q'ty	Part No.
★★★★☆	TMA045, TMA047, TMA053, 2xTMA078	Carpentry set	Wood and Metal, Hard Wood	5	B-67511
	TMA045, TMA047, TMA053, TMA058	Plunge set	Wood and Metal, Hard Wood, Metal	4	B-67480
	TMA045, TMA048, TMA051, TMA053, TMA065	Carpentry set	Wood and Metal, Wood, Metal	5	E-24935
	TMA045, TMA048, TMA051, TMA066	Floor set	Wood and Metal, Wood, Multi Material	4	B-67505
	TMA047, TMA049, TMA065, TMA073, TMA078	Renovation set	Wood and Metal, Wood, Multi Material, Grout and mortar remover	5	E-16994
	TMA058, TMA065, TMA069, TMA073	Tile set	Metal, Multi Material, Grout and mortar remover	4	B-67496

Abrasive delta paper (Page 121) applications






Rating Suitability for application

- AA : Recommended
- A : Acceptable
- n.r : No Rating

Product Application and Rating On Each Material		Grit	Paint	Varnish	Filler	Roughcast	Wood / Wooden materials	soft wood	hard wood	Plywood	Chipboard/MDF	Metal	Steel (mid steel / carbon steel)	Stone	Marble	Granite	Glass	Perispex	Corian®	Glass fiber reinforced	
Wood / long-life	Coarse	60	n.r	n.r	n.r	n.r	AA	AA	AA	AA	AA	AA	A	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r
		80																			
	Medium	100																			
		120																			
	Fine	180																			
		240																			
Wood (★★★)	Coarse	60	n.r	n.r	n.r	n.r	AA	A	AA	AA	AA	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r
		80																			
	Medium	100																			
		120																			
	Fine	150																			
		180																			
Wood (★★)	Coarse	40	A	A	n.r	n.r	AA	AA	AA	AA	A	A	A	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r
		60																			
	Medium	80																			
		100																			
	Fine	120																			
		150																			
Very fine	180																				
	240																				
Paint	Coarse	60	AA	AA	AA	AA	n.r	n.r	A	n.r	n.r	A	A	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r
		80																			
	Medium	100																			
		120																			
	Fine	240																			
		320																			
Stone	Medium	120	A	AA	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	A	A	A	A	A	A	A	A	A
		240																			
	Fine	400																			
		600																			
	Very fine	1200																			



STARLOCK PLUS

Compatibility with models 		Blade Shank		
		STARLOCK	STARLOCK PLUS	STARLOCK MAX
Tool Shank	OIS Compatible Tools 	✓	—	—
	STARLOCK MAX 	✓	✓	✓

Plunge cut saw blade Starlock Plus shank wood and metal

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAP001	32x60	20TPI	BIM	Bow shape	Wood and metal	1	B-66329
	MAP002	65x50					1	B-66335

Plunge cut saw blade Starlock Plus shank wood

STARLOCK PLUS



Range	Makita No.	Blade width mm (inch)	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAP003	32x60 (1-1/4x2-3/8)	18TPI	HCS	Bow shape	Wood	25	E-25806
							1	B-66341

TC bar plunge cut saw blade Starlock Plus shank metal

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAP004	32x50	23TPI	TC/HM		Metal	1	B-66357




TC bar plunge cut saw blade Starlock Plus shank multi material

STARLOCK PLUS




Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAP006	32x50	20TPI	TC/HM	Bow shape	Multi Material	1	B-66379
	MAP007	52x50					1	B-66385

STARLOCK MAX

Compatibility with models 		Blade Shank		
		STARLOCK	STARLOCK PLUS	STARLOCK MAX
Tool Shank	OIS Compatible Tools 	✓	—	—
	STARLOCK MAX 	✓	✓	✓

Segment saw blade Starlock Max shank wood and metal

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAM003	100x50	15TPI	BIM	Wood and metal	1	B-66422

Plunge cut saw blade Starlock Max shank wood and metal

STARLOCK MAX



Range	Makita No.	Blade width mm (inch)	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAM001	32x80 (1-1/4x3-5/32)	20TPI	BIM	Bow shape	Wood and metal	25	E-25878
							1	B-66400
							5	B-66400-5
	MAM002	52x70 (2-1/32x2-1/3)	18TPI	BIM	Bow shape	Wood and metal	25	E-25884
							1	B-66416
							5	B-66416-5

Plunge cut saw blade Starlock Max shank wood

STARLOCK MAX



Range	Makita No.	Blade width mm (inch)	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAM004	32x80 (1-1/4x3-5/32)	18TPI	HCS	Bow shape	Wood	25	E-25812
							1	B-66438
							5	B-66438-5

TC bar plunge cut saw blade Starlock Max shank metal

STARLOCK MAX



MAM019

Range	Makita No.	Blade width mm (inch)	TPI	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	MAM019	32x40 (1-1/4x1-1/2)	21TPI	TC/HM	Metal	1	E-25775
★★★☆☆	MAM005	32x70	23TPI			1	B-66444

TC bar plunge cut saw blade Starlock Max shank multi material

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAM006	32x70	20TPI	TC/HM	Bow shape	Multi Material	1	B-66450

Joint cutter blade Starlock Max shank multi material

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	MAM007	32x70	HCS	Multi Material	1	B-66466
	MAM008	32x55			1	B-66472

TC segment blade Starlock Max shank grout abrasive

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAM010	68x30	TC/HM #30	Blade thickness 2.2mm	Grout and mortar remover	1	B-66503

Diamond segment blade Starlock Max shank grout abrasive

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg q'ty	Part No.
★★★☆☆	MAM011	68x30	Diamond #40	Blade thickness 2.2mm	Grout and mortar remover	1	B-66519
	MAM012	68x10		Blade thickness 1.5mm		1	B-66525

TC sanding plate Starlock Max shank grout abrasive delta shape

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg q'ty	Part No.
★★★★☆	MAM015	116	TC/HM #20	Grout and mortar remover	1	B-66553

Diamond



Diamond Wheels



Segmented Type:

Most commonly used. Blade has slits and layers of diamond are sintered on edges. Cut faster than continuous rim type and attain average cutting surface.



Segmented Wave Type:

This wheel has slits like segmented wheel. Each segment has many notches (Wave). These notches assure;

- Fast cutting with less resistance.
- Smooth debris removal.
- Less loading on wheel.



Corrugated Type:

This wheel has notches around the Rim. Has a characteristic between Continuous Rim and Segmented Type. Has faster cutting like Segmented Type. At the same time, can attain cleaner surface like continuous rim without broken edges.



Continuous Rim Type:

Has layer of diamond with uniform thickness around the entire rim. Can attain clean surface even on crusty, brittle materials. Cut with accuracy but not as fast as segmented type wheel.

SPECIALIZED



Electrodeposited Type:

Diamonds are electrodeposited and has more exposure than bonded type. Cuts faster and more efficient.



Vacuum brazed Type:

Diamonds are vacuum brazed and has more exposure than bonded type. Able to cut harder material. It is longer life than electrodeposited type because diamonds are held tightly.



Crack Chaser:

Blade is thicker than regular blades. Designed for repair the wall easily.

Material

Material No. 1						
Hard concrete	Granite	Gneiss	Smoothable Engineering	Carbonaceous Shale	Sidewalk Slate	Engineering Block/ Engineering Block Class 2
						
Material No. 2				Material No. 3		
Concrete	Block	U-shaped Groove	Sidewalk Block	Cemented Tile	Marble	Unglazed Tile
						
Material No. 4			Material No. 5	Material No. 6	Material No. 7	
Brick	Aggregate Block	French Tile	Asphalt	Tile	Glass	
						

Diamond wheel for angle grinder with X-LOCK concrete granite marble segmented

X-LOCK



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Standard	Part No.
★★★★☆	Concrete, Granite, Marble	1 2 3 4	100	7	X-LOCK	Dry	EN13236	E-02054
		1 2 3 4	115	7	X-LOCK	Dry	EN13236	E-02060
		1 2 3 4	125	7	X-LOCK	Dry	EN13236	E-02076

Diamond wheel concrete segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm (inch)	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 5	125	7.5	20	-	Dry	-	EN13236	1	792282-5
		2 3 4	105	7.5	20	16			-	1	A-87149
		2 3 4 5		7.5	20	16			-	1	A-88842
		2 3 4 5	110	7.3	20	(5/8)			-	1	A-90211
		2 3 4 5		6.5	20	-			1	A-05022	
		2 3 4 5	150	7.5	22.23	-			EN13236	1	B-06432
		-	115	7.5	22.23	-			EN13236	1	D-41589
		-	125	7.5	22.23	-			EN13236	1	D-41595
		-		7.5	22.23	-			EN13236	10	D-41595-10
		-	230	7.5	22.23	-			EN13236	1	D-41610
1 2 3 4	105	7	20	16	-	1	D-42531				
★★★☆☆	Concrete	1 2 3 4	115	7	22.23	-	Dry	-	-	1	D-44270
		1 2 3 4	180	7	22.23	-			1	D-44286	
		1 2 3 4	230	7	22.23	-			1	D-44292	
		2 3 4	115	7.5	22.23	-			Long life	1	D-37552
		2 3 4	125	7.5	22.23	-				1	D-37568
		2 3 4 5	105	7	20	16			-	1	D-05197
		2 3 4 5		7.64	20	16			EN13236	1	A-84187
		2 3 4 5	115	7.75	22.23	-			EN13236	1	A-84109
		2 3 4 5	125	7.25	22.23	20			EN13236	1	A-84115
		2 3 4 5	180	7.5	25.4	22.23			EN13236	1	A-84121
2 3 4 5	230	7.5	22.23	-	EN13236	1	A-84137				
★☆☆☆☆	Concrete	2	105	10	20	16	Dry & Wet	10pcs. set	EN13236	1	D-79566
		2		-	20	16			EN13236	1	D-82688
		2		-	20	16			EN13236	10	D-82672
		2	115	10	22.23	-	Dry	EN13236	1	D-79572	
		2	125	-	22.23	20	Dry & Wet	EN13236	1	D-82694	

Diamond wheel concrete marble segmented




Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★☆☆☆☆	Concrete, Marble	115	7	22.23	Dry	EN13236	1	D-52750
		125				EN13236	1	D-52766
		230				EN13236	1	D-52788

Diamond wheel concrete granite marble segmented ideal for Cordless angle grinder



1. Ideal for cordless tools



Note:
The test results depend to a great extent on the hardness of materials, etc.
The numbers in the bar graphs are relative values when the capacity of Makita Diamond Wheel (Thickness:2.2mm) is indexed at 100.

2. Thin blade & Light weight



This blade is designed as 1.6mm (the basis is 1.1mm). So smooth and light cutting is available.

It was lightened by punching the body. (eg:ø125mm blade is 95g [current blade : 125g])
It is also reduced the load on the battery and increased the cutting distance per 1 battery charge.

Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete, Granite, Marble	1 2 3 4	115	7	22.23	Dry	EN13236	1	B-53780
		1 2 3 4	125				EN13236	1	B-53796

Diamond wheel concrete corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆		1 2 3 4 5 6	110	5	20	-	Wet	-	-	1	B-02836
		-	115	7.5	22.23	-			EN13236	1	D-41626
		-	125	7.5	22.23	-			EN13236	1	D-41632
		-	230	7.5	22.23	-			EN13236	1	D-41654
		2 3 4	105	8	20	16			-	1	D-05206
★★☆☆☆	Concrete	2 3 4	115	7.5	22.23	-	Dry	Long life	-	1	D-37596
		2 3 4	125	7.5	22.23	-			-	1	D-37605
		2 3 4	180	7.5	22.23	-			-	1	D-37611
		2 3 4	230	7.5	22.23	-			-	1	D-37627
		2 3 4 5	105	7.25	20	16			EN13236	1	A-84193
		2 3 4 5	115	7.25	22.23	-			EN13236	1	A-84143
		2 3 4 5	125	7.15	22.23	20			EN13236	1	A-84159
		2 3 4 5	180	7.5	25.4	22.23			EN13236	1	A-84165
		2 3 4 5	230	7.5	22.23	-			EN13236	1	A-84171
		2 3 4	110	7	20	16			-	1	D-42606

Diamond wheel concrete marble corrugated



Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★☆☆☆☆	Concrete, Marble	125	7	22.23	Dry	EN13236	1	D-52803
		230				EN13236	1	D-52825

Diamond wheel concrete tile corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete, Roof tile	1 2 3 4 5	125	7.8	22.23	20	Dry	-	1	A-02761
		1 2 3 4 5		7.8		-		1	A-80690	
		1 2 3 4 5	230	8.55		-		1	A-80715	

Diamond wheel concrete granite corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★☆☆☆	Concrete,	1 2 3 4 5 6	125	7.5	20	-	Wet	EN13236	1	B-16748
★★☆☆☆	Granite	1 2 3 4	110	10	20	16	Dry	-	1	D-42628

Diamond wheel concrete granite segmented wave



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Concrete, Granite	1 2 3 4	105	7	20	16	Dry	1	D-42581
		1 2 3 4	115		-	1		D-41420	
		1 2 3 4	180		-	1		D-44339	
		1 2 3 4	230		-	1		D-44345	

Diamond wheel concrete marble continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★☆☆☆	Concrete, Marble	2 3 4 6	110	5	20	Wet	1	D-05212

Diamond wheel concrete continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	-	180	5	25.4	Wet	-	1	A-87161
		1 2 3 4 5 6	110	4	20		-	1	A-07185
		1 2 3 4 5 6			20		-	1	A-81131
		1 2 3 4 5 6	180	4	25		-	1	792191-8
		1 2 3 4 5 6			25		-	1	A-80117
		1 2 3 4 6	110	4	20		-	1	A-01292
		1 2 3 4 6	125	5.5	20		EN13236	1	B-21951
		1 2 3 6	110	4	20		-	1	A-85210

Diamond wheel concrete segmented wave



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 5	115	7.5	22.23	Dry	-	1	B-02048
		1 2 3 4 5	125				-	1	B-02054
		1 2 3 4 5	180	8			-	1	B-02060
		1 2 3 4 5	230	7.5			-	1	B-02004
		2 3 4					EN13236	1	A-80173
		2 3 4 5	125	7.5			EN13236	1	A-80438
		2 3 4 5	180	7.5			-	1	A-83842

Diamond wheel granite segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Granite	1 2 3 4 5	105	7.5	20	16	Dry	1	A-84090
		1 2 3 4 5	115		-	-		1	A-84006
		1 2 3 4 5	125		22.23	20		1	A-84012
		1 2 3 4 5	180	6	25.4	22.23		1	A-84028
		1 2 3 4 5	230	7	22.23	-		1	A-84408
★★★★☆		1 2 3 4	105	10	20	16	Wet	1	D-44351

Diamond wheel marble segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Marble	1 2 3 4	105	10	20	16	Wet	1	D-44367

Diamond wheel granite marble segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Granite, Marble	-	105	8	20	16	Dry & Wet	1	D-67511
		1 2 3 4		8	20	16		1	D-63688

Diamond wheel granite corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★☆☆☆	Granite	1 2 3 4 5	105	7.25	20	16	Dry	EN13236	1	A-84040
		1 2 3 4 5	115		-	-		1	A-84056	
		1 2 3 4 5	125	7.15	22.23	20		1	A-84062	
		1 2 3 4 5	180	7.5	25.4	22.23		1	A-84078	
		1 2 3 4 5	230		22.23	-		1	A-84084	

Diamond wheel granite marble corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Granite, Marble	1 2 3 4	105	7	20	16	Dry	1	D-42553
		1 2 3 4	115		22.23	-		1	D-44301
		1 2 3 4	180					1	D-44317
		1 2 3 4	230		1	D-44323			

Diamond wheel marble continuous rim




Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Marble	115	5	22.23	Dry	1	D-36837

Diamond wheel tile corrugated ideal for Cordless angle grinder




1. Ideal for cordless tools



Note:
The test results depend to a great extent on the hardness of materials, etc.
The numbers in the bar graphs are relative values when the capacity of Makita Diamond Wheel (Thickness:2.3mm) is indexed at 100.

2. Thinner blade

With the bare necessities of thickness which able to have enough strength, able to get smooth and light cutting.



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Porcelain tile	2 3 4 6	105	10	22.23	16	Dry	EN13236	1	B-49030
		2 3 4 6	115			-		EN13236	1	B-46327
		2 3 4 6	125			-		EN13236	1	B-46333

Diamond wheel tile corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Porcelain tile	2 3 4 6	110	8	20	-	Dry	1	D-51057
		2 3 4 6	115		22.23			1	D-50893
		2 3 4 6	180		22.23			1	D-50902
★★★★☆	Porcelain tile, Ceramic tile	-	105	10	20	16	Dry & Wet	1	D-77198

Diamond wheel tile continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Porcelain tile	6	115	7	22.23	-	Dry	Continuous rim with slit	-	1	D-65109
	Ceramic Tile	2 3 4 6	110		20	16	Wet		-	1	D-44258
		2 3 4 6	180	25.4	-	-		1	D-44264		
★★★★☆	Porcelain tile	-	105	5	20	16	Dry & Wet	-	EN13236	1	D-78271
		-	110		22.23	-			EN13236	1	D-52716
		-	115		22.23	-	EN13236		1	D-78287	
		-	180		25.4	22.23	EN13236		1	D-78293	
		-	230		22.23	-	EN13236		1	D-78302	
		-	-		-	-	-		-	-	-

Diamond wheel glass continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Glass	7	110	5.2	20	Wet	1	D-40705

Diamond wheel mortar corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Mortar	2 3 4 5	115	7.6	22.23	-	Dry	1	B-02967
		2 3 4 5	125	7.8	22.23	20		1	B-02973

Diamond wheel tuck point mortar



Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Mortar	125	8	22.23	Dry	1	A-02705

Curved diamond wheel marble corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Marble	2 3 4	110	8	20	Dry	1	D-36968

Electroplated diamond wheel marble



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Marble	-	110	3	20	Wet	1	D-38277
		3	115	5	22.23	Dry	1	D-51085
			180				1	D-51091
			230				1	D-51100
★★★☆☆		110		20	Wet	1	D-45004	

Vacuum brazed diamond wheel metal segmented



Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
Specialized	Metal	100	1.8	22.23	Dry	EN13236	1	B-53671
		115					1	B-53687
		125					1	B-53693
		180					1	B-53702
		230					1	B-53718

Vacuum brazed diamond wheel multi material segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
Specialized	Metal, Plastic, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	100	3	16	-	Dry	for Rescue	EN13236	1	B-66933
		1 2 3 4 5 6 7	115		22.23				EN13236	1	B-55304
		1 2 3 4 5 6 7	125						EN13236	1	B-55310
		1 2 3 4 5 6 7	180						EN13236	1	B-66949
		1 2 3 4 5 6 7	230						EN13236	1	B-55326
		-	115						-	1	D-58883
	Metal, Plastic, Reinforced concrete	-	180	5	-	1		D-58899			
		-	230		-	1		D-58908			
		1 2 3 4	110		20	16		-	1	D-44426	
		-	-		-	-		-	1	D-44426	
		-	-		-	-		-	1	D-44426	
		-	-		-	-		-	1	D-44426	

Vacuum brazed diamond wheel for angle grinder with X-LOCK multi material segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
Specialized	Metal, Plastic, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	100	3	Dry	for Rescue	EN13236	1	E-19722
		1 2 3 4 5 6 7	125	3			EN13236	1	E-19738

Diamond wheel for Cordless compact cut-off tile continuous rim



Range	Work material	Outer dia. mm (inch)	Tip height mm	Hole dia. mm (inch)	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Porcelain tile	76	7	10	Dry	EN13236	1	D-77263
		(3)	7	(3/8)		EN13236	1	D-77279

Diamond wheel for 4103KB concrete continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	For model	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 6	80	3.5	20	Dry	4103KB	1	792192-6

Diamond wheel for 4103KB granite continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	For model	Sales pkg q'ty	Part No.
★★★★☆	Granite	1 2 3 4 6	80	5	20	Dry	4103KB	1	A-01264

Diamond wheel for angle cutter concrete segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Concrete	2 3 4 5	305	7.5	30	20,22.23,25.4	Dry	1	A-02478

Diamond wheel for angle cutter asphalt concrete segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Asphalt, Concrete	2 3 4 5	305	7.5	30	20,22,23,25.4	Dry	1	A-02490

Diamond wheel for angle cutter granite segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Granite	1 2 3 4 5	255	7	25.4	Dry	1	A-02406

Diamond wheel for angle cutter asphalt segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Asphalt	5	305	7.5	30	20,22,23,25.4	Dry	1	A-02484

Diamond wheel for Cordless cutter glass corrugated



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Glass	3 4 5 6 7	85	5	15	Dry	1	B-02995

Diamond wheel for Cordless cutter glass tile continuous rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
★★★★☆	Glass, Tile	6 7	85	5.5	15	Wet	-	1	B-21082
				5			EN13236	1	B-21098

Electroplated diamond wheel for Cordless cutter glass tile



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Glass, Porcelain tile	3 6 7	85	1.2	15	Wet	1	A-07179

Diamond wheel for power cutter concrete segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	-	355	8	25.4	-	Dry & Wet	-	EN13236	1	E-23226
		1 2 3 4	300	7	25.4	20			-	1	A-86773
		1 2 3 4	304	8	25.4	20			-	1	A-89349
		1 2 3 4	350	7	25.4	20			-	1	A-87317
		1 2 3 4 5	305	8.5	25.4	20			-	1	A-87018
★★★☆☆	Concrete	-	300	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-56982
		-	350	7.5	25.4	20			EN13236	1	D-56998
		-	400	7.5	25.4	20			EN13236	1	D-57009

Diamond wheel for power cutter concrete segmented ideal for Cordless power cutter



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4	230	13+2	22.23	Dry & Wet	Grit patterned	EN13236	1	E-02967

Vacuum brazed diamond wheel for power cutter multi material segmented



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
Specialized	Metal, Plastic, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	305	3	25.4	Dry	for Rescue	EN13236	1	B-55332
		1 2 3 4 5 6 7	355	3				EN13236	1	B-55348
		1 2 3 4 5 6 7	405	3				EN13236	1	B-66955

Vacuum brazed diamond wheel for portable cut-off metal segmented









Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Metal	355	3	25.4	Dry	1	D-41414

Diamond wheel for wall chaser concrete





Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg q'ty	Part No.
★★★★☆	Concrete	2 3 4 5	155	7	22.23	Dry	1	A-83836




Offset Diamond Wheels

<p>Single</p> 	<p>Rough work</p> <p>This wheel grind more efficiency. Faster than the wheel for standard work.</p>
<p>Double</p>  <p>Segmented</p>  <p>Fan</p> 	<p>Standard work</p> <p>This wheel has a characteristic between Rough work offset diamond wheels and Fine work offset diamond wheels.</p>
<p>Turbo</p>  <p>Rim</p> 	<p>Fine work</p> <p>This wheel is suitable for cleanup and finish work and chamfering works.</p>

SPECIALIZED

<p>PCD</p> 	<p>Removal of paint</p> <p>This wheel is suitable for removal of polyurethane, adhesive, paint, epoxy and acrylic coating. PCD is an abbreviations of "Polycrystalline Diamond". It is a kind of an artificial diamond and superior in hardness and durability.</p>
<p>Vacuum brazed</p> 	<p>For hard materials</p> <p>This wheel is suitable for hard materials. Diamonds are held tightly.</p>

Low Vibration Offset Diamond Wheel

	<p>Low Vibration</p> <p>The vibration is not conducted to the worker's hand and able to ease the load a lot!!</p> <p>Less Tapping</p> <p>Clinging to the material and able to cut smoothly, faster and more efficient.</p> <p>Low Vibration Type</p> <p>Normal  → Low Vibration Type </p>
---	--

Offset diamond wheel single low vibration



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Rough work	EN13236	1	B-48533
		1 2 3 4 5	180	5				EN13236	1	B-48599

Offset diamond wheel double low vibration



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Standard work	EN13236	1	B-48549
		1 2 3 4 5	180	5				EN13236	1	B-48608

Offset diamond wheel fan low vibration



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 5	125	5	M14	Dry	Standard work	EN13236	1	B-48555
		1 2 3 4 5	180	5				EN13236	1	B-48614

Offset diamond wheel turbo low vibration



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★★☆	Concrete	1 2 3 4 5	125	4.5	M14	Dry	Fine work	EN13236	1	B-49993
		1 2 3 4 5	180	5				EN13236	1	B-48620

Offset diamond wheel single



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	105	4	22.23	Dry	Rough work	-	1	B-14629
		1 2 3 4 5	125	5.5				EN13236	1	B-48561
		1 2 3 4 5	180					EN13236	1	B-48636
★☆☆☆☆		1 2 3 4 5	100	5	16			EN13236	1	D-80547
		1 2 3 4 5	115		22.23			EN13236	1	D-80553
		1 2 3 4 5	125		EN13236			1	D-80569	
		1 2 3 4 5	180		EN13236	1	D-80575			

Offset diamond wheel double



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	125	4.5	22.23	Dry	Standard work	EN13236	1	B-12295
		1 2 3 4 5		5.5				EN13236	1	B-48577
		1 2 3 4 5		180				EN13236	1	B-48642
★☆☆☆☆		1 2 3 4 5	100	5	16			EN13236	1	D-80581
		1 2 3 4 5	115		22.23			EN13236	1	D-80597
		1 2 3 4 5	125		EN13236			1	D-80606	
		1 2 3 4 5	180		EN13236	1	D-80612			

Offset diamond wheel fan



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	125	5	22.23	Dry	Standard work	EN13236	1	B-48583
		1 2 3 4 5	180					EN13236	1	B-48658

Offset diamond wheel turbo



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	105	5	22.23	Dry	Fine work	-	1	B-44993
		1 2 3 4 5	125	4.5				EN13236	1	B-50005
		1 2 3 4 5	180					EN13236	1	B-48664
★★★★☆		1 2 3 4 5	100	5	16			EN13236	1	D-80628
		1 2 3 4 5	115		22.23			EN13236	1	D-80634
		1 2 3 4 5	125		EN13236			1	D-80640	
	1 2 3 4 5	180			EN13236	1	D-80656			

Offset diamond wheel rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	125	4	22.23	Dry	Fine work	EN13236	1	B-12289

Offset diamond wheel for PC1100 turbo



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	For model	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	110	4	15	Dry	Fine work	EN13236	PC1100	1	A-07369

Offset diamond wheel for PC1100 rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	For model	Sales pkg q'ty	Part No.
★★★☆☆	Concrete	1 2 3 4 5	110	4	15	Dry	Fine work	EN13236	PC1100	1	792289-1

Offset diamond wheel for concrete planer double



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★☆☆☆	Concrete	1 2 3 4 5	125	5	22.23	Dry	Standard work	EN13236	1	D-41458

Offset diamond wheel for concrete planer rim



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg q'ty	Part No.
★★☆☆☆	Concrete	1 2 3 4 5	125	4	22.23	Dry	Fine work	EN13236	1	D-41464

Offset diamond wheel for PK5001C turbo



Range	Work material	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	For model	Sales pkg q'ty	Part No.
★★★★☆	Granite, Marble	125	5	M14	Wet	PK5001C/PK5011C	1	D-36843

PCD offset diamond wheel



This Offset Diamond Wheel can be used for removing of polyurethane, adhesive, paint, epoxy and acrylic coatings.

< Difference with the normal offset diamond >



It just scratched the surface and couldn't remove the paint film.

Range	Work material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg q'ty	Part No.
Specialized	Polyurethane, Adhesive, Paint, Epoxy, Acrylic coatings	125	2.6	22.23	Dry	EN13236	1	B-53160
		180				EN13236	1	B-53176

Vacuum brazed offset diamond wheel



Range	Work material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Sales pkg q'ty	Part No.
★★★★☆	Concrete, Granite	1 2 3	115	0.7	22.23	Dry	Standard work	1	A-87834
		1 2 3						1	A-87884

Diamond core bit for diamond core hammer drill



Range	Outer dia. mm	Dry/Wet	Part No.
★★★★☆	32	Dry	A-85036
	38		A-85042
	54		A-85058
	65		A-85064
	70		A-85070
	80		A-80472
	90		A-85086
	105		A-80488
	120		A-80494
	127		A-85606
	152		A-85597
	162		A-85612

Diamond core bit for SDS-PLUS Hammers



Range	Outer dia. mm	Dry/Wet	Part No.
★★★★☆	38	Dry	A-87535
	54		A-87541
	65		A-87557

Diamond core bit for SDS-PLUS Hammers adapter



Range	Shank mm	Part No.
★★★★☆	SDS-PLUS	A-87563

Diamond core bit for diamond core hammer drill center bit





Range	Part No.
★★★★☆	A-80503

Diamond core bit for diamond core hammer drill adapter



Range	Shank mm	Part No.
★★★★☆	13mm Hex	A-80519

Diamond Core Drill Bit for Grinders

		
	Vacuum brazed	Electroplated
Fix	Special chemical bond	Nickel plating
Fixing strength of diamond	High	Low
Cutting material	Marble, Granite, Porcelain Tile	Marble
Precision of cutting	Middle	High

Electroplated diamond core for angle grinder

Range	Outer dia. mm	Thread mm	Dry/Wet	Part No.
Specialized	25	M14	Dry	D-35025
	30			D-35019
	35			D-35003
	40			D-37007
	45			D-37013

Vacuum brazed diamond core for angle grinder

Range	Outer dia. mm	Thread mm	Dry/Wet	Part No.
Specialized	5	M10	Dry	D-79756
	6			D-79762
	8			D-79778
	10			D-79784
	12			D-79790
	14			D-79809
	16			D-79815
	19			D-79821
	20			D-79837
	25			D-79843
	26			D-79859
	32			D-79865
	37			D-79871
	40			D-79887
	50			D-79893
	5	M14		D-79902
	6			D-79918
	8			D-79924
	10			D-79930
	12			D-79946
	14			D-44432
	16			D-44448
	20			D-44454
	22			D-44460
	25			D-44476
	27			D-44482
	30			D-44498
	32			D-44507
	35			D-44513
	38			D-44529
	40			D-44535
	45			D-44541
	51			D-44557
55	D-44563			
57	D-44579			
60	D-44585			
65	D-44591			
67	D-44600			
68	D-44616			
70	D-44622			
75	D-44638			
80	D-44644			
83	D-44650			

Vacuum brazed diamond pin drill bit

Range	Outer dia. mm (inch)	Shank mm (inch)	Dry/Wet	Part No.
★★★★☆	6	12.5	Dry	B-51823
	8			B-51839
	10			B-51845
★★★☆☆	6 (15/64")	8 (5/16")	Wet	D-77372
	8 (5/16")			D-77388
	10 (25/64")			D-77394
	12 (15/32")			D-77403

Diamond polishing pad for stone polisher

Range	Outer dia. mm	Dry/Wet	Note	Part No.
★★★★☆	100	Wet	Grit 50, Hook & Loop type	D-15584
			Grit 100, Hook & Loop type	D-15590
			Grit 200, Hook & Loop type	D-15609
			Grit 400, Hook & Loop type	D-15615
			Grit 800, Hook & Loop type	D-15621
			Grit 1500, Hook & Loop type	D-15637
★★★☆☆	100	Wet	Grit 3000, Hook & Loop type	D-15643
			Buff(Finishing), Hook & Loop type	D-15659
			Grit 50, Hook & Loop type	D-37035
			Grit 100, Hook & Loop type	D-37041
			Grit 200, Hook & Loop type	D-37057
			Grit 400, Hook & Loop type	D-37063
			Grit 800, Hook & Loop type	D-37079
			Grit 1500, Hook & Loop type	D-37085
			Grit 3000, Hook & Loop type	D-37091

Diamond polishing pad for stone polisher assortment

Range	Outer dia. mm	Dry/Wet	Note	Part No.
★★★★☆	100	Wet	Set contents, Grit 50, 100, 200, 400, 800, 1500, 3000, Buff (Finishing), Hook & Loop type	D-15805

Planing / Routing



Planer blade/ HSS



Range	Size mm (inch)	Note	Sales pkg q'ty	Part No.
★★★★☆	80 (3-1/8)	General pkg with 3 languages	2	D-65501
	155 (6-1/8)		2	D-70910
	170 (6-3/4)		2	D-63666
	82	-	2	D-16346
★☆☆☆☆	110	-	2	D-71211
	136	-	2	D-71227
	82	-	2	D-67228
		-	10	D-67234

Planer blade/ TC



Range	Size mm	Sales pkg q'ty	Part No.
★★★★☆	155	2	793015-1
	306	2	793137-7
★★★☆☆	82	2	D-07967
	110	2	D-08822
★☆☆☆☆	82	2	D-72207

Mini planer blade/ HSS



Range	Size mm (inch)	Note	Sales pkg q'ty	Part No.
★★★★☆	306 (12)	General pkg with 3 languages	2	793346-8
			2	A-85400
★☆☆☆☆	50	-	2	A-85400
	312	General pkg with 3 languages	2	B-02870

Mini planer blade/ TC



Range	Size mm	Note	Sales pkg q'ty	Part No.
★★★★☆	82	-	2	D-07945
		With plates	2	D-07951
		-	10	D-35302
★☆☆☆☆	82	-	2	D-70823
		-	10	D-70839

Straight bit 1flute



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6 (1/4)	6 (15/64)	50 (2-1/32)	18 (23/32)	1	D-09167
				19	1	D-09173
★★★☆☆	6	6	51	19	1	D-47416
				1	1	D-67701
	8	8	51	13	1	D-47379
				1	1	D-67664
				3	1	D-67670
				4	1	D-47385
				5	1	D-47391
				6	1	D-67686
	(1/4)	(1/4)	(2)	19	1	D-47400
				1	1	D-67692
(1/8)				1	D-49002	
(5/32)				1	D-49018	
(1/2)	(1/2)	(2)	(3/4)	1	D-49024	
			(1/4)	1	D-49030	
			(3/8)	1	D-62745	

Straight bit 2flute



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	6	8	20	1	D-09260
			20	1	D-09313	
	12	12	10	30	1	D-10182
			12	1	D-07892	
	(1/4)	(1/4)	(5/16)	(3/4)	1	D-15388
			(3/4)	(1)	1	D-15431
	(1/2)	(1/2)	(25/64)	(1)	1	D-15512
			(15/32)	(1-3/16)	1	D-07901
★★★☆☆	6	6	52	16	1	D-47422
				1	1	D-67717
	12	12	61	25	1	D-47438
				1	1	D-67723
	6	6	51	19	1	D-47444
				1	1	D-67739
				1	1	D-47450
				1	1	D-67745
				1	1	D-47466
				1	1	D-67751
	8	8	64	32	1	D-47472
				1	1	D-67767
	6	6	51	19	1	D-47488
				1	1	D-67773
1				1	D-47494	
1				1	D-67789	
8	8	51	16	1	D-47503	
			1	1	D-67795	
			1	1	D-47519	
			1	1	D-67804	
			1	1	D-47525	
			1	1	D-67810	
8	8	51	19	1	D-47531	
			1	1	D-67826	

Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.		
★★★★☆	8	51	19	1	1	D-47547		
				1	1	D-67832		
				1	1	D-47553		
				1	1	D-67848		
				1	1	D-47569		
				1	1	D-67854		
				1	1	D-47575		
	12	57	25.4	25.4	1	1	D-67860	
					1	1	D-47581	
		70	25.4	25	1	1	D-47597	
					1	1	D-47606	
					1	1	D-67898	
					1	1	D-47612	
					1	1	D-67907	
(1/4)	(1/4)	(1-7/8)	(5/8)	1	1	D-47628		
				1	1	D-67913		
				1	1	D-47634		
	(5/16)	(2-1/4)	(1)	(3/4)	1	1	D-67929	
					1	1	D-67935	
					1	1	D-67941	
					1	1	D-67957	
					1	1	D-67963	
					1	1	D-47684	
					1	1	D-67979	
(1/2)	(3/8)	(2-1/4)	(1)	1	1	D-49096		
				1	1	D-49105		
				1	1	D-68971		
	(1/2)	(2-1/2)	(1-1/4)	(3/4)	1	1	D-49052	
					1	1	D-49111	
	(3/4)	(2-1/4)	(1)	(3/4)	1	1	D-49068	
					1	1	D-68937	
					1	1	D-49127	
	(7/8)	(2-1/4)	(1)	(3/4)	1	1	D-49177	
					1	1	D-49155	
					1	1	D-69026	
					1	1	D-49177	
		(1)	(2-3/4)	(1)	(3/4)	1	1	D-49183
						1	1	D-49199
1						1	D-69076	
1						1	D-49208	
(1)	(1/2)	(2-7/8)	(1-1/4)	1	1	D-69098		
				1	1	D-62773		
	(3/4)	(2-7/8)	(1-1/2)	(2)	1	1	D-62810	
					1	1	D-69200	
	(5/8)	(2-7/8)	(1-1/4)	(1)	1	1	D-49220	
					1	1	D-62789	
	(3/4)	(2-5/8)	(1-1/2)	(1)	1	1	D-62795	
					1	1	D-62804	
	(7/8)	(2-5/8)	(1)	(1)	1	1	D-69163	
					1	1	D-69179	
(1)	(2-7/8)	(1-1/4)	(1)	1	1	D-49258		
				1	1	D-69185		

Straight bit 2flute with top bearing

Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg q'ty	Part No.
★★★★☆	(1/4)	(1/2)	(1-7/8)	(1/4)	1	D-58497
			(2-5/8)	(1)	1	D-58506

Flush trim bit 2flute

Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.	
★★★★☆	6 (1/4)	9.5 (3/8)	58 (2-39/64)	25.4 (1)	1	D-09472	
					1	D-04313	
	6	12.7	56	13	1	1	D-47690
					1	1	D-67985
					1	1	D-47709
					1	1	D-67991
					1	1	D-47715
					1	1	D-68002
	8	9.5	67	26	1	1	D-47721
					1	1	D-68018
					1	1	D-47737
					1	1	D-68024
					1	1	D-47743
					1	1	D-68030
★★☆☆☆	(1/4)	(1/4)	(2-1/8)	(1/2)	1	D-58528	
					1	D-69266	
	(1/2)	(3/8)	(2-5/8)	(1)	1	1	D-49264
					1	1	D-69238
					1	1	D-49270
					1	1	D-49286
	(1/2)	(1/2)	(3)	(1)	1	1	D-58540
					1	1	D-62832
					1	1	D-62848
					1	1	D-62854
(3/4)	(3/4)	(3-9/32)	(1)	1	1	D-69319	
				1	1	D-69325	

Flush trim bit 3flute

Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.	
★★☆☆☆	8	12.7	69	26	1	D-47759	
					1	D-68046	
	12	(1/2)	90	38	1	1	D-47765
					1	1	D-68052
	(1/4)	(1/2)	(2-11/16)	(1)	1	1	D-49292
					1	1	D-49301

Panel pilot bit

Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.	
★★★★☆	(1/4)	(1/2)	6	65	1	D-09335	
			8	32	1	D-10578	
			12	38	1	D-10584	
★★☆☆☆	6	6.35	65	19	1	D-47771	
					1	D-68068	
	8	9.5	76	26	1	1	D-68074
					1	1	D-68080
	(1/4)	(3/8)	(2-9/16)	(3/4)	1	1	D-49317
					1	1	D-69381
(1/2)	(1/2)	(3-9/16)	(1-1/8)	1	1	D-63133	

Sash router bit




Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	6	65	18	1	D-16988
	(1/4)	(15/64)	(2-9/16)	(45/64)	1	D-16972

Hinge mortising bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg q'ty	Part No.
★★★★☆	(1/4)	(1/2)	(2)	(3/4)	1	D-69222

Core box bit




Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.	
★★★★☆	8	6.35	38	6.35	3.2	1	D-68264	
		7.9	40	8	4	1	D-68270	
		9.5	41	9.5	4.8	1	D-68286	
		12.7		10	6.35	1	D-48000	
		12	15.8	45	12.7	7.9	1	D-68292
			54			1	D-48016	
	★★★☆☆	(1/4)	(1/4)	(1-1/2)	(1/4)	(1/8)	1	D-68301
							1	D-68317
			(5/16)	(1-37/64)	(5/16)	(5/32)	1	D-49448
				(1-37/64)			1	D-69543
(3/8)			(1-5/8)	(3/8)	(3/16)	1	D-49454	
(1/2)		(1/4)			1	D-49460		
(1/2)		(5/8)	(1-3/4)	(1/2)	(5/16)	1	D-49476	
						1	D-69571	
		(1/4)	(2)	(1/4)	(1/8)	1	D-49482	
		(3/8)		(3/8)	(3/16)	1	D-69587	
	(1/2)		(1/4)	(1/4)	1	D-62929		
★★★☆☆	(1/4)	(3/4)	(1/2)	(3/8)	(1/4)	1	D-62941	
						1	D-62957	
		(3/4)	(1/2)	(3/8)	(3/8)	1	D-49507	
	(1/2)	(1)	(2-1/4)	(5/8)	(1/2)	1	D-69593	
			(2-9/32)	(11/16)		1	D-69602	
		(1-1/4)	(2-3/8)	(3/4)	(5/8)	1	D-62963	
		(1-1/2)	(2-7/8)	(7/8)	(3/4)	1	D-62979	
				1	D-69618			
				1	D-62985			

Round nose bit




Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	6	48	13	3	1	D-09329
		6.35	44	12.7	3.2	1	D-47802
		12.7	51	19	6.35	1	D-68096
★★★☆☆	8	6.35	44	12.7	3.2	1	D-68111
		(1/4)	(1-3/4)	(1/2)	(1/8)	1	D-47830
	(1/4)	(1/2)	(2)	(3/4)	(1/4)	1	D-49345
			(2-3/8)			1	D-49339
	(1/2)					1	D-69397
		(3/4)	(2-5/8)	(1)	(3/8)	1	D-62882
					1	D-69434	
					1	D-62898	

Ball groove bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	8	19	51	18.2	9.5	1	D-48147
	(1/4)	(3/4)	(2)	(23/32)	(3/8)	1	D-49616

V groove bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Angle (°)	Sales pkg q'ty	Part No.	
★★★★☆	6	19	53	20	60	1	D-09391	
		20	47	15	30	1	D-09379	
	(1/4)	(45/64)	(1-7/8)	(5/8)	-	1	D-15453	
★★★☆☆	6	12.7	45	12.7	90	1	D-47868	
						1	D-68155	
						1	D-47874	
		19	48	16	60	1	D-68161	
						1	D-47880	
						1	D-68177	
	8	12.7	45	12.7	90	1	D-47896	
						1	D-68183	
						1	D-47961	
		(1/4)	15.9	44	12.7	60	1	D-68258
							1	D-47905
							1	D-68199
12	12.7	54	12.7	90	1	D-68199		
					1	D-47933		
					1	D-47927		
	(1/4)	19	57	16	90	1	D-47949	
						1	D-68236	
						1	D-49389	
(1/2)	(5/8)	(2)	(1/2)	60	1	D-49367		
					1	D-49395		
					1	D-49373		
				90	1	D-49410		

Keyhole bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	8	9.5	48	10.5	1	D-68812
	(1/4)	(3/8)	(1-7/8)	(13/32)	1	D-50217

Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.	
★★★★☆	(1/4)	12	50.8	76	25.4	19	1	D-48424
		(3/4)	(2-1/8)	(3/8)	(1/8)	1	D-49769	
		(7/8)	(2-5/32)	(1/2)	(3/16)	1	D-49775	
		(1)	(2-1/4)	(17/32)	(1/4)	1	D-49781	
		(1-1/8)	(2-5/16)	(9/16)	(5/16)	1	D-49797	
		(1-1/4)	(2-5/16)	(21/32)	(3/8)	1	D-49806	
	(1/2)	(1-1/2)	(2-7/16)	(3/4)	(1/2)	1	D-49812	
		(2-7/16)	(2-7/16)	(3/4)	(1/2)	1	D-69799	
		(3/4)	(2-5/16)	(3/8)	(1/8)	1	D-63052	
		(2)	(2-15/16)	(1)	(3/4)	1	D-49828	
		(1)	(3/4)	(1)	(3/4)	1	D-69814	
		(1)	(3/4)	(1)	(3/4)	1	D-69814	

Slatwall bit



Range	Shank dia. mm (inch)	Overall dia. mm	Length mm	Carbide height mm	Sales pkg q'ty	Part No.
★★★★☆	12	38	55.5	17.5	1	D-61852
	(1/2)				1	D-61868

Double roundover bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	Sales pkg q'ty	Part No.
★★★★☆	8	28.6	51	12.7	4	1	D-48577

Ovolo bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	Sales pkg q'ty	Part No.
★★★★☆	6	16	41	9	4	1	D-09357
		25	45	13	8	1	D-09363
★★★★☆		25.4			13.5	6.35	1

Beading bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	21	42	9.5	4	1	D-09525
		28	45	13	8	1	D-09547
		17	49	8	2.3	1	D-48430
		19	52	9.5	3.2	1	D-48446
		20.3	51	10	4	1	D-48452
		22.2	53	12.7	4.8	1	D-68557
	8	22.2	53	13	4.8	1	D-48468
		28.6	56	14.5	7.9	1	D-48474
		17.3	49	8	2.3	1	D-68579
		19	52	9.5	3.2	1	D-48480
		19	52	9.5	3.2	1	D-68585
		22.2	53	13	4.8	1	D-48496
★★★★☆	(1/4)	25.4	55	13.5	6.35	1	D-48430
		28.6	56	14.5	7.9	1	D-48511
		31.8	58	17	9.5	1	D-48527
		38.1	60	19	12.7	1	D-68600
		28.6	56	14.5	7.9	1	D-48533
		31.8	58	17	9.5	1	D-68616
	(1/4)	38.1	60	19	12.7	1	D-48549
		(3/4)	(2-1/32)	(3/8)	(1/8)	1	D-68622
		(7/8)	(2-1/8)	(1/2)	(3/16)	1	D-48555
		(1)	(2-5/32)	(17/32)	(1/4)	1	D-49834
		(1-1/8)	(2-5/32)	(17/32)	(1/4)	1	D-49840
		(1-1/4)	(2-9/32)	(21/32)	(3/8)	1	D-69836
(1/4)	(1-1/2)	(2-3/8)	(3/4)	(1/2)	1	D-49856	
	(1)	(2-5/32)	(17/32)	(1/4)	1	D-69842	
	(1-1/8)	(2-3/16)	(9/16)	(5/16)	1	D-49862	
	(1-1/4)	(2-9/32)	(21/32)	(3/8)	1	D-49862	
	(1-1/4)	(2-9/32)	(21/32)	(3/8)	1	D-49878	
	(1-1/2)	(2-3/8)	(3/4)	(1/2)	1	D-69858	

Roundover bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	19	42	9.5	3	1	D-09422
		25	45	13	6	1	D-09444
		(1/4)	(7/8)	(2-3/16)	(1/2)	(3/16)	1
★★★★☆	6	19	53	9.5	3.2	1	D-48290
						1	D-68395
		20.6	52	10	4	1	D-48309
						1	D-68404
		25.4	56	13.5	6.35	1	D-48315
						1	D-68410
		28.6	57	14.5	7.9	1	D-48321
						1	D-68426
		31.8	60	16.7	9.5	1	D-48337
						1	D-68432
★★★★☆	8	17.3	51	8	2.3	1	D-48343
						1	D-68448
		19	53	9.5	3.2	1	D-48359
						1	D-68454
		20.7	52	10	4	1	D-48365
						1	D-68460
		22.2	55	12.7	4.8	1	D-48371
						1	D-68476
		25.4	56	13.5	6.35	1	D-48387
						1	D-68487
★★★★☆	8	28.6	57	14.5	7.9	1	D-48393
						1	D-68502
		31.8	60	16.7	9.5	1	D-48407
						1	D-68507
38.1	62	19	12.7	1	D-48418		

Plunge cut roundover bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	8	25.4	48	16	9.5	1	D-48169
		38.1	60	28.6	12.7	1	D-48175
★★★★☆	(1/4)	(1)	(1-7/8)	(5/8)	(3/8)	1	D-49638
		(1)	(1-7/8)	(5/8)	(3/8)	1	D-69680

Cove bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	20	40	8	4	1	D-09400
		25	45	13	8	1	D-09416
★★★★☆	8	22.2	56	12.7	4.8	1	D-48614
		28.6			7.9	1	D-48620
		31.8			9.5	1	D-48636
		(5/8)			(1-15/16)	(1/4)	(1/16)
★★★★☆	(1/4)	(11/16)	(1-13/16)	(3/8)	(1/8)	1	D-69886
		(3/4)	(1-13/16)	(3/8)	(1/8)	1	D-49921
		(3/4)	(1-13/16)	(3/8)	(1/8)	1	D-49937
		(7/8)	(2-3/16)	(1/2)	(3/16)	1	D-69892
		(7/8)	(2-3/16)	(1/2)	(3/16)	1	D-49943
★★★★☆	(1/2)	(1-1/4)	(2-17/32)	(17/32)	(3/8)	1	D-69901
		(1-1/2)	(2-9/16)	(5/8)	(1/2)	1	D-63080
		(1-3/4)	(2-11/16)	(3/4)	(5/8)	1	D-63096
★★★★☆	(1-3/4)	(2-11/16)	(3/4)	(5/8)	1	D-63105	

Cove with fillet bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	22	42	10	3	1	D-09553
		25.4	54	12.7	4.8	1	D-48795
★★★★☆	(1/2)	(1-1/4)	(2-7/16)	(19/32)	(5/16)	1	D-68806
★★★★☆	(1/2)	(1-1/4)	(2-7/16)	(19/32)	(5/16)	1	D-63127

Chamfer bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Angle (°)	Sales pkg q'ty	Part No.
★★★★☆	6	23	43	11	60	1	D-09494
		26	42	9.5	45	1	D-09488
★★★★☆	(1/4)	(1-1/8)	(2-7/64)	(7/16)	-	1	D-15506

Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Angle (°)	Sales pkg q'ty	Part No.
★★★★☆	6	22.2	56	12.7	25	1	D-48664
		25.4	51	11	25	1	D-68703
		25.4	51	11	25	1	D-48658
		25.4	51	11	25	1	D-68694
		25.4	51	11	25	1	D-48670
	8	30.2	55	12.7	45	1	D-68719
		31.8	55	13.5	45	1	D-48686
		34.9	55	16	45	1	D-48692
		41.3	59	20	45	1	D-48701
		41.3	59	20	45	1	D-68747
12	44.5	69	22.6	45	1	D-48717	
	50.8	71	27	45	1	D-48723	
★★★★☆	(1/4)	(7/8)	(2-3/16)	(1/2)	25	1	D-49993
		(1)	(2)	(3/8)	25	1	D-69951
		(1)	(2)	(3/8)	25	1	D-49987
		(1)	(2)	(3/8)	25	1	D-69945
		(1-3/16)	(2-1/8)	(1/2)	25	1	D-50005
	(1/2)	(1-1/4)	(2-11/64)	(17/32)	45	1	D-69967
		(1-1/4)	(2-11/64)	(17/32)	45	1	D-50011
		(1-5/8)	(2-5/16)	(13/16)	45	1	D-69973
		(1-5/8)	(2-5/16)	(13/16)	45	1	D-50033
		(1-5/8)	(2-5/16)	(13/16)	45	1	D-69989
(1/2)	(1-3/4)	(2-11/16)	(29/32)	45	1	D-50049	
	(2)	(2-13/16)	(1-1/16)	45	1	D-50055	

Ogee bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	8	19	42	11	3.2	1	D-48181
		31.8	56	12.7	4.8	1	D-48773
		(1/4)	(1-15/64)	(1-7/8)	(5/8)	(1/4)	1

Roman ogee bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	R1 mm (inch)	R2 mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	6	24	42	10	2.5	4.5	1	D-09575
		28	44	12	3	6	1	D-09581
		28.6	55	13	4	4	1	D-48810
★★★★☆	8	28.6	55	13	4	4	1	D-68781
		38.1	60	17.5	6.35	6.35	1	D-48767
		38.1	60	17.5	6.35	6.35	1	D-68797
★★★★☆	(1/4)	(1-1/8)	(2-11/64)	(1/2)	(5/32)	(5/32)	1	D-50083

Roman ogee double bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	R2 (inch)	Sales pkg q'ty	Part No.
★★★★☆	(1/2)	(1-1/4)	(2-29/32)	(1-27/64)	(3/32)	(3/32)	1	D-63161

Classic roman ogee bit




Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	R2 (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/2)	(1-3/8)	(2-9/16)	(5/8)	(3/16)	(3/16)	1	D-63236
							1	D-70150

Classic mold bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	R2 mm	Sales pkg q'ty	Part No.
★★☆☆☆	8	38.1	32	15.9	3.18	9.52	1	D-11704

Classical plunge bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	Sales pkg q'ty	Part No.
★★☆☆☆	8	12.7	41.5	9.5	2	1	D-48240
		19	43.1	11	3.2	1	D-48256

Classic panel bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	Sales pkg q'ty	Part No.
★★☆☆☆	8	19	44.7	12.7	4	1	D-48212
	12	31.8	57	19	8.7	1	D-48234

Bull nose bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/2)	(3/4)	(2-9/16)	(5/8)	(1/8)	1	D-63208
		(1)	(2-15/16)	(1)	(1/4)	1	D-63220

Edge beading bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/2)	(1)	(2-5/8)	(11/16)	(3/16)	1	D-63183
		(1-1/8)	(2-11/16)	(3/4)	(1/4)	1	D-63199

Triple bead bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/2)	(7/8)	(2-61/64)	(1)	(1/8)	1	D-63242

Handrail bit type2



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/2)	(1-3/8)	(3-7/16)	(1-1/2)	1	D-63258

Fish handrail bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/4)	(3/4)	(2-5/8)	(1)	1	D-50142

Multi edge beading bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg q'ty	Part No.
★★☆☆☆	(1/2)	(2-1/4)	(4)	(1-7/8)	1	D-50186

French provincial classical bit*




Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	Sales pkg q'ty	Part No.
★★★★☆	12	44.5	79.2	28.6	1	D-48854

Rabbeting bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	8	31.8	54.6	12.2	1	D-48739
			55		1	D-68769
	(1/4)	(1-1/4)	(2-1/8)	1	D-50061	
	(1/2)		(2-3/16)	1	D-50077	

Dovetail bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Angle (°)	Sales pkg q'ty	Part No.	
★★★★☆	8	12.7	45	13	14	1	D-48072	
					15	1	D-68323	
					15	1	D-68339	
	12	25.4	64	22.2	7	1	D-68345	
					14	1	D-48103	
					14	1	D-68351	
	(1/4)	(1/4)	(2-1/2)	(5/16)	7.5	14	1	D-49529
						14	1	D-69624
						9	1	D-49535
						9	1	D-69630
						14	1	D-49541
						14	1	D-69646
(1/2)	(1/2)	(2-1/8)	(3/8)	9	14	1	D-62991	
					14	1	D-69652	
					14	1	D-63002	
					14	1	D-49579	

Reversible glue joint bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	Sales pkg q'ty	Part No.
★★★★☆	12	41.3	76.2	25.4	1	D-48929

Tongue and groove bit



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Sales pkg q'ty	Part No.
★★★★☆	12	41	38	6.35	1	D-12027
			71	19	1	D-68828
★★★★☆	(1/2)	(1-39/64)	(2-51/64)	(3/4)	1	D-70085

Slotting cutter



Range	Shank dia. mm (inch)	Overall dia. mm (inch)	Length mm (inch)	Carbide height mm (inch)	Note	Sales pkg q'ty	Part No.
★★★★☆	(1/4)	(1-7/8)	(2-5/16)	3	Slotting cutter with arbor	1	D-48963
				4		1	D-48979
				(5/64)		1	D-50245
				(1/8)		1	D-50267
				(7/32)		1	D-50295

Router bit assortment



Range	Shank dia. mm (inch)	Note	Sales pkg q'ty	Part No.	
★★★★☆	6	-	12	A-87921	
	8		12	A-88054	
	(1/4)		3	D-30215	
★★★★☆	6	Straight bit - 1 Flute (D-47416), Flush Trim bit - 2 Flutes (D-47709), Roundover bit with Bearing (D-48290)	12	A-91051	
			3	D-70459	
			22	D-78318	
			3	D-53338	
	8	-	Grooving type	22	D-74784
			Multipurpose type	22	D-74778
			-	3	D-70465
	(1/4)	-	-	6	D-53578
			-	12	D-53584
			Straight bit - 1 Flute (D-49030), Flush Trim bit - 2 Flutes (D-49270), Roundover bit with Bearing (D-49769)	3	D-53344

Miscellaneous



Feature

1. Special Coating

- * "DURA COAT" makes 5 times more durable
- * "SILICA COAT" makes easier note



2. High durability of Hook

- * Installed damper absorbs the shock on the hook
- * Hook protector reduces the shock on the hook
- * Tightly fixed hook with "4rivets+protector"



3. Convenience

- * 2-sided print
- * Hook with magnet
- * "Matte finish" makes easier to read scales
- * Standout




Tape measure



Size	Length	Width	Part No.
cm	2m	13mm	E-03078
cm/inch	2m/6ft	13mm / 1/2"	E-10590



Size	Length	Width	Part No.
cm	3.5m	16mm	B-57130



*North America package


Size	Length	Width	Part No.
cm	5.5m	25mm	B-57146
	7.5m		B-57152
cm/inch	5.5m/18ft	25mm/1"	*B-57211
	7.5m/25ft		*B-57227



*North America package

Size	Length	Width	Part No.
cm	10m	25mm	B-57168

Makita tape measure is highly durable and convenient. When the scales are blurred or hook is lost, that would be the end of it's life. This measure is for professional which has a special coated tape, hook protector and damper which absorbs shocks leads to great durability.



Tape measure with holder & safety cord



Size	Length	Width	Part No.
cm	7.5m	25mm	B-57174

Screw driver

<Single item>



Size	Length	Part No.	
+	PH1	100mm	B-65903
	PH2		B-65919
	PH3	150mm	B-65931
+	PZ1	80mm	B-65947
	PZ2	100mm	B-65953
	PZ3	150mm	B-65969
*	T10	100mm	B-65975
	T15		B-65981
	T20		B-65997
	T25		B-66008
	T30		B-66014
-	SL4.0	100mm	B-66020
	SL5.5		B-66036
	SL6.5	125mm	B-66042
	SL8	150mm	B-66058



<Assortment>

Size	Length	Q'ty	Part No.	
*+	T10, T15, T20, T25, T30	100mm	5	E-10534
+	SL4, SL5.5, SL6.5, SL8	100mm, 125mm, 150mm	6	E-10506
+	PH1, PH2			
+	SL4, SL5.5, SL6.5, SL8	80mm, 100mm, 125mm, 150mm	6	E-10512
+	PZ1, PZ2			
+	SL4, SL5.5			
+	PH1, PH2	80mm, 100mm	6	E-10528
+	PZ1, PZ2			

<Single item>



Size	Length	Part No.	
+	PH1	100mm	E-13356
	PH2		E-13362
	PH3	150mm	E-13378
+	PZ1	80mm	E-13384
	PZ2	100mm	E-13390
	PZ3	150mm	E-13409
*	T10	100mm	E-13415
	T15		E-13421
	T20		E-13437
	T25		E-13443
	T30		E-13459
-	SL4.0	100mm	E-13465
	SL5.5		E-13471
	SL6.5	125mm	E-13487
	SL8	150mm	E-13493



<Assortment>

Size	Length	Q'ty	Part No.	
*+	T10, T15, T20, T25, T30	100mm	5	E-13530
+	SL4, SL5.5, SL6.5, SL8	100mm, 125mm, 150mm	6	E-13502
+	PH1, PH2			
+	SL4, SL5.5, SL6.5, SL8	80mm, 100mm, 125mm, 150mm	6	E-13518
+	PZ1, PZ2			
+	SL4, SL5.5			
+	PH1, PH2	80mm, 100mm	6	E-13524
+	PZ1, PZ2			

Go thru Screw driver




Size	Length	Part No.	
+	PH1	75mm	B-66064
	PH2	100mm	B-66070
	PH3	150mm	B-66086
+	PZ1	75mm	B-66092
	PZ2	100mm	B-66101
	PZ3	150mm	B-66117
-	SL5.5	75mm	E-04933
	SL6.5	150mm	E-04949
	SL8	200mm	E-04955

Shock driver

Makita shock driver is very useful tool which as a regular handy driver and a shock driver when you work on the stripped screw.




This handy driver can remove both crushed and stripped screws which could not be loosened by the electric tools. Applying the impact on the handle generates a torque in the rotation direction, so both crushed and stripped screws can be removed.





*The impact on the handle generates 12 degrees torque in the loosening direction and even the stripped screw will be loosened.

How to remove

1. While applying force in the fastening direction, hold the grip securely.



2. Apply strong impact with the hammer.



	Size	Length	Part No.
+	PH2	125mm	B-42438
	PH3	150mm	B-42444
+	PZ2	125mm	B-42450
	PZ3	150mm	B-42466

Ratchet screwdriver

With screw bit 25mm (PH2)x1pcs.



Part No.
D-58833

Hex key wrench 9pcs. set



Size	Part No.
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	B-65894

Snap-off knife



Part No.
D-58855



Part No.
D-65713

LED Pen Light (without battery)

Battery type: AA



Part No.
D-58752

Strap Belt System

System as a STRAP

Totally New on the market - unique STRAP Belt System with quick release buckles at the ends makes the belt multipurpose. Strap with comfortable soft rubber shoulder pad makes the lifting more comfortable. Fits to all Makita Tool Bags and Cases.



System as a BELT

Strap BELT can be easily detached from any Tool Bag or Tool Case and worn on the waist as a light-duty tool belt. Strap can be adjusted, which is flexible and convenient to fit your need. Can be worn with any Makita Tool Pouch and Holder.



STRAP BELT SYSTEM

Over 45 products within the system

E-15453 Ultimate 4-Sided Tool Tote

E-15388 Ultimate Adjustable Tool Case

E-15590 Ultimate Lunch Bag & Belt

E-15556 Ultimate Smartphone Holder

E-12980 Ultimate Smartphone Holder XL

E-15279 Ultimate 4-Way Electricians Holder

E-15419 Ultimate Covered Tool Tote

E-15394 Reinforced Adjustable Tool Case

E-05309 Belt Loop - 3 Pack
E-05315 Belt Loop - 6 Pack

E-15338 Tape Measure Holder

E-15403 Ultimate Open Tool Tote

E-15322 Knife / Secateur Holder

E-15285 Ultimate 3-Way Hammer & Tool Holder

E-15447 Ultimate 3-Way Universal Tool Tote

E-15291 Side Gate Hammer & Tool Holder

E-15316 Universal Clip Holder

E-15300 Looped Hammer & Axe Holder

E-15562 Thermal Flask & Holder

E-15512 Ultimate Chainsaw Bag

E-15160 Pencil Driver Holster Universal L/R Handed

E-15578 Thermal Mug & Holder

E-15534 Roll-Top All Weather Tube Bag

E-15431 Ultimate Wide Mouth Tool Bag

E-15540 Roll-Top All Weather Duffel Bag

E-15425 Ultimate Gate Mouth Tool Bag

Over 45 products within the system

E-15213 Roofer & General Purpose Pouch

E-15207 Ultimate 3 Pocket Fixing Pouch

E-11782 Ultimate Heavyweight Tool Bag

E-12712 Ultimate Heavyweight Tool Bag with Trolley

E-15198 Ultimate 2 Pocket Fixing Pouch

E-15241 Ultimate Electricians Pouch

E-05670 1M Guide Rail Protective Holder

E-05664 1.4M / 1.5M Guide Rail Protective Holder

E-10920 1.9M Guide Rail Protective Holder

E-15154 Drill Holster Universal L/R Handed

E-15182 Universal Pouch & Drill Holster L/R Handed

E-10936 3M Guide Rail Protective Holder

E-15475 Technician Tool & Laptop Bag

E-15469 Semi-Rigid Tool Bag

E-15344 Ultimate Chisel & Tool Holder

E-15257 Fixing Pouch & Hammer Holder

E-15263 Zip Top Pouch - Dual Battery or Fixings

E-15176 Impact Driver Holster Universal L/R Handed


Tool Holders 3rd Generation Technical Solutions



Strap Belt System with quick release buckles at the ends can be easily detached from the Tool Bags and worn on the waist as a light-duty tool belt. Fits all Tool Pouches and Holders as well as Tool Organizers.



3L Technology is a unique 3-layer combination of polyesters and foam that provides extra cushioning. Designed to be tough and weatherproof, these amazingly light polypropylene panels are made up of three composite layers joined securely in a desirable configuration. The innovative feature of these structured core panels means that they can be formed into any shape.



Waterproof Bottom is a high quality solution for tool bags – rigid, wear-resistant and waterproof it keeps tools dry and protected from damp and wet surfaces. The reinforced plastic base also helps you to keep your tool bag clean.



Real Leather is smooth on the outside with brushed suede on the inside. Strong and tough for a long life but soft and supple enough for lasting comfort, whilst providing excellent strength with added abrasion resistance. Heavy gauge leather has been selected for use in products requiring a thicker covering - 1.8 to 2.0mm - ensuring a top quality product.



Durable Riveting gives truly unbreakable strength. Strong one piece self-punching rivets with washers used in all high stress areas. Washers for greater strength in strategical places are used on one or both sides, up and down.



Anti-Slip Solution minimises or even avoids workplace slip and fall accidents. The high quality polypropylene tape has a rubbery surface which helps to keep you tools in place and provides additional protection to help prolong the life of your products.



Elastic Loops secures the contents and keeps your tools in place while carrying. It provides great flexibility for organizing your tools and accessories. Elastic Loops have been applied to a wide variety of our products to ensure that you get maximum usage from your kit. The loops are able to adapt to perfectly suit all tools and accessories.






Side-Gate Solution lets you easily put the tool in without looking at the holder. An additional swing feature ensures your tool is kept at a comfortable angle. Made of stainless steel for product longevity and fixed by four rivets for extra strength.



Pouches & Holders

Descriptions	Outer size			Features								Picture	Part No.
	H	L	W	STRAP BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION		
Drill Holster Universal L/R Handed	290	170	85	✓	✓		✓	✓	✓	✓			E-15154
Pencil Driver Holster Universal L/R Handed	320	85	60	✓					✓	✓			E-15160
Impact Driver Holster Universal L/R Handed	235	155	75	✓	✓		✓	✓	✓	✓			E-15176
Universal Pouch & Drill Holster L/R Handed	270	260	145	✓	✓		✓	✓	✓	✓			E-15182
Ultimate 2 Pocket Fixing Pouch	270	260	145	✓	✓		✓	✓	✓	✓			E-15198
Ultimate 3 Pocket Fixing Pouch	270	320	145	✓	✓		✓	✓	✓	✓			E-15207
Roofer & General Purpose Pouch	270	290	145	✓	✓		✓	✓	✓	✓	✓		E-15213
3 Pouch Tool Belt Set	270	640	145		✓		✓	✓	✓	✓	✓		E-15229
Ultimate Heavyweight Tool Belt Set	310	880	145	✓	✓		✓	✓	✓	✓			E-15235
Ultimate Electricians Pouch	310	250	125	✓	✓		✓	✓	✓	✓			E-15241
Fixing Pouch & Hammer Holder	185	180	105	✓	✓		✓	✓	✓	✓			E-15257
Zip Top Pouch - Dual Battery or Fixings	185	175	105	✓	✓			✓		✓			E-15263
Ultimate 4-Way Electricians Holder	205	185	55	✓			✓	✓		✓			E-15279
Ultimate 3-Way Hammer & Tool Holder	205	185	85	✓			✓	✓		✓			E-15285
Side Gate Hammer & Tool Holder	165	110	70	✓	✓			✓		✓	✓		E-15291
Looped Hammer & Axe Holder	165	110	65	✓	✓			✓		✓			E-15300
Universal Clip Holder	165	110	15	✓	✓			✓		✓			E-15316

Pouches & Holders

Descriptions	Outer size			Features									Picture	Part No.
	H	L	W	STRAP BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Knife / Secateur Holder	200	100	50	✓	✓			✓	✓	✓			E-15322	
Tape Measure Holder	165	110	80	✓	✓			✓	✓	✓			E-15338	
Ultimate Chisel & Tool Holder	270	100	60	✓				✓	✓	✓			E-15344	



Belts & Braces

Descriptions	Outer size			Features									Picture	Part No.
	H	L	W	STRAP BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Quick Release Belt & Shoulder Strap	38	1,300	-	✓									E-15350	
Belt Loop - 3 pcs.	129	41	-	✓									E-05309	
Belt Loop - 6 pcs.													E-05315	
Ultimate Padded Belt with Belt Loop	100	880	30				✓	✓					E-15366	
Quick Release Belt & Belt Loop	50	1,550	-										E-05337	
Ultimate Leather Belt with Belt Loop	48	1,380	-				✓						E-15693	
Leather Belt Black M	38	1,130	-				✓						E-05359	
Leather Belt Black L	38	1,330	-				✓				E-05365			
Leather Belt Brown M	38	1,130	-				✓						E-05371	
Leather Belt Brown L	38	1,330	-				✓						E-05387	
Ultimate Padded Braces & Phone Holder	410	520	23						✓				E-15372	
Ultimate Braces with Clips	-	50	-										E-05402	

Bags & Cases

Descriptions	Outer size (mm)			Features									Picture	Part No.
	H	L	W	STRAP BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Ultimate Adjustable Tool Case	310	510	300	✓		✓		✓		✓			E-15388	
Reinforced Adjustable Tool Case	265	505	295	✓				✓		✓			E-15394	
Ultimate Open Tool Tote	355	490	310	✓		✓		✓		✓			E-15403	
Ultimate Covered Tool Tote	360	490	310	✓		✓		✓		✓			E-15419	
Ultimate Gate Mouth Tool Bag	280	510	295	✓		✓				✓			E-15425	
Ultimate Wide Mouth Tool Bag	250	440	240	✓						✓			E-15431	
Ultimate 3-Way Universal Tool Tote	225	350	175	✓	✓				✓	✓			E-15447	
Ultimate 4-Sided Tool Tote	410	260	220	✓				✓	✓	✓			E-15453	
Semi-Rigid Tool Bag	270	520	250	✓	✓				✓	✓			E-15469	
Technician Tool & Laptop Bag	350	425	170	✓	✓			✓		✓			E-15475	
Backpack Tool Organiser	490	390	230			✓				✓			E-15481	
Bucket Tote Tool Organiser	320	470	-							✓			E-15497	
Tool Organiser Wrap	195	350	45						✓	✓			E-15506	
Ultimate Chainsaw Bag	260	900	270	✓		✓				✓			E-15512	
Roll-Top All Weather Backpack	400	330	200						✓				E-15528	
Roll-Top All Weather Tube Bag	600	320	320	✓					✓				E-15534	
Roll-Top All Weather Duffel Bag	250	610	300	✓					✓				E-15540	







Bags & Cases

Descriptions	Outer size (mm)			Features								Picture	Part No.
	H	L	W	STRAP BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION		
Ultimate Heavyweight Tool Bag	260	650	330	✓									E-11782
Ultimate Heavyweight Tool Bag with Trolley	330	680	330	✓				✓					E-12712



Gear & Equipment


Descriptions	Outer size			Features								Picture	Part No.
	H	L	W	STRAP BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION		
Ultimate Smartphone Holder	185	100	40	✓	✓						✓		E-15556
Ultimate Smartphone Holder XL	200	115	40	✓	✓						✓		E-12980
Thermal Flask & Holder	200	90	85	✓	✓					✓	✓		E-15562
Thermal Mug & Holder	175	125	100	✓	✓					✓	✓		E-15578
Toiletry bag	200	260	110								✓		E-27492
Lunch Bag	210	330	180		✓								E-15584
Ultimate Lunch Bag & Belt	230	330	200	✓	✓	✓				✓			E-15590
Work Vest - Adjustable Pockets	640	510	-								✓		E-15609
Knee Pad Set	240	170	30										E-15615
Ultimate Knee Pad Set	240	170	95										E-05658
1.4M / 1.5M Guide Rail Protective Holder	220	1,565	45	✓	✓								E-05664
1M Guide Rail Protective Holder	220	1,070	45	✓	✓								E-05670
1.9M Guide Rail Protective Holder	220	1,950	45	✓	✓								E-10920
3M Guide Rail Protective Holder	220	3,050	45	✓	✓								E-10936

Mixing paddle

Mixing Paddle type		2 paddle for liquid	3 paddle for quick-drying liquid	2 paddle for viscous material	
Mixing Paddle image					
Feature		 <p>Stir the material from top to bottom.</p> <p>Used for stirring general liquid materials. Since the material is stirred from top to bottom, the material does not easily scatter even when used at high speed.</p>	 <p>Stir the material from top to bottom.</p> <p>Since the material is stirred from top to bottom, the material does not easily scatter even when used at high speed. In addition, the 3-blade has high-efficient mixing capability which reduces mixing time. Therefore, it is suitable for stirring liquid materials with a short curing time.</p>	 <p>Stir the material from bottom to top.</p> <p>Since the material is stirred from bottom to top, it prevents the precipitation of large gravity solids. Ex) Mortar is a mixture of cement, sand and water, so large gravity sand tends to accumulate underneath. Therefore, by stirring the sand on top, it can be mixed efficiently.</p>	
material	liquid	Wall paints	○	○	—
		Dispersions	○	◎	—
		Glazes	◎	—	—
		Varnishes	◎	—	—
		Emulsion paint	◎	—	—
		Epoxy coating	◎	—	—
	viscous	Gypsum plaster	—	◎	—
		Glue	—	—	◎
		Cement laitance	—	—	◎
		Mortar	—	—	◎
Plaster	—	—	◎		



Mixing paddle with 3/8inch Hex shank







Work material	Bit dia. mm	Length mm	Shank type	For model	Note	Sales pkg q'ty	Part No.
Liquid	120	600	Straight	Mixer(Max rpm 1,300)	Max mixing weight 15kg	1	D-80525
Viscous material				Mixer(Max rpm 500)	Max mixing weight 20kg	1	D-80531

Mixing paddle with M14 shank




Work material	Bit dia. mm	Length mm	Shank type	For model	Note	Sales pkg q'ty	Part No.
Liquid	120	600	M14	Mixer(Max rpm 1,300)	Max mixing weight 15kg	1	D-80494
Quick-drying liquid					Max mixing weight 18kg	1	D-80519
Viscous material					Mixer(Max rpm 590)	Max mixing weight 20kg	1



Makita - A Global Brand

Makita have established directly operated business bases in about 50 countries around the world, and have upgraded our sales network in over 170 countries and after-sales service capabilities to become one of the leading companies in our industry. In addition, Makita is producing power tools and OPE in China, Romania, Thailand, U.K., Brazil, U.S. and Germany. Currently, about 90% of our group's manufacturing work in terms of production volume is carried out overseas.

Makita's worldwide sales and service network, as well as the stable, high production quality ensured at its plants worldwide, are the embodiment of the Makita brand.



JAPAN

Makita Corporation Headquarters



JAPAN

Okazaki Plant



U.S.A.

U.S. Plant



UNITED KINGDOM

U.K. Plant



ROMANIA

Romania Plant



GERMANY

Germany Plant



BRAZIL

Brazil Plant



CHINA

China Plant (MCC)



CHINA

China Plant (MKC)



THAILAND

Thailand Plant



JAPAN**Makita Corporation****Head office**

3-11-8, Sumiyoshi-cho, Anjo, Aichi
446-8502

Okazaki plant

22-1, Watarijima, Nemunoki-cho,
Okazaki, Aichi 444-0232

Nisshin Office

349 Minamiyama,
Komenoki-cho, Nisshin,
Aichi 470-0111

Tokyo branch office

3-5-3, Hongo, Bunkyo-ku,
Tokyo 113-0033

Nagoya branch office

2-33, Namiki, Nakamura-ku,
Nagoya 453-0856

Osaka branch office

1-26-8, Tenma, Kita-ku,
Osaka 530-0043

Domestic sales offices

Sapporo, Sendai, Niigata, Utsunomiya,
Saitama, Chiba, Yokohama, Shizuoka,
Gifu, Kanazawa, Kyoto, Hyogo, Okayama,
Hiroshima, Takamatsu, Fukuoka,
Kumamoto, Okinawa and other major cities

CHINA**Makita (China) Co., Ltd.****Head office & plant (MCC)**

No.1388 Middle Huangpujiang Road,
Kunshan Economic & Technical
Development Zone, Jiangsu, China
Postcode:215335

Domestic sales department (MCS/MCCF)

No.318, South Wusongjiang Road,
Kunshan City, Jiangsu, China
Postcode : 215300

Domestic sales department (MCCS)

No.80 Meigui Road, Kunshan Economic
& Technical Development Zone, Jiangsu,
China
Postcode : 215300

Guangzhou sales branch (CGZ)

Rome 1001 1002, The First Floor, Jinhao
Building, No.38, Middle Of Huadi
Avenue, Li Wan
District, Guangzhou, Guangdong, China
Postcode : 510380

Shanghai sales branch (CSH)

Room.102&103, 1F, No.128, East Luoxiu
Road, Xuhui District, Shanghai, China
Postcode : 200231

Tianjin sales branch (CTJ)

No.3 Office Building, No.23, Quanwang
Road, Wuqing Development
Area, Tianjin, China
Postcode : 301700

Chengdu sales branch (CCD)

3F, Building No.1, No.39 Xiedu South 3
Rd, Wuhou District, Chengdu, Sichuan,
China
Postcode : 610045

Shenyang sales branch (CSY)

No.27, Shenxin East Road, TieXi District,
Shenyang, Liaoning, China
Postcode : 110000

Xian sales branch (CXA)

1 & 2F, Xian Youzhi Science and
Technology Industrial Park NO.75
Mingguang Road, Economic And
Technological Development Zone, Xian,
Shanxi, China
Postcode : 710018

Changsha sales branch (CCS)

(Near Gaosheng Road) No.3, Building
5, Youxin Mechanical And Electrical
Market, Yuhua District, Changsha, Hunan,
China
Postcode : 410114

Shijiazhuang sales branch (CSJ)

No.102, 1F, 2nd Plant, No.403, Yuhua
East Road, Yuhua District,
Shijiazhuang, Hebei, China
Postcode: 050000

Makita (Kunshan) Co. Ltd.

No.1, Nanzi Road, Kunshan Economic &
Technical Development Zone,
Jiangsu, China
Postcode: 215301

Makita Power Tools (HK) Limited**Head office**

Unit 01, 17/F & 3/F., Grandtech Centre, 8
On Ping Street, Shatin, N.T., Hong Kong

Macau Service Centre

Em Macau, Rua Do Volong N°11,
Rés-Do-Chão A

Makita (Taiwan) Ltd.**Head office**

No.798, Sec. 2, Wenhua 3rd Rd.,
Linkou Dist., New Taipei City 24459,
Taiwan

Taichung sales branch

No. 839, Section 3, Zhongqing Rd, Daya
Dist, Taichung City, 428, Taiwan

Kaohsiung sales branch

No.105, Yucheng Rd., Sanmin Dist.,
Kaohsiung City 807, Taiwan

Yilan factory service center

No. 237, Section 3, Chuanyi Rd, Luodong
Township, Yilan County, 265, Taiwan

Hualien factory service center

No.247, Sec.2, Zhongyang Rd.,
Ji'an Township, Hualien County 973,
Taiwan

Yunlin factory service center

No.197, Guangfu Rd., Huwei Township,
Yunlin County 632, Taiwan

Tainan factory service center

No. 182, Minzhi Rd, Xinying District,
Tainan City 730, Taiwan

Pingtung factory service center

No.12&16, Ruimin Rd.,
Pingtung City 900, Taiwan

Taitung factory service center

No. 51, Section 2, Zhongxing Rd, Taitung
City, Taitung County 950, Taiwan

SINGAPORE**Makita Singapore Pte. Ltd.****Head Office**

7, Changi South Street 3, Singapore 486348

Myanmar Service Center

No.D36/2, Lan Thit Road, Insein Township,
Yangon.

Cambodia Service Center

No. 432, Street 271, Phum Chamroen
Phal 4, Sangkat Boeung Tumpun 1, Khan
Meanchey, Phnom Penh, CAMBODIA.

INDIA**Makita Power Tools India Pvt. Ltd.****Head Office**

Unit 2, Sy. No. 93/3 & 93/4,
Koralur Village, Kasaba Hobli,
Hoskote Taluk, Bangalore – 560067. India.

Delhi Branch

Khasra No: 90/1, Main Phirni Road,
Extended Lal Dora, Village Bamnoli, New
Delhi – 110 077

Chennai Service Centre

No.30, Jawaharlal Nehru Salai,
Koyambedu, Chennai – 600107. India.

Kolkata Branch

P-46, Hide Road Extension,
Kolkata – 700088.
West Bengal. India.

Cochin Service Centre

Door No. XVI/443A, Jubilee Road, Kerala
– 682040. India

Bhiwandi Branch

Block 11, Building No. F-1, Situated at
Antariksh Logipark, Dohole Village,
Tal-Bhiwandi – 421 302

Ahmedabad Service Centre

Aniket Estate, Near Sawan Hotel, Near
Sarkhej – Sanand Chokdi, S. G. Highway,
Ahmedabad – 382210. India.

Peenya Service Center

No. 36/B, F1, 2nd Phase, 1st Main Road,
KIADB, NTF Circle, Peenya Industrial
Area, Bangalore - 560058

Pune Service Centre

Shop No. 104, First Floor, Plot No.
PAP/J/121/122. J Block, MIDC Bhoasari,
Pimpri Chinch Wad, Pune - 411026

Rudrapur Service Centre

MIG-48, Ground Floor, Ward No. 19, New
Ward no. 38, Near Siddhu Palace, Awas
Vikas, Rudrapur, Uttarakhand - 263153

Jamshedpur Service Centre

Shop no. 24, Shivanjani Complex, Plot
no. ST-8, Mouzadindli, Adityapur,
P.S.Adityapur Ward no. 5, Saraikel (D),
Kharswan, Jharkhand state, 831013

Indore Service Centre

Unit No. B-34, Block No. B-18, Access B,
New Siyaganj, Poddar Plaza, HTL, Unit 2,
VIP Route No.1, Kachhi Mohalla, Indore
,452007

Vadodara Service Centre

Shop No. 3, Lakod Complex, GIDC,
Makarpara, Vadodara, 390010, Gujarat

Guwahati Service Centre

Sahani Mansion, Chatribari Road,
Guwahati, Kamrup Metropolitan,
Assam - 781001, India.

Coimbatore Service Centre

D.No.138/6, Ground Floor, Rangakonar
Street, Katour, Coimbatore - 641009,
Tamilnadu.

VIETNAM**Makita Vietnam Co. Ltd.****Head office**

Unit 4-5-6, Block 16, 18L1-2, Street No. 3,
VSIP II Industrial Park, Binh Duong Ward,
Ho Chi Minh City, Vietnam

North Branch

Unit 05, No.01, Street 6, VSIP Bac Ninh
Intergrated Township and Industrial
Park, Tu Son Ward, Bac Ninh Province,
Vietnam

Da Nang Service Center

40 Chi Lang Street, Hai Chau Ward, Da
Nang City, Vietnam

Can Tho Service Center

366 Vo Van Kiet Street, 5 Zone, Binh
Thuy Ward, Can Tho City, Vietnam.

Buon Ma Thuot Service Center

68 Le Duc Tho, Buon Ma Thuot Ward,
Dak Lak Province, Vietnam

Hai Phong Service Center

No. 01 Lot OH-01, Hoang Huy Riverside
Project, Hong Bang Ward, Hai Phong
City, Vietnam

Nha Trang Service Center

Lot 36-38, B6 Street, Vinh Diem Trung
Urban Area, Tay Nha Trang Ward, Khanh
Hoa Province, Viet Nam

Ho Chi Minh Service Center

12 Trinh Van Can, Ben Thanh Ward, Ho
Chi Minh City, Viet Nam

Ha Noi Service Center

Group 15 and No. 4, Alley 63, Truong
Chinh Street, Phuong Liet Ward, Hanoi
City, Viet Nam

THAILAND**Makita Manufacturing (Thailand) Co., Ltd.**

219/1 Moo 6, Tambol Bowin,
Amphur Sriracha, Chonburi, 20230

MALAYSIA**Makita Power Tools (Malaysia) Sdn. Bhd.****Head Office**

Lot 824, Jalan Subang 5, Subang
Industrial Area,
47500 Subang Jaya, Selangor, Malaysia

Johor(Johor Bahru) Service Center

No. 12 & 14, Jalan Rosmerah 2/9,
Taman Johor Jaya, 81100 Johor Bahru,
Johor

Sarawak(Kuching) Service Center

Lot 1227, Lorong Demak Indah 2A,
Demak Laut Industrial Area, Phase 2A,
93050 Kuching Sarawak, Malaysia.

Sabah(Kota Kinabalu) Service Center

Lot 19, Jalan Buah Duku,
Kolombong Light Industrial Estate,
Off Kolombong, Kolombong Zone 1,
88450 Inanam, Kota Kinabalu, Sabah

AMERICAS

UNITED STATES

Makita U.S.A. Inc.

Corporate office

14930 Northam Street, La Mirada,
CA 90638-5753, USA

Western regional (Los Angeles) office

14930 Northam Street, La Mirada,
CA 90638-5753

Western regional (Reno) office

10200 Military Rd, Reno, NV, 89506

Eastern regional (Atlanta) office

4200 Falcon Parkway Flowery Branch,
GA 30542

Southern regional (Dallas) office

910 E. Pleasant Run Road, Wilmer, TX
75172

Factory service centers

Atlanta, Chicago, Dallas, Denver,
Los Angeles, New Jersey, Reno

Makita Corporation of America

2650 Buford Highway, Buford,
GA 30518-6045

Makita Latin America Inc.

Head office

9221 West 44th Ave. Suite 900, Hialeah,
FL 33018

Panama Branch

Local Comercial No.4, Albrook Office
Center, calle Diego Dominguez, Albrook,
Panama City, Panama

CANADA

Makita Canada Inc.

Head office

1950 Forbes Street, Whitby, ON L1N 7B7

Western regional office

11771 Hammersmith Way, Richmond,
BC V7A 5H6

Factory service centers

Edmonton, Les Saules(Quebec City),
Richmond(Vancouver), Saskatoon,
St. Leonard(Montreal), Whitby

MEXICO

Makita México, S.A. de C.V.

Head office

Camino Viejo A San Lorenzo Tepaltitlan
(Jose Marti) No.229 Lote1
Col. Tlacopa, Toluca, Estado De Mexico,
C.P. 50010

Mexico City sales branch

Avenida de los Cien Metros, número
1112, Colonia Nueva Industrial Vallejo,
Alcaldía Gustavo A. Madero, en la Ciudad
de México, C.P. 07700

BRAZIL

Makita do Brasil Ferramentas Elétricas Ltda.

Head office & plant (MBRP)

Rodovia BR 376, Km 506,1 - (pista norte)
Bairro Colônia Dona Luíza,
CEP 84043-450 - Ponta Grossa, PR

São Paulo sales office (MBR)

Rua Makita Brasil, 200 -Bairro
Cooperativa - São Bernardo do Campo -
SP CEP 09852-080

Bahia sales branch

Rua Itagi, 491- Bairro
Pitangueiras - Lauro de Freitas,
BA CEP: 42701-370

Rio de Janeiro service center

Av. Das Américas, 2250 - Loja J/K - Barra
da Tijuca -
Rio de Janeiro, RJ CEP:22640-101

Recife service center

Av. Marechal Mascarenhas de Moraes,
630, Bairro Imbiribeira,
Recife, PE CEP 51170-000

Belo Horizonte service center

Rua Juiz de Fora, 95 - Bairro Barro Preto,
Belo Horizonte, MG CEP 30180-060

Pará Sales Branch

Rodovia BR 316, Km 04 Loja 04-Bairro
Águas Lindas, Ananindeua / PA CEP
67020-000

Porto Alegre service center

Av. Sertorio , 5539 - JD. Lindoia - Porto
Alegre - RS CEP: 91050-371

Guauxupé service center

Av. Paulo Ribeiro do Valé, 1539 - Japy,
Guauxupe - MG, CEP 37800-000

Manaus sales branch

Av. Torquato Tapajós, 1762, Flores,
Manaus-AM, CEP 69058-830

ARGENTINA

Makita Herramientas Eléctricas de Argentina S.A.

LISANDRO DE LA TORRE 1246,
PARQUE INDUSTRIAL PILARICA,
FATIMA, PILAR PROVINCIA DE BUENOS
AIRES, CP1633

CHILE

Makita Chile Comercial Limitada

Head Office

AV.EL PARQUE 1307,PARQUE 5,MODULO
12, SECTOR ENEA PONIENTE PUDAHUEL,
SANTIAGO,CHILE CP9031244

Temuco factory service center

Avenida Pedro de Valdivia N°0524 ,
locales 13 y 14, Comuna y Ciudad de
Temuco

Antofagasta factory service center

Pedro Aguirre Cerda N°6259, locales 3 y
4, Comuna y Ciudad de Antofagasta

Copiapó factory service center

Panamericana Norte N°185, Bodega 10
Edificio 3, Comuna y Ciudad de Copiapó

PERU

Makita Peru S.A.

Panamericana Sur - Km. 29, Distrito de
Lurin, Provincia de Lima Centro de
Operaciones "MEGACENTRO LURIN"
Locales B1, B2, B24

Bolivia Branch

Av. Japón Nro. 3340 (3er. Anillo externo)
entre Av. Alemana y Mutualista

COLOMBIA

MAKITA COLOMBIA S.A.S

Head Office

Bodega 3 Lote 123, Centro Empresarial
Celta Trade Park, Kilometro 7 Autopista
Bogotá-Medellín Funza, Cundinamarca,
Colombia

Paloquemao factory service center

Carrera 22#18-63, Bogota,
Cundinamarca, Colombia

EUROPE

UNITED KINGDOM

Makita (U.K.) Ltd.

Head office

Michigan Drive, Tongwell, Milton
Keynes, Bucks MK15 8JD

Wigan Warehouse

Challenge Way, Martland Park, Wigan,
WN5 0LD

Scotland factory service center

Unit 4A, Albion Trading Estate,
750 South Street, Glasgow, G14 0SY

London factory service center

Unit 5 Vector Park, Forest Road, Felthm,
Middlesex, TW13 7EJ

Makita Manufacturing Europe Ltd.

Hortonwood 7, Telford, Shropshire TF1
7YX

FRANCE

Makita France SAS

Head office

37, avenue Graham Bell, ZAC Léonard de
Vinci, Bussy Saint-Georges, 77607
Marne-la-Vallée Cedex 3

Nantes office

Le Pan Loup, 44220 Couéron

Bordeaux office

137, Rue de la Croix-de-Monjou, 33170
Gradignan

Nord office

Village d'Entreprises, 51, Rue Trémière,
59650 Villeneuve d'Ascq

Toulouse office

15, Rue de Boudeville, Z.I. de Thibaud,
31104 Toulouse

SPAIN

Makita, S.A.

Head office

Calle Cerceda, nº 28 28052 Vicálvaro
(Madrid)

Barcelona Office

Bio Edificio Gonsi Sócrates Calle Antonio
Machado nº 65 08840 Viladecans
(Barcelona)

PORTUGAL

Makita - Ferramentas Eléctricas,

Sociedade Unipessoal, Lda.

portugal sales division

Centro empresarial de Alverca, Vale das
Ervas, Armazém C2 2615-187 Alverca do
Ribatejo

ITALY

Makita S.p.A.

Via Don Luigi Sturzo 56/58, Arluno,
20004, Milano, Italy

GREECE

Makita Hellas S.A.

Tatoio 34, Acharnes, ATTIKI PC13677

FINLAND

Makita Oy

Tuotantitie 21, 04300 Tuusula, Finland

FSC

Krouvintie 5 90400 Oulu, Finland

ESTONIA

Makita Oy Estonian Branch

Head office

Kaupmehe tn 5, Laagri alevik, 76401
Saue vald, Estonia

LATVIA

Makita OY Latvian Branch

Latvian factory service center

Vienibas gatve 153/1, Mārupe, Mārupes
nov., LV-2167, LATVIA

LITHUANIA

Makita OY Lithuanian Branch

Lithuanian factory service center

L. Zamenhofo Str. 3, Vilnius, LT-06332,
LITHUANIA

SWEDEN

Makita Sweden

Bergkällavägen 36A 192 79
SOLLENTUNA
SWEDEN

NORWAY

Makita Norway

Løxaveien 15 1351 Rud Norway

THE NETHERLANDS

Makita Nederland B.V.

Head office

Park Forum 1101 5657HK Eindhoven

Utrecht Service Center

Straat van Gibraltar 6, 3446CM Woerden

BELGIUM

S.A. Makita N.V.

Jan-Baptist Vinkstraat 2 3070 Kortenberg

Boom warehouse

Industrieweg 1C
2850 Boom

GERMANY

Makita Werkzeug GmbH

Head office

Makita Platz 1, 40885 Ratingen

Makita Service Center Hamburg

Jenfelder Strasse 51, 22045 Hamburg

Makita Service Center Berlin

Gartenfelder Strasse 29 – 37
Gebäude 44, 13599 Berlin

Makita Service Center Lehrte

Everner Strasse 30, 31275 Lehrte

Makita Service-Center Groß-Gerau

Hans-Böckler-Str. 22
64521 Groß-Gerau

Makita Service Center München

Martin-Kollar-Straße 4, 81829 München
EG VE 04

Makita Engineering Germany GmbH

Jenfelder Strasse 38, 22045 Hamburg

DENMARK

Makita Elværktøj Danmark

Denmark office

Vegavej 17, 8700 Horsens, Kingdom of
Denmark

SWITZERLAND

Makita SA

Chemin du Vuasset 7 CH-1028
Preverenges

AUSTRIA

Makita Werkzeug Gesellschaft m.b.H.

Airportstraße 4 A-2401 Fischamend

SLOVENIA

MAKITA.d.o.o.

Brncičeva 17, SI-1231 Ljubljana-Črnuča,
Slovenia

CROATIA

Croatia factory service center

Kreše Golika 3A, HR- 10000 Zagreb

EUROPE

UKRAINE

Makita Ukraine LLC

61 Oleha Onikiyenka Str., Brovary, Kyiv region 07400, Ukraine

Dnipro FSC

5 Kursanta Ckorobogatka Str., Dnipro, Dnipropetrovsk region 49124, Ukraine

POLAND

Makita Sp. z o.o.

Head office

ul. Bestwińska 103
43-346 Bielsko - Biała

Warsaw branch

Moszna-Parcela 29
05-840 Brwinów

CZECH REPUBLIC

Makita, spol. s r.o.

Tovární 941/1a Brno – Chrlce, 643 00
Czech Republic (CZ)

Prague Service Center

K Bílému Vrchu 3040/16, 193 00
Prague 9

SLOVAKIA

Makita s.r.o.

Priemysel'ná 26
974 01 Banská Bystrica

HUNGARY

Makita Elektromos Kís'gépértékesít'ő Kft.

8000 Székesfehérvár, Kukorica u. 7.

ROMANIA

Makita Romania S.R.L.

Strada Garii Nr.6, Loc.Branesti, jud.Ifov, Romania

Cluj-Napoca Factory Service Center

Str. Bld. Muncii, Nr. 68, 400641
Cluj, Romania

Iasi Factory Service Center

Boulevard Poitiers No. 2, 700671
Iasi, Romania

SC Makita EU SRL

Str.I.C. Bratianu, nr.164, Comuna Branesti, jud. ILFOV, ROMANIA 077030

BULGARIA

Makita Bulgaria EOOD

Okolovrasten Pat (circle road), No.373,
Sofia 1186, Bulgaria

GEORGIA

LTD «Makita Georgia»

64, D. Guramishvili avenue, 0141, Tbilisi,
Georgia

KAZAKHSTAN

Makita Kazakhstan LLP

Zakarpatskaya str., 45, 050039, Almaty,
Kazakhstan

MIDDLE EAST/ AFRICA

UNITED ARAB EMIRATES

Makita Gulf FZE

P.O. Box 17133,
Jebel Ali Free Zone, Dubai, UAE

TANZANIA

MAKITA AFRICA LIMITED

P.O. Box 20998,
2nd Floor, Staywell Office Building, Haile
Selassie Road, Msasani Peninsula, Dar es
Salaam, Tanzania

MOROCCO

MAKITA MOROCCO SARLAU

Rte Zenata Lot Marhaba Show Room N5
Espace Commercial Asteria Amal 5 A S,
20250 Casablanca, Morocco

OCEANIA

AUSTRALIA

Makita (Australia) Pty. Ltd.

Head office

2 Litton Close Pemulwuy. NSW. 2145

Hobart office

32a Chapel Street Glenorchy, TAS 7010

Perth office

374A Kenwick Rd Maddington WA 6109

Factory Service Center

Sydney, Melbourne, Brisbane, Perth,
Hobart, Townsville, Adelaide

NEW ZEALAND

Makita (New Zealand) Limited

Head office

46 Westpoint Drive, Hobsonville,
Auckland 0618

Christchurch Office

27 Hannover Place, Rolleston,
Christchurch 7614


Factory Service Center

Auckland North, Auckland South,
Christchurch, Wellington

Accessory Catalogue



Makita Corporation
3-11-8 Sumiyoshi-cho, Anjo, Aichi 446-8502 Japan
www.makita.com



**official YouTube
channel**



www.makita.com